APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK BILL TYPE OF WALL APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK BILL TYPE OF WALL APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK BILL TYPE OF WALL APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK BILL TYPE OF WALL	NO. OF COPIES RECEIVED				- 7	0-0	25-2929
Section Sect			# MEXICO OIL COM	SERVITION FOR			~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~
SALESTON STATE S			" MEXICO OIL CON	SERVATION COMMIS	SION		
APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK 12. Type of Work 12. Type of Work 12. Type of Work 13. Type of Work 14. Type of Work 15. Sign CU & Gop Leege No. 15. Sign CU & Gop Leege No. 16. Figure of Leege Name 16. Figure of Leege Name 16. Figure of Leege Name 17. Out Agriement Name 18. Figure of Leege Name 18. Figure of Leege Name 18. Figure of Leege Name 19. Out ONP ANY 10. Now 2267, Midland, Texas 79702 10. Now 2267, Midland, Texas 79702 11. Elevation of Well 12. County 12. County 13. County 14. Leegten of West 15. Sign CU & Gop Leege Name 16. Figure of Leege Name 17. Out One Leege Name 18. Figure of Leege Name 19. Out One 19.							- ·
APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK 1. Type of wat.						1	
APPLICATION FOR PERMIT TO DRILL, DEEPEN OR PLUG BACK 10. Type of Work 11. Elevation (X.) Type of Work 11. Elevation (X.) Type of Work 12. Type of Work 12. Type of Work 12. Type of Work							, <u></u>
DEEPEN DEFINE OR ILL X DEEPEN PLUG BACK B. Form or Lease Name 2. Name of Operator Page 3 Com. PRIC OIL COMPANY 3. Address of Operator Page 3 Com. PRO OIL COMPANY 2. Address of Operator Page 3 Com. P. O. Box 2267, Midland, Texas 79702 4. Location of Well Unit (stree P Located 1780) rest from the North Line 2080 rest from the North Line 2080 rest from the North Line 2080 rest from the North Line 3362.4' GR Blanket-Active Parker Drilling Company When permitted 3. Size of Hole Size of Cashon Weight Pear Pool Setting Controlled 3. Size of Hole Size of Cashon Weight Pear Pool Setting Company When permitted 3. Size of Hole Size of Casho Weight Pear Pool Setting Depth Sacks of Coment Est. Top 17-1/2" 13-3/8" S4.5% 625' 500 Circulated 8-3/4" 7" 26% 409 3250 2500 2500 Circulated 6-1/8" 4-1/2" Liner 13.5% 15600 325 TOL: 13000 BOP - Install at 5200 feet with 3000% cap, and 2450% annular preventor. Will use standard surface Permit Expires 6 Months From Approval Date Unless Drilling Underway. Permit Expires 6 Months From Approval Date Unless Drilling Underway. Poole State Uses Betty Gildop Line Regulatory Analyst Date May 29, 1985 **Chas space fo State Uses **Object Advance Control of Months State Control of State Uses **Object State Use	OPERATOR					-5, State ()	il & Gas Lease No.
DEEPEN DEFINE DEFINE DEEPEN DE						m	mm
DEEPEN PLUG BACK B. FUTTOR LESSE Plug. DEEPEN PAGE TO COMPANY D. BOX 2267, Midland, Texas 79702 D. Control Plug. D. Control	APPLICATI	ION FOR PERMIT TO	DRILL, DEEPEN	LOR PLUG BACK			
DEEPER DE	In. Type of Work			V - IV LOO BYICK		7. Unit Ac	TITLE TO THE TOTAL TO THE TOTAL TOTA
Size of hole Size of hole Size	b. Type of Well DRILL	$\overline{\mathbf{x}}$.	DEEPEN	٠	—	· · · · · · · · · · · · · · · · · · ·	reement Name
20. Note 1 Operator PRO OIL COMPANY 1. Address of Operator P. O. Box 2267, Midland, Texas 79702 PItchfork Ranch Morre P. O. Box 2267, Midland, Texas 79702 PItchfork Ranch Morre 2080 PRO OIL COMPANY 13. Fernantian West Line of State Play, Bond 218. Financian 142. Gounty Lea 15362.4' GR PROPOSED ASING AND CEMENT PROGRAM SIZE OF HOLE SIZE OF CASING WEIGHT PER FOOT SETTING DEPTH SACKS OF CEMENT EST. TOP PROPOSED ASING AND CEMENT PROGRAM SIZE OF HOLE SIZE OF CASING WEIGHT PER FOOT SETTING DEPTH SACKS OF CEMENT EST. TOP 17-1/2" 13-3/8" S4.5# 625' 500 Circulated 8-3/4" 7" 266 8-3/4" 7" 266 13.5# 15600 TOL: 13000 300 - Install at 5200 feet with 3000# cap. and 2450# annular preventor. At 13,250 feet controlled BOP installation. Permit Expires 6 Months From Approval Date United Street Street Controlled BOP installation. Permit Expires 6 Months From Approval Date United Street Str	I	· ·		PL	UG BACK	8. Farm or	Lease Name
Address of Operators P. O. Box 2267, Midland, Texas 79702 1. Location of Well Unit Letters F Located 1780 rest from the North Line 2080 rest from the West Line of Settle Play. Bond 15, Food of Line 17, County Lea 17, C	2. Name of Operator	X OTHER		ZONE X	MULTIPLE		
10. Field and Pool, or Wildcal Pitchfork Ranch Morro 2080	HNG OIL COMPANY		•				
Pitchfork Ranch Morro 2080 13. Proposed Depth 13. Fromulation 13. Proposed Depth				·			1
2080 2080 2080 West 19, Preposed Depth 19, Fremedice 15, 600' Morrow 3362, 4' GR 21 Interdice Blanket-Active Broopsed Casing And Cement Program SIZE OF HOLE SIZE OF CASING WEIGHT PER FOOT SETTING DEPTH SACKS OF CEMENT EST. TOP 17-1/2" 12-1/4" 9-5/8" 36% 4.0% 5200' 2500' Circulated 6-1/8" 4-1/2" Liner 13.5% 13250 1200 Circulated 6-1/8" 4-1/2" Liner 13.5% 15600 325 TOL: 13000 309 - Install at 5200 feet with 3000% cap. and 2450% annular preventor. At 13,250 feet controlled BOP installation. Active Bloopsed Program Boate Universe Company Date Universe Company Date Universe Bood Circulated Permit Expires 6 Months From Approval Date Universe Bood Circulated Date Universe Bood Circulated Betty Gildop _{tite} Regulatory Analyst Date May 29, 1985 ORACH PROPOSED BY FERTY SEXTON	P. O. Box 2267, M	idland Towas 70	702			10. Field o	and Pool, or Wildcat
2080 Section of the Control of State Uses 100 1	t. Location of Well			···			
2080 TWE TROOT THE WEST THE PROPOSED PROGRAMS IT PROPOSED AS A SHE UNITED TO SEED AS A SHE UNITED TO		TER LO	CATED <u>1780</u>	FEET FROM THE NOT	th LINE	TITTE	
19. Proposed Depth 19. Formation 19. Proposed Depth 19. Formation 19. Proposed Depth 19. Formation 19. Proposed Depth 1	2080	West	٠				
Lea 19, Proposed Depth 19A, Fermation 20, Rotary of C.T. 15,600 Morrow 20, Rotary of C.T. 15,600 Morrow 23,624 GR 21A, Kind & Sterus Plug, Bond 21B, Drilling Contractor Parker Drilling Company 22, Approx. Date Work will stort Parker Drilling Company 22, Approx. Date Work will stort Parker Drilling Company When permitted		innimille.	NE OF SEC.	TWP. TREE.			
19. Proposed Depth 194. Formation 20. Rotary or C.T. 15.600' Morrow 3152.4' GR Blanket-Active Parker Drilling Company 22. Approx. Date Work will start When permitted Parker Drilling Company 22. Approx. Date Work will start When permitted Parker Drilling Company 22. Approx. Date Work will start When permitted 23. Approx. Date Work will start When permitted 24. Approx. Date Work will start When permitted 25. Approx. Date Work will start 25. Approx. Date Work will sta							Milli
1. Elevations (Show whether DF, RF, etc.) 3362.4' GR Blanket-Active PROPOSED CASING AND CEMENT PROGRAM SIZE OF HOLE SIZE OF CASING WEIGHT PER FOOT SETTING DEPTH SACKS OF CEMENT EST. TOP 17-1/2" 13-3/8" 54.5# 625' 500 Circulated 8-3/4" 7" 26# 13250 1200 6-1/8" 4-1/2" Liner 13.5# 15600 325 TOL: 13000 309 - Install at 5200 feet with 3000# cap. and 2450# annular preventor. At 13,250 feet controlled BOP installation. Permit Expires 6 Months From Approval Date Unless Drilling Underway. Permit Expires 6 Months From Approval Date Unless Drilling Underway. BOVE SPACE DESCRIBE PROPOSED PROGRAM: IF PROPOSAL IS TO DEEPEN OR PLUE BACK, SIVE DATA ON PRESENT PRODUCTIVE ZONE AND PROPOSED NEW PROPOSED OR SITE Uses Company of the May 29, 1985 (This space for Size Use) CEMENT DEPTH SACKS OF CEMENT ROCK DATA ON PRESENT PROQUCTIVE ZONE AND PROPOSED NEW PRODUCTIVE SONE AND PROPOSED NEW PROPOSED N		/////////////////////////////////////	/////////////////////////////////////	/////////////////////////////////////	<i>HHHH</i>	Lea	· ([[[[]]
1. Elevations (Show whether DF, RF, etc.) 3362.4' GR Blanket-Active PROPOSED CASING AND CEMENT PROGRAM SIZE OF HOLE SIZE OF CASING WEIGHT PER FOOT SETTING DEPTH SACKS OF CEMENT EST. TOP 17-1/2" 13-3/8" 54.5# 625' 500 Circulated 8-3/4" 7" 26# 13250 1200 6-1/8" 4-1/2" Liner 13.5# 15600 325 TOL: 13000 309 - Install at 5200 feet with 3000# cap. and 2450# annular preventor. At 13,250 feet controlled BOP installation. Permit Expires 6 Months From Approval Date Unless Drilling Underway. Permit Expires 6 Months From Approval Date Unless Drilling Underway. BOVE SPACE DESCRIBE PROPOSED PROGRAM: IF PROPOSAL IS TO DEEPEN OR PLUE BACK, SIVE DATA ON PRESENT PRODUCTIVE ZONE AND PROPOSED NEW PROPOSED OR SITE Uses Company of the May 29, 1985 (This space for Size Use) CEMENT DEPTH SACKS OF CEMENT ROCK DATA ON PRESENT PROQUCTIVE ZONE AND PROPOSED NEW PRODUCTIVE SONE AND PROPOSED NEW PROPOSED N							
1. Elevations () how whether DF, RF, etc.) 3362, 4' GR Blanket-Active PROPOSED CASING AND CEMENT PROGRAM SIZE OF HOLE SIZE OF CASING WEIGHT PER FOOT SETTING DEPTH SACKS OF CEMENT EST. TOP 17-1/2" 13-3/8" 54.5# 625' 500 Circulated 8-3/4" 7" 26# 13.5# 15600 325 TOI: 13000 300 - Install at 5200 feet with 3000# cap. and 2450# annular preventor. At 13,250 feet controlled BOP installation. Permit Expires 6 Months From Approval Date Unless Drilling Underway. Permit Expires 6 Months From Approval Date Unless Drilling Underway. BOVE SPACE DESCRIBE PROPOSED PROGRAM: IF PROPOSAL IS TO DEEPTH OR PLUE BACK, SIVE DATA ON PRESENT PROQUETIVE ZONE AND PROPOSED NEW PRODUCTIVE STATE PROGRAM, If ANY ANY ANY ANY ANY AND			/////////////////////////////////////	19. Proposed Depth	119A Formation	7/////	
21A. Kind & Status Plug. Bond Blanket—Active Parker Drilling Company When permitted 3362.4 GR Blanket—Active Parker Drilling Company When permitted PROPOSED CASING AND CEMENT PROGRAM SIZE OF HOLE SIZE OF CASING WEIGHT PER FOOT SETTING DEPTH SACKS OF CEMENT EST. TOP 17-1/2" 13-3/8" 54.5# 625' 500 Circulated 12-1/4" 9-5/8" 36# 40# 5200' 2500 Circulated 8-3/4" 7" 26# 13250 1200 6-1/8" 4-1/2" Liner 13.5# 15600 325 TOL: 13000 30P - Install at 5200 feet with 3000# cap. and 2450# annular preventor. At 13,250 feet controlled BOP installation. 30P - Install at 5200 feet with 5000# annular preventor. Will use standard surface controlled BOP installation. 30P - Install at 5200 feet with 5000# annular preventor. Will use standard surface controlled BOP installation. 30P - Install at 5200 feet with 5000# annular preventor. Will use standard surface controlled BOP installation. 30P - Install at 5200 feet with 5000# annular preventor. Will use standard surface controlled BOP installation. 30P - Install at 5200 feet with 5000# annular preventor. Will use standard surface controlled BOP installation. 30P - Install at 5200 feet with 3000# cap. and 2450# annular preventor. At 13,250 feet controlled BOP installation. 30P - Install at 5200 feet with 5000# annular preventor. Will use standard surface controlled BOP installation. 30P - Install at 5200 feet with 5000# annular preventor. Will use standard surface controlled BOP installation. 30P - Install at 5200 feet with 5000# annular preventor. Will use standard surface controlled BOP installation. 30P - Install at 5200 feet with 5000# annular preventor. At 13,250 feet controlled BOP installation. 30P - Install at 5200 feet with 5000# annular preventor. At 13,250 feet controlled BOP installation. 30P - Install at 5200 feet with 5000# annular preventor. At 13,250 feet controlled BOP installation. 30P - Install at 5200 feet with 5000# annular preventor. At 13,250 feet controlled BOP installation. 30P - Install at 5200 feet with 5000# annular preventor. At 13,250		71111111111111					i .
Blanket-Active Parker Drilling Company When permitted PROPOSED CASING AND CEMENT PROGRAM SIZE OF HOLE SIZE OF CASING WEIGHT PER FOOT SETTING DEPTH SACKS OF CEMENT EST. TOP 17-1/2" 13-3/8" 54.5# 625' 500 Circulated 12-1/4" 9-5/8" 36# & 40# 5200' 2500 Circulated 8-3/4" 7" 26# 13250 1200 Circulated 6-1/8" 4-1/2" Liner 13.5# 15600 325 TOL: 13000 30P - Install at 5200 feet with 3000# cap. and 2450# annular preventor. At 13,250 feet controlled BOP installation. 30P - Install at 5200 feet with 5000# annular preventor. Will use standard surface controlled BOP installation. 30P - Install at 5200 feet with 5000# annular preventor. Will use standard surface controlled BOP installation. 30P - Install at 5200 feet with 5000# annular preventor. Will use standard surface controlled BOP installation. 30P - Install at 5200 feet with 5000# annular preventor. Will use standard surface controlled BOP installation. 30P - Install at 5200 feet with 5000# annular preventor. Will use standard surface controlled BOP installation. 30P - Install at 5200 feet with 5000# annular preventor. Will use standard surface controlled BOP installation. 30P - Install at 5200 feet with 5000# annular preventor. Will use standard surface controlled BOP installation. 30P - Install at 5200 feet with 3000# cap. and 2450# annular preventor. Will use standard surface controlled BOP installation. 30P - Install at 5200 feet with 3000# cap. and 2450# annular preventor. Will use standard surface controlled BOP installation. 30P - Install at 5200 feet with 3000# cap. and 2450# annular preventor. Will use standard surface controlled BOP installation. 30P - Install at 5200 feet with 3000# cap. and 2450# annular preventor. At 13,250 feet controlled BOP installation. 30P - Install at 5200 feet with 3000# cap. and 2450# annular preventor. At 13,250 feet controlled BOP installation.	3367. At CD) INTIOW	22 1	Rotary
SIZE OF HOLE SIZE OF CASING WEIGHT PER FOOT SETTING DEPTH SACKS OF CEMENT EST. TOP 17-1/2" 13-3/8" 54.5# 625' 500 Circulated 12-1/4" 9-5/8" 36# & 40# 5200' 2500 Circulated 8-3/4" 7" 26# 13250 1200 6-1/8" 4-1/2" Liner 13.5# 15600 325 TOL: 13000 30P - Install at 5200 feet with 3000# cap. and 2450# annular preventor. At 13,250 feet increase to 10,000# cap. with 5000# annular preventor. Will use standard surface controlled BOP installation. 30B at 3 is not dedicated. Permit Expires 6 Months From Approval Date Unless Drilling Underway. Permit Expires 6 Months From Approval Date Unless Drilling Underway. **POOVE SPACE DESCRIBE PROPOSED PROGRAM: IF PROPOSAL IS TO DEEPEN ON PLUE BACK, GIVE DATA ON PRESENT PRODUCTIVE ZONE AND PROPOSED NEW PRODUCTIVE TONE AND PROPOSED NEW PR		Blank	et-Active				
SIZE OF HOLE SIZE OF CASING WEIGHT PER FOOT SETTING DEPTH SACKS OF CEMENT EST. TOP 17-1/2" 13-3/8" 54.5# 625' 500 Circulated 8-3/4" 7" 26# 13250 1200 6-1/8" 4-1/2" Liner 13.5# 15600 325 TOL: 13000 BOP - Install at 5200 feet with 3000# cap. and 2450# annular preventor. At 13,250 feet increase to 10,000# cap. with 5000# annular preventor. Will use standard surface controlled BOP installation. BOP - Install at 5200 feet with 3000# cap. and 2450# annular preventor. Will use standard surface Cas is not dedicated. Permit Expires 6 Months From Approval Date Unless Drilling Underway. Date Unless Drilling Underway. Date Unless Drilling Underway. Date Unless Drilling Underway. Date May 29, 1985 (This space for State Use) Betty Gildop _{tile} Regulatory Analyst Date May 29, 1985	•	F	PROPOSED CASING AND			WHEH	permitted
17-1/2" 13-3/8" 54.5# 625' 500 Circulated 627/4" 9-5/8" 36# & 40# 5200' 2500 Girculated 13250 1200 6-1/8" 4-1/2" Liner 13.5# 15600 325 TOL: 13000 30P - Install at 5200 feet with 3000# cap. and 2450# annular preventor. At 13,250 feet increase to 10,000# cap. with 5000# annular preventor. Will use standard surface controlled BOP installation. Permit Expires 6 Months From Approval Date Unless Drilling Underway. Permit Expires 6 Months From Approval Date Unless Drilling Underway. Rebove space Describe Proposed Program: If Proposal is to deepen on Plus Back, give Data On Present Proposed New	SIZE OF HOLE				."		
12-1/4" 9-5/8" 36# & 40# 5200' 2500 Circulated 8-3/4" 7" 26# 13250 1200 6-1/8" 4-1/2" Liner 13.5# 15600 325 Tol: 13000 BOP - Install at 5200 feet with 3000# cap. and 2450# annular preventor. At 13,250 feet increase to 10,000# cap. with 5000# annular preventor. Will use standard surface controlled BOP installation. Permit Expires 6 Months From Approval Date Unless Drilling Underway. Permit Expires 6 Months From Approval Date Unless Drilling Underway. **ROOVE SPACE DESCRIBE PROPOSED PROGRAM: IF PROPOSAL IS TO DEEPEN OR PLUG BACK, GIVE DATA ON PRESENT PRODUCTIVE ZONE AND PROPOSED NEW PRODUCTIVE SINGLE OF THE STORY OF THE STO				SETTING DEPT	H SACKS OF	CEMENT	EST, TOP
8-3/4" 6-1/8" 7" 26# 13250 1200 325 TOL: 13000 BOP - Install at 5200 feet with 3000# cap. and 2450# annular preventor. At 13,250 feet increase to 10,000# cap. with 5000# annular preventor. Will use standard surface controlled BOP installation. Bas is not dedicated. Permit Expires 6 Months From Approval Date Unless Drilling Underway. Permit Expires 6 Months From Approval Date Unless Drilling Underway. Betty Gildop, IF ANY. Betty Gildop, Is Regulatory Analyst Date May 29, 1985 (This space for State Use) Capacity task Space for State Use) Capacity at Space for State Use)			1		500		
BOP - Install at 5200 feet with 3000# cap. and 2450# annular preventor. At 13,250 feet increase to 10,000# cap. with 5000# annular preventor. Will use standard surface controlled BOP installation. Bas is not dedicated. Permit Expires 6 Months From Approval Date Unless Drilling Underway. Permit Expires 6 Months From Approval Date Unless Drilling Underway. REONE SPACE DESCRIBE PROPOSED PROGRAM: IF PROPOSAL IS TO DEEPEN OR PLUG BACK, GIVE DATA ON PRESENT PRODUCTIVE ZONE AND PROPOSED NEW PRODUCTIVE COVE SLOWOUT PREVENTER PROGRAM: IF PROPOSAL IS TO DEEPEN OR PLUG BACK, GIVE DATA ON PRESENT PRODUCTIVE ZONE AND PROPOSED NEW PRODUCTIVE COVE AND PROPOSED NEW PRODUCTIVE COVE STATE OF STATE USE) POTENHAL SPACE OF STATE USE) ORIGINAL STATE USE) ORIGINAL SPACE OF STATE USE)	8-3/4"				2500		
BOP - Install at 5200 feet with 3000# cap. and 2450# annular preventor. At 13,250 feet increase to 10,000# cap. with 5000# annular preventor. Will use standard surface controlled BOP installation. Permit Expires 6 Months From Approval Date Unless Drilling Underway. Permit Expires 6 Months From Approval Date Unless Drilling Underway. **ROOVE SPACE DESCRIBE PROPOSED PROGRAM: IF PROPOSAL IS TO DEEPEN ON PLUG BACK, GIVE DATA ON PRESENT PRODUCTIVE ZONE AND PROPOSED NEW PRODUCTIVE STORE AND PROPOSED NEW PROPOSED NEW PROPOSED NEW PROPOSED NEW PROPO	6-1/8"	1 '		i			
BOP - Install at 5200 feet with 3000# cap. and 2450# annular preventor. At 13,250 feet increase to 10,000# cap. with 5000# annular preventor. Will use standard surface controlled BOP installation. Bas is not dedicated. Permit Expires 6 Months From Approval Date Unless Drilling Underway. Date Unless Drilling Underway. Proposed Program: If Proposed Program: If Proposal is to deepen on plug back, give data on present productive zone and proposed new productive since allowout preventer program, if any. Betty Gildop, Regulatory Analyst Date May 29, 1985 (This space for State Use) Outcompal signed by Jerry Sexton	•	4 1/2 Liller	13.3#	12600	325		TOL: 13000
Permit Expires 6 Months From Approval Date Unless Drilling Underway. ABOVE SPACE DESCRIBE PROPOSED PROGRAM: IF PROPOSAL IS TO DEEPEN OR PLUG BACK, GIVE DATA ON PRESENT PRODUCTIVE ZONE AND PROPOSED NEW PRODUCTIVE GIVE BLOWOUT PREVENTER PROGRAM, IF ANY. TO DEEPEN OR PLUG BACK, GIVE DATA ON PRESENT PRODUCTIVE ZONE AND PROPOSED NEW PRODUCTIVE STORE AND PROPOSED NEW PROPOSED NEW P						•	,
Permit Expires 6 Months From Approval Date Unless Drilling Underway. ABOVE SPACE DESCRIBE PROPOSED PROGRAM: IF PROPOSAL IS TO DEEPEN OR PLUG BACK, GIVE DATA ON PRESENT PRODUCTIVE ZONE AND PROPOSED NEW PRODUCTIVE CONE CONE CONTROLLED TO THE CONTROLLED C							- · · · · · · · · · · · · · · · · · · ·
Permit Expires 6 Months From Approval Date Unless Drilling Underway. ABOVE SPACE DESCRIBE PROPOSED PROGRAM: IF PROPOSAL IS TO DEEPEN OR PLUG BACK, GIVE DATA ON PRESENT PRODUCTIVE ZONE AND PROPOSED NEW PRODUCTIVE GIVE BLOWOUT PREVENTER PROGRAM, IF ANY. TO DEEPEN OR PLUG BACK, GIVE DATA ON PRESENT PRODUCTIVE ZONE AND PROPOSED NEW PRODUCTIVE CONE AND PROPOSED NEW PRODUCTIVE TO BE CHILD BETTY GILDON BETTY SEXTON	10D =						
Permit Expires 6 Months From Approval Date Unless Drilling Underway. ABOVE SPACE DESCRIBE PROPOSED PROGRAM: IF PROPOSAL IS TO DEEPEN OR PLUG BACK, GIVE DATA ON PRESENT PRODUCTIVE ZONE AND PROPOSED NEW PRODUCTIVE CONE CONE CONTROLLED TO THE CONTROLLED C	our - install at 52	200 feet with 30	00# cap. and 2	450# annular r	***********		_
Permit Expires 6 Months From Approval Date Unless Drilling Underway. ABOVE SPACE DESCRIBE PROPOSED PROGRAM: IF PROPOSAL IS TO DEEPEN OR PLUG BACK, GIVE DATA ON PRESENT PRODUCTIVE ZONE AND PROPOSED NEW PRODUCTIVE GIVE BLOWOUT PREVENTER PROGRAM, IF ANY. Teby certify that the information above is true and complete to the best of my knowledge and belief. Betty Gildon Regulatory Analyst ORIGINAL EGNED BY JERRY SEXTON	increase to 1	.0,000# cap. wit	h 5000# annula	r preventor.	Will was a	At 13,	250 feet
Permit Expires 6 Months From Approval Date Unless Drilling Underway. Bove space describe proposed program: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive control of the information above is true and complete to the best of my knowledge and belief. Betty Gildon Regulatory Analyst Date May 29, 1985 (This space for State Use) ORIGINAL SIGNED BY JERRY SEXTON	conflotted RO	P installation.		i · · · · · · · · · · · · · · · · · ·	will use si	candard	surface
Permit Expires 6 Months From Approval Date Unless Drilling Underway. ABOVE SPACE DESCRIBE PROPOSED PROGRAM: IF PROPOSAL IS TO DEEPEN OR PLUG BACK, GIVE DATA ON PRESENT PRODUCTIVE ZONE AND PROPOSED NEW PRODUCTIVE SPACE (IVE BLOWOUT PREVENTER PROGRAM, IF ANY. TO DEEPEN OR PLUG BACK, GIVE DATA ON PRESENT PRODUCTIVE ZONE AND PROPOSED NEW PRODUCTIVE SPACE (IVE BLOWOUT PREVENTER PROGRAM, IF ANY. THE PROPOSED PROGRAM: IF PROPOSAL IS TO DEEPEN OR PLUG BACK, GIVE DATA ON PRESENT PRODUCTIVE ZONE AND PROPOSED NEW PROPOS	Sas is πot dedicate	v.đ					
ABOVE SPACE DESCRIBE PROPOSED PROGRAM: IF PROPOSAL IS TO DEEPEN OR PLUG BACK, GIVE DATA ON PRESENT PRODUCTIVE ZONE AND PROPOSED NEW PRODUCTIVE SONE AND PROPOSED NEW PRODUCTIVE ZONE AND PROPOSED NEW PRODUCTIVE SONE AND PROPOSED NEW PRODUCTIVE SONE AND PROPOSED NEW PRODUCTIVE ZONE AND PROPOSED NEW PROPOSED N	as is not dedicate	: a.					
This space for State Use) Once Office of State Use) Once Office Space Describe Proposed Program: If Proposal is to deepen on plug back, give data on present productive zone and proposed new productive state and complete to the best of my knowledge and belief. Date May 29, 1985 (This space for State Use) ORIGINAL EIGNED BY JERRY SEXTON	•				•		•
This space for State Use) Once Office of State Use) Once Office Space Describe Proposed Program: If Proposal is to deepen on plug back, give data on present productive zone and proposed new productive state and complete to the best of my knowledge and belief. Date May 29, 1985 (This space for State Use) ORIGINAL EIGNED BY JERRY SEXTON				Darmit M.	C & B		
ABOVE SPACE DESCRIBE PROPOSED PROGRAM: IF PROPOSAL IS TO DEEPEN OR PLUG BACK, GIVE DATA ON PRESENT PRODUCTIVE ZONE AND PROPOSED NEW PRODUCTIVE SONE AND PROPOSED NEW PRODUCTIVE ZONE AND PROPOSED NEW PRODUCTIVE SONE AND PROPOSED NEW PRODUCTIVE SONE AND PROPOSED NEW PRODUCTIVE ZONE AND PROPOSED NEW PROPOSE				errint Expires	6 Months F	rom Ap	proval
ABOVE SPACE DESCRIBE PROPOSED PROGRAM: IF PROPOSAL IS TO DEEPEN OR PLUG BACK, GIVE DATA ON PRESENT PRODUCTIVE ZONE AND PROPOSED NEW PRODUCTIVE SONE AND PROPOSED NEW PROPOSED	•		Ĺ	Jale Unless Dr	illing Under	way.	
ed Detty Gildon Betty Gildon Regulatory Analyst Date May 29, 1985 (This space for State Use) ORIGINAL SIGNED BY JERRY SEXTON						-	
ed Buttu He information above is true and complete to the best of my knowledge and belief. Betty Gildon Regulatory Analyst Date May 29, 1985 (This space for State Use) ORIGINAL SIGNED BY JERRY SEXTON	BOVE SPACE DESCRIBE PRO	OPOSED PROGRAM: IF PI	ROPOSAL IS TO DEEPEN AN	P(UC BACK			
Betty Gildon Regulatory Analyst Date May 29, 1985 (This space for State Use) ORIGINAL SIGNED BY JERRY SEXTON	reby certify that has income	R PROGRAM, IF ANY.	JEEFEN ON	BACK, GIVE DATA	DN PRESENT PRODUC	CTIVE ZONE	AND PROPOSED NEW PRODUC
(This space for State Use) ORIGINAL EIGNED BY JERRY SEXTON	har the information	n woove is true and compl	ete to the best of my kn	pwiedge and belief.			
(This space for State Use) ORIGINAL EIGNED BY JERRY SEXTON	ed Betty Alden	Betty Gildo	Pina Regulatory	Analyst			_
ORIGINAL EIGNED BY JERRY SEXTON	(This (C		rate	ımaıyı.	Dat	<u>May 2</u>	9, 1985
BOYER BUILT I SUPERVISOR IIIN - 9 1985	ORIGINAL EIGH	tate Use) NED BY JEPRY SEXTA	N			· ,	
	BOYED BYLL	T I SUPERVISOR	· •			. 11 11	V - 3 1985

All distances must be from the outer boundaries of the Section

		All distances mu		outer boundaries	or the Section		· · · · · · · · · · · · · · · · · · ·
Operator			Lease	•			Well No.
	H.N.G. Oil	. Co		Page	: "3" Com		1
Unit Letter	Section	Township	1	Romge	County		
F	3	25S		34E		Lea	
Actual Footage Loc				 		·	
1780	feet from the	North III	ne cand 2	2080	feet from the	West	line
Ground Level Elev.	Producing Fo		Pool	.000	reet from the		Dedicated Acreage:
	Morroy			16 1 5			N/2
3362.4				chfork Rar			
2. If more th	-	ated to the subject of the subject o					e plat below. ereof (both as to working
dated by o	ommunitization. No If a	unitization, force	-pooling. et	c? solidation <u>Co</u>	ommunitiza or executi	tion agre	ement being circulate
		owners and trac	i aescriptio	ns which have	e actually bed	en consolida	ted. (Use reverse side of
No allowal							nunitization, unitization, approved by the Commis-
				1			CERTIFICATION
	i				•		and the state of t
	1	_		i			artify that the information con-
		,082		4			in is true and complete to the
·	ı	32		1		best of my	knowledge and belief.
				1	:	Bette	Sillow
L	+	_		· -		Norme	9
		1				Betty Gi	ldon
	ľ			ł		Position	
20	080' - 	⊸		1		Regulato	ry Analyst
	1			}		Company	
	ì					HNG O11	Company
	1 .	ĺ	•	1		Date	
	1	ļ		1		May 29,	1985
	•			1		123,	
LIT. III	C OTT COMPAN	V 2/16/70/		İ	ļ	1	ļ
	•	Y34164784		i	į	I hernby	certify that the well-location
		Inc .50000000		1		shown on t	his plat was plotted from field
		rp12500000				notes of a	ctual surveys made by me or
	E. Landreth			ROFESSION	N	under my s	upervision, and that the same
Le	on Jeffcoat	.01423036	* //\\	NO SUS		1	d correct to the best of my
1				CHINE - CANA	(E)	ŀ	and belief.
*The above	e is based on	all joining.	- #1318	kin 6	1511	Anow reage	
 	+	+	- G187.E		721 - 1		25 1005
1	1		!!!	676		May	25,1985
ł	1		112/1	.0.	/ <i>*</i> //	Date Surveye	d
	1	}	11 13	MEXICS			
	ı			CHIN W. WES		Registered P	rolessional Engineer
.	İ		-	VIV VV.		cond/or Loand	•
	1					In	MS/11/0 #
L						Certificate N	0. JOHN W. WEST, 676
	100 1120 1120 11	40 3310 2210	1000			1	RONALD J. EIDSON, 3239
n 330 660	190 1320 1650 16	80 2310 2640	2000 1	500 1000	80Q 0	1	

RECEIVED

WAY 81 1985

IOBES CARE