Form 3160-5	Ţ	ED STATES	:		· · · · ·	I F	ORM APPROVED
(August 1999)	DEPARTMEN	Γ OF THE INTERIO	R	N.M.	<b>Gii Con</b>	s. Divist	SPNO. 1004-0135 es: November 30, 2000
	BUREAU OF L	AND MANAGEMEN	Т	1005	NI Para	Expir	es: November 30, 2000
				1020	IN. Fren	Ch. Dehre Se	rial No.
	SUNDRY NOTICES			Hobb	s. NM	88246139	
	Do not use this form for	r proposals to drill o	r to re-enter a	n		6. If Indian,	Allottee or Tribe Name
a	bandoned well. Use Fo	m 3160-3 (APD) 101	r sucn proposi	als.			
SUE	3MIT IN TRIPLICATE -	Other instructions	s on reverse :	side		7. If Unit or	CA/Agreement, Name and/or ]
1. Type of Well						-1	
X Oil Well Gas	Well Other					8. Well Nam	
2. Name of Operator						- Pitchfork	4 Federal #1
EOG Resources In	nc.					9. API Well	No
3a. Address			3b. Phone No.	(include are	ea code)	30-025-30	
	Midland, Texas 7970		915 68	6 3689		10. Field and	Pool, or Exploratory Area
	ge, Sec., T., R., M., or Survey	Description)				Pitchfork	Ranch Morrow (Gas)
Sec 4, T-25-S, F 1980 FSL & 1980							
1900 191 6 1960	EWD						r Parish, State
12. C						Lea	NM
	HECK APPROPRIATE	BOX(ES) TO INL	ICATE NATU				HER DATA
TYPE OF S	UBMISSION			TYP	E OF ACTION	l	
Notice of	Intent	Acidize	Deepen			- (0; ; /P )	
						n (Start/Resume)	Water Shut-Off
X Subsequer	nt Report	Alter Casing	Fracture	Treat	Reclamati	on	Well Integrity
	-	Casing Repair	New Cor	struction	Recomple	ste	Other
Final Abar	ndonment Notice	Change Plans	Plug and Abandon Temporarily Abandon				
						•	
<ol> <li>Describe Proposed or If the proposal is to d</li> </ol>	r Completed Operation (clearly	Convert to Injectio	including actim	otod startin	Water Dis	posal	approximate duration thereof.
Attach the Bond und following completion testing has been com determined that the fu	er which the work will be per	y state all pertinent detail lete horizontally, give su formed or provide the E f the operation results in lotices shall be filed onl tion.)	ls, including estim bsurface location Bond No. on file a multiple comp y after all require	nated startings and measu with BLM/I	X Water Dis g date of any pr ared and true ve BIA. Required	posal oposed work and rtical depths of a subsequent repor	ll pertinent markers and zones. ts shall be filed within 30 days
Attach the Bond und following completion testing has been com determined that the fir <b>1. Water is pr</b>	er which the work will be per of the involved operations. I pleted. Final Abandonment N nal site is ready for final inspec	y state all pertinent detail lete horizontally, give su formed or provide the E f the operation results in Notices shall be filed onl tion.) fcamp / Strawn f	ls, including estim bsurface location Bond No. on file a multiple comp y after all require	nated startings and measu with BLM/I	X Water Dis g date of any pr ared and true ve BIA. Required	posal oposed work and rtical depths of a subsequent repor	approximate duration thereof. Il pertinent markers and zones. Its shall be filed within 30 days orm 3160-4 shall be filed once mpleted, and the operator has
Attach the Bond und following completion testing has been com determined that the fir <b>1. Water is pr</b>	er which the work will be per of the involved operations. I pleted. Final Abandonment N nal site is ready for final inspec	y state all pertinent detail lete horizontally, give su formed or provide the E f the operation results in Notices shall be filed onl tion.) fcamp / Strawn f	ls, including estim bsurface location Bond No. on file a multiple comp y after all require	nated startings and measu with BLM/I	X Water Dis g date of any pr ared and true ve BIA. Required	posal oposed work and rtical depths of a subsequent repor	ll pertinent markers and zones. ts shall be filed within 30 days
Attach the Bond und following completion testing has been com determined that the fir 1. Water is pr 2. The wells m	er which the work will be per of the involved operations. I pleted. Final Abandonment N nal site is ready for final inspec	y state all pertinent detail lete horizontally, give su formed or provide the E f the operation results in Notices shall be filed onl tion.) fcamp / Strawn f	ls, including estim bsurface location Bond No. on file a multiple comp y after all require	nated startings and measu with BLM/I	X Water Dis g date of any pr ared and true ve BIA. Required	posal oposed work and rtical depths of a subsequent repor new interval, a F on, have been co	ll pertinent markers and zones. ts shall be filed within 30 days
Attach the Bond und following completion testing has been com determined that the fir 1. Water is pr 2. The wells m 3. Water analy	er which the work will be per of the involved operations. I pleted. Final Abandonment M nal site is ready for final inspec rochuced from the Wol wake approximately 2 rsis is attached.	y state all pertinent detail lete horizontally, give su formed or provide the E f the operation results in fotices shall be filed onl stion.) fcamp / Strawn f bbls per day.	ls, including estim bsurface location Bond No. on file a multiple comp y after all require	nated startings and measu with BLM/I	X Water Dis g date of any pr ared and true ve BIA. Required	posal oposed work and rtical depths of a subsequent repor new interval, a F on, have been co	Il pertinent markers and zones. ts shall be filed within 30 days orm 3160-4 shall be filed once mpleted, and the operator has
Attach the Bond und following completion testing has been com determined that the fir 1. Water is pr 2. The wells m 3. Water analy	er which the work will be per of the involved operations. I pleted. Final Abandonment N nal site is ready for final inspec rochuced from the Wol wake approximately 2	y state all pertinent detail lete horizontally, give su formed or provide the E f the operation results in lotices shall be filed onl stion.) fcamp / Strawn f bbls per day.	ls, including estim bsurface location Bond No. on file a multiple comp y after all require	nated startings and measu with BLM/I	X Water Dis g date of any pr ared and true ve BIA. Required	posal oposed work and rtical depths of a subsequent repor new interval, a F on, have been co	Il pertinent markers and zones. ts shall be filed within 30 days orm 3160-4 shall be filed once mpleted, and the operator has
Attach the Bond und following completion testing has been com determined that the fi 1. Water is pr 2. The wells m 3. Water analy 4. Water is st	er which the work will be per of the involved operations. I pleted. Final Abandonment N nal site is ready for final inspec vocuced from the Wol ake approximately 2 sis is attached. ored in a 300 bbl s	y state all pertinent detail lete horizontally, give su formed or provide the E f the operation results in Jotices shall be filed onl tion.) fcamp / Strawn f bbls per day.	ls, including estim bsurface location Bond No. on file a multiple comp y after all require	nated startings and measu with BLM/I	Water Dis g date of any pr ared and true ve BIA. Required	posal oposed work and rtical depths of a subsequent repor new interval, a F on, have been co	Il pertinent markers and zones. ts shall be filed within 30 days orm 3160-4 shall be filed once mpleted, and the operator has
Attach the Bond und following completion testing has been com determined that the fi 1. Water is pr 2. The wells m 3. Water analy 4. Water is st	er which the work will be per of the involved operations. I pleted. Final Abandonment M nal site is ready for final inspec rochuced from the Wol wake approximately 2 rsis is attached.	y state all pertinent detail lete horizontally, give su formed or provide the E f the operation results in Jotices shall be filed onl tion.) fcamp / Strawn f bbls per day.	ls, including estim bsurface location Bond No. on file a multiple comp y after all require	nated startings and measu with BLM/I	Water Dis g date of any pr ared and true ve BIA. Required	posal oposed work and rtical depths of a subsequent repor new interval, a F on, have been co	Il pertinent markers and zones. ts shall be filed within 30 days orm 3160-4 shall be filed once mpleted, and the operator has
Attach the Bond und following completion testing has been com determined that the fir 1. Water is pr 2. The wells m 3. Water analy 4. Water is st 5. Water is tra 6. Water is dis	er which the work will be per of the involved operations. I pleted. Final Abandonment M nal site is ready for final inspec rochced from the Wol wake approximately 2 rsis is attached. ored in a 300 bbl s ansported to dispose sposed of at the Var	y state all pertinent detail lete horizontally, give su formed or provide the E f the operation results in Notices shall be filed onl stion.) fcamp / Strawn f bbls per day. teel tank. al by truck. ca Ridge 30 SWD	ls, including estim ibsurface location Bond No. on file a multiple comp y after all require cormation.	nated startin is and measu with BLM/I letion or rec ements, inch	X Water Dis g date of any pr red and true ve BIA. Required is completion in a adding reclamation	posal oposed work and rtical depths of a subsequent repor new interval, a F on, have been co	Il pertinent markers and zones. Is shall be filed within 30 days orm 3160-4 shall be filed once mpleted, and the operator has )(),
Attach the Bond und following completion testing has been com determined that the fir 1. Water is pr 2. The wells m 3. Water analy 4. Water is st 5. Water is tra 6. Water is dis	er which the work will be per of the involved operations. I pleted. Final Abandonment N nal site is ready for final inspec vocuced from the Wol ake approximately 2 sis is attached. ored in a 300 bbl s	y state all pertinent detail lete horizontally, give su formed or provide the E f the operation results in Notices shall be filed onl stion.) fcamp / Strawn f bbls per day. teel tank. al by truck. ca Ridge 30 SWD	ls, including estim ibsurface location Bond No. on file a multiple comp y after all require cormation.	nated startin is and measu with BLM/I letion or rec ements, inch	X Water Dis g date of any pr red and true ve BIA. Required is completion in a adding reclamation	posal oposed work and rtical depths of a subsequent repor new interval, a F on, have been co	Il pertinent markers and zones. Its shall be filed within 30 days form 3160-4 shall be filed once mpleted, and the operator has )(),
Attach the Bond und following completion testing has been com determined that the fir 1. Water is pr 2. The wells m 3. Water analy 4. Water is st 5. Water is tra 6. Water is dis	er which the work will be per of the involved operations. I pleted. Final Abandonment M nal site is ready for final inspec rochced from the Wol wake approximately 2 rsis is attached. ored in a 300 bbl s ansported to dispose sposed of at the Var	y state all pertinent detail lete horizontally, give su formed or provide the E f the operation results in Notices shall be filed onl stion.) fcamp / Strawn f bbls per day. teel tank. al by truck. ca Ridge 30 SWD	ls, including estim ibsurface location Bond No. on file a multiple comp y after all require cormation.	nated startin is and measu with BLM/I letion or rec ements, inch	X Water Dis g date of any pr red and true ve BIA. Required is completion in a adding reclamation	posal oposed work and rtical depths of a subsequent repor new interval, a F on, have been co	<ul> <li>Il pertinent markers and zones, ts shall be filed within 30 days orm 3160-4 shall be filed once mpleted, and the operator has</li> <li>)(),</li> <li>: K,</li> </ul>
Attach the Bond und following completion testing has been com determined that the fir 1. Water is pr 2. The wells m 3. Water analy 4. Water is st 5. Water is tra 6. Water is dis	er which the work will be per of the involved operations. I pleted. Final Abandonment M nal site is ready for final inspec rochced from the Wol wake approximately 2 rsis is attached. ored in a 300 bbl s ansported to dispose sposed of at the Var	y state all pertinent detail lete horizontally, give su formed or provide the E f the operation results in Notices shall be filed onl stion.) fcamp / Strawn f bbls per day. teel tank. al by truck. ca Ridge 30 SWD	ls, including estim ibsurface location Bond No. on file a multiple comp y after all require cormation.	nated startin is and measu with BLM/I letion or rec ements, inch	X Water Dis g date of any pr red and true ve BIA. Required is completion in a adding reclamation	posal oposed work and rtical depths of a subsequent repor new interval, a F on, have been co	<ul> <li>Il pertinent markers and zones, ts shall be filed within 30 days orm 3160-4 shall be filed once mpleted, and the operator has</li> <li>)(),</li> <li>: K,</li> </ul>
Attach the Bond und following completion testing has been com determined that the fir 1. Water is pr 2. The wells m 3. Water analy 4. Water is st 5. Water is tra 6. Water is dis	er which the work will be per of the involved operations. I pleted. Final Abandonment M nal site is ready for final inspec rochced from the Wol wake approximately 2 rsis is attached. ored in a 300 bbl s ansported to dispose sposed of at the Var	y state all pertinent detail lete horizontally, give su formed or provide the E f the operation results in Notices shall be filed onl stion.) fcamp / Strawn f bbls per day. teel tank. al by truck. ca Ridge 30 SWD	ls, including estim ibsurface location Bond No. on file a multiple comp y after all require cormation.	nated startin is and measu with BLM/I letion or rec ements, inch	X Water Dis g date of any pr red and true ve BIA. Required is completion in a adding reclamation	posal oposed work and rtical depths of a subsequent repor new interval, a F on, have been co	<ul> <li>Il pertinent markers and zones, ts shall be filed within 30 days orm 3160-4 shall be filed once mpleted, and the operator has</li> <li>)(),</li> <li>: K,</li> </ul>
Attach the Bond und following completion testing has been com determined that the fir 1. Water is pr 2. The wells m 3. Water analy 4. Water is st 5. Water is tr 6. Water is dis Sec 30, T-20	er which the work will be per of the involved operations. I pleted. Final Abandonment N nal site is ready for final inspec rochuced from the Wol wake approximately 2 rsis is attached. ored in a 300 bbl s ansported to dispose sposed of at the Vac 4-S, R-34-E, Lea Con	y state all pertinent detail lete horizontally, give su formed or provide the E f the operation results in Notices shall be filed onl stion.) fcamp / Strawn f bbls per day. teel tank. al by truck. ca Ridge 30 SWD	s, including estim bourface location sound No. on file a multiple comp y after all require cornation.	nated startin is and measu with BLM/I letion or rec ements, inch	X Water Dis g date of any pr red and true ve BIA. Required is completion in a adding reclamation	posal oposed work and rtical depths of a subsequent repor new interval, a F on, have been co	<ul> <li>Il pertinent markers and zones, ts shall be filed within 30 days orm 3160-4 shall be filed once mpleted, and the operator has</li> <li>)(),</li> <li>: K,</li> </ul>
Attach the Bond und following completion testing has been com determined that the fir 1. Water is pr 2. The wells m 3. Water analy 4. Water is st 5. Water is tr 6. Water is dis Sec 30, T-24	foregoing is true and correct	y state all pertinent detail lete horizontally, give su formed or provide the E f the operation results in Notices shall be filed onl stion.) fcamp / Strawn f bbls per day. teel tank. al by truck. ca Ridge 30 SWD	ls, including estim ibsurface location Bond No. on file a multiple comp y after all require cormation.	nated startin is and measu with BLM/I letion or rec ements, inch	X Water Dis g date of any pr red and true ve BIA. Required is completion in a adding reclamation	posal oposed work and rtical depths of a subsequent repor new interval, a F on, have been co	<ul> <li>Il pertinent markers and zones, ts shall be filed within 30 days orm 3160-4 shall be filed once mpleted, and the operator has</li> <li>)(),</li> <li>: K,</li> </ul>
Attach the Bond und following completion testing has been com determined that the fi 1. Water is pr 2. The wells m 3. Water analy 4. Water is st 5. Water is tr 6. Water is dis Sec 30, T-24	foregoing is true and correct	y state all pertinent detail lete horizontally, give su formed or provide the E f the operation results in Notices shall be filed onl stion.) fcamp / Strawn f bbls per day. teel tank. al by truck. ca Ridge 30 SWD	s, including estim bsurface location sond No. on file a multiple comp y after all require cornation.	nated startin is and measu with BLM/I letion or rec ements, inch	X Water Dis g date of any pr red and true ve BIA. Required completion in a ading reclamation FSL & 1980	posal oposed work and rtical depths of a subsequent repor new interval, a F on, have been co	<ul> <li>Il pertinent markers and zones, ts shall be filed within 30 days orm 3160-4 shall be filed once mpleted, and the operator has</li> <li>)(),</li> <li>: K,</li> </ul>
Attach the Bond und following completion testing has been com determined that the fir 1. Water is pr 2. The wells m 3. Water analy 4. Water is st 5. Water is tr 6. Water is dis Sec 30, T-24	foregoing is true and correct	y state all pertinent detail lete horizontally, give su formed or provide the E f the operation results in Notices shall be filed onl stion.) fcamp / Strawn f bbls per day. teel tank. al by truck. ca Ridge 30 SWD	s, including estim bsurface location sond No. on file a multiple comp y after all require cormation. well locate	ated startin s and measu with BLM/H letion or rec ements, inch d 1980 '	X Water Dis g date of any pr red and true ve BIA. Required completion in a ading reclamation FSL & 1980	posal oposed work and rtical depths of a subsequent repor new interval, a F on, have been co	<ul> <li>Il pertinent markers and zones. ts shall be filed within 30 days orm 3160-4 shall be filed once mpleted, and the operator has</li> <li>)(),</li> <li>: K,</li> </ul>
Attach the Bond und following completion testing has been com determined that the fir 1. Water is pr 2. The wells m 3. Water analy 4. Water is st 5. Water is tr 6. Water is dis Sec 30, T-24	foregoing is true and correct	y state all pertinent detail lete horizontally, give su formed or provide the E f the operation results in lotices shall be filed onl tion.) fcamp / Strawn f bbls per day. teel tank. al by truck. ca Ridge 30 SWD inty.	s, including estim bsurface location sond No. on file a multiple comp y after all require formation. Well locate Title Date 07	ated startin s and measu with BLM/H letion or rec ements, inch d 1980 '	X Water Dis g date of any pr red and true ve BIA. Required completion in a uding reclamation FSL & 1980	posal oposed work and rtical depths of a subsequent repor new interval, a F on, have been co	<ul> <li>Il pertinent markers and zones. ts shall be filed within 30 days orm 3160-4 shall be filed once mpleted, and the operator has</li> <li>)(),</li> <li>: K,</li> </ul>
Attach the Bond und following completion testing has been com determined that the fir 1. Water is pr 2. The wells m 3. Water analy 4. Water is st 5. Water is tr 6. Water is dis Sec 30, T-24	foregoing is true and correct	y state all pertinent detail lete horizontally, give su formed or provide the E f the operation results in Notices shall be filed onl stion.) fcamp / Strawn f bbls per day. teel tank. al by truck. ca Ridge 30 SWD	s, including estim bsurface location sond No. on file a multiple comp y after all require formation. Well locate Title Date 07	ated startin s and measu with BLM/H letion or rec ements, inch d 1980 '	X Water Dis g date of any pr red and true ve BIA. Required completion in a uding reclamation FSL & 1980	posal oposed work and rtical depths of a subsequent repor new interval, a F on, have been co	<ul> <li>Il pertinent markers and zones. Its shall be filed within 30 days form 3160-4 shall be filed once mpleted, and the operator has</li> <li>)(),</li> <li>: K,</li> </ul>

Title 18 U.S.C. Section 1001, and Title 43 U.S.C. Section 1212, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any fake, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

5000VZ

2002005

## In order to process your disposal request, the following information must be Pitchfork Fed. 4-1 & Pitchfork Fed. 4-2 Completed: 8. Name of formations producing water on the lease. Wolfcamp/Strawn 9. Amount of water produced from all formations in barrels per day. 2 BPD 10. Attached a current water analysis of produced water from all zones showing at least the total dissolved solids, ph, and the concentrations of chlorides and Sulfates. (one sample will suffice if the water is commingled) 11. How water is stored on the lease. <u>300 Steel Water Tank</u> 12. How water is moved is moved to the disposal facility.\_\_\_\_ Trucked 13. Identify the Disposal Facility by: A. Facility operators name EOG Resources, Inc. B. Name of facility or well name & number. Vaca Ridge 30 SWD C. Type of facility or well (WDW) (WIW) etc. WDW D. Location by 1 1/4 1 1/4 \_\_\_\_Section 30 Township 24S Range 34E 1980' FSL & 1980' FWL in Unit K 14. Attach a copy of the State issued permit for the Disposal Facility.

Submit to this office, 414 West Taylor, Hobbs, NM 88240, the above required information on a Sundry Notice 3160-5. Submit 1 original and 5 copies, within the required time frame. (This form may be used as an attachment to the Sundry Notice,) call me at 505-393-3612 if you need to further discuss this matter. JUL-22-02 MON 03:02 PM



Champion Technologies, Inc. Committed To Improvement

di di

## Scale Deposit Report

Customer:	Meridian Oil, Inc.		
Address;	P.O. Box 51810		
City:	Midland		
State:	11X Zip: 79710-		
Attention: CC1:	Joe Moya Leo Sutton	DATE REPORTED: DATE RECEIVED:	5/8/96 5/8/96
CC2:		_ · _ · _ · _ · /	
SALESN	IAN: Kenny Kearney		

Well Name:	Pitchfork "4" #2	DATE SAMPLED:	5/6/96
Consula Datistat	<b></b>		

## Sample Point Name: Pitchfork "4" #2

HYDROCARBON:	30.8%
WATER SOLUBLE:	15.1%
CARBONATE:	4.1%
IRON COMPOUND:	43.4%
ACID INSOLUBLE:	6.6%

NOTES: Sand Id'd

SAMPLE FROM: Swab Run

1602000