

WRS COMPLETION REPORT

COMPLETIONS SEC 32 TWP 24S RGE 38E
PI# 30-T-0025 12/01/89 30-025-30229-0000 PAGE 1

NMEX LEA * 1535FNL 2575FEL SEC SW NE
STATE COUNTY FOOTAGE SPOT
TEXACO PROD D DO
OPERATOR WEST DOLLARHIDE (DRINKARD) UNIT
93
WELL NO. LEASE NAME
3199KB 3187GR DOLLARHIDE
OPER ELEV FIELD/POOL AREA
API 30-025-30229-0000
LEASE NO. PERMIT OR WELL I.D. NO.
08/11/1989 10/17/1989 ROTARY VERT OIL
SPUD DATE COMP. DATE TYPE TOOL HOLE TYPE STATUS
6960 DRINKARD BASIN 7 RIG SUB 11
PROJ. DEPTH PROJ. FORM CONTRACTOR
DTD 6960 PB 6770 FM/TD ABO
DRILLERS T.D. LOG T.D. PLUG BACK TD OLD T.D. FORM T.D.

LOCATION DESCRIPTION

8 MI NE JAL, NM

WHIPSTOCK DEPTH

WSD 255 DRLD OFF INTO STH @ 255

CASING/LINER DATA

CSG 13 3/8 @ 1228 W/ 1700 SACKS
CSG 5 1/2 @ 6960 W/ 3400 SACKS

TUBING DATA

TBG 2 7/8 AT 6689

INITIAL POTENTIAL

IPP 71BOPD 17 MCFD 221BW 24HRS
DRINKARD PERF W/ 1/FT 6484- 6601 GROSS
ABO PERF W/ 1/FT 6607- 6750 GROSS
GTY 37.3 GOR 239
FIELD /RESERVOIR
/DRINKARD

COMMINGLED

TYPE	FORMATION	LTH	TOP DEPTH/SUB	BSE DEPTH/SUB
LOG	RUSTLER		1205 1982	
LOG	SALT		1300 1887	2580 607

CONTINUED IC# 300257021989

Copyrighted 1989
Reproduction
Prohibited

Petroleum Information

PI-WRS-GE
Form No 18

DB a company of
The Dun & Bradstreet Corporation

COMPLETIONS SEC 32 TWP 24S RGE 38E
 PI# 30-T-0025 12/01/89 30-025-30229-0000 PAGE 2

TEXACO PROD WEST DOLLARHIDE (DRINKARD) UNIT D DO
 93

TYPE	FORMATION	LTH	TOP	DEPTH/SUB	BSE	DEPTH/SUB
LOG	QUEEN		3664	-477		
LOG	SN ANDRS		4067	-880		
LOG	GLORIETA		5159	-1972		
LOG	TUBB		6081	-2894		
LOG	DRINKARD		6360	-3173		
LOG	ABO		6606	-3419		

SUBSEA MEASUREMENTS FROM GR

PRODUCTION TEST DATA

PTP	12BO	40	MCFD	62BW	7HRS
ABO	PERF		W/	1/FT	6695- 6860 GROSS
PERF	6695- 6700	6708- 6712	6723- 6724	6728- 6730	
PERF	6748- 6750	6769- 6780	6789- 6799	6804- 6807	
PERF	6813- 6814	6819- 6821	6857- 6860		
ACID	6695- 6860	5000GALS			
15% NEFE					

PTP	6BOPD	3	MCFD	49BW	24HRS
DRINKARD	PERF		W/	1/FT	6484- 6601 GROSS
ABO	PERF		W/	1/FT	6607- 6638 GROSS
PERF	6484- 6488	6493- 6495	6499- 6505	6508- 6511	
PERF	6517- 6521	6529- 6531	6547- 6549	6576- 6580	
PERF	6598- 6601	6607- 6608	6635- 6638		
ACID	6484- 6638	5000GALS			
15% NEFE					
COMMINGLED					

ABO	PERF	6695- 6860 GROSS
PERF	6695- 6860	
BRPG @ 6653	6695- 6860	

PTS	1UO	9HRS
DRINKARD	PERF	6484- 6601 GROSS
ABO	PERF	6607- 6638 GROSS
ACID	6484- 6638	2350GALS
15% NEFE		
SWBD 59 BLW W/SSO IN 9 HRS		
COMMINGLED		

PTP	10BOPD	2	MCFD	97BW	24HRS
DRINKARD	PERF				6484- 6601 GROSS

CONTINUED

COMPLETIONS SEC 32 TWP 24S RGE 38E
PI# 30-T-0025 12/01/89 30-025-30229-0000 PAGE 3

TEXACO PROD WEST DOLLARHIDE (DRINKARD) UNIT D DO
93

PRODUCTION TEST DATA

ABO PERF 6607- 6638 GROSS
ACFR 6484- 6638 12000GALS
X-LINK 20% NEFE
COMMINGLED

ABO PERF 6769- 6860 GROSS
PERF 6769- 6860
BRPG @ 6760 6769- 6860
DO BRPG @ 6653 & RESET @ 6760

PTP 63BOPD 14 MCFD 251BW 24HRS
DRINKARD PERF 6484- 6601 GROSS
ABO PERF 6607- 6750 GROSS
ACID 6484- 6750 400GALS
COMMINGLED

PTP 71BOPD 17 MCFD 221BW 24HRS
DRINKARD PERF 6484- 6601 GROSS
ABO PERF 6607- 6750 GROSS
GTY 37.3 GOR 239
COMMINGLED

LOGS AND SURVEYS /INTERVAL,TYPE/

LOGS 5720- 6960 GR 5720- 6960 MSFL 5720- 6960 CNL
LOGS 5720- 6960 FDC 0- 6960 GR 0- 6960 CAL
LOGS 6290- 6890 GR 6290- 6890 CCL

DRILLING MEDIA /TYPE,DEPTH/

6204 10.2

DRILLING PROGRESS DETAILS

TEXACO PROD
BOX 728
HOBBS, NM 88240
505-393-7191
ABANDON LOCATION ISSUED 03/13/89
FORMERLY ABND LOC UNDER SAME API & IC
30-025-70062-88
08/15 LOC/1989/

CONTINUED

COMPLETIONS SEC 32 TWP 24S RGE 38E
PI# 30-T-0025 12/01/89 30-025-30229-0000 PAGE 4

TEXACO PROD D DO
93 WEST DOLLARHIDE (DRINKARD) UNIT

DRILLING PROGRESS DETAILS

08/15 DRLG 904
08/16 1228 TD, RNG CSG
08/16 HAD EXCESS DEVIATION @ 808
CMT PLUG 255-808
08/23 DRLG 3800
08/29 DRLG, NO DETAILS
08/30 DRLG 6204
09/06 6960 TD, WOCT
09/06 DEVIATION SURVEYS @ 285 (1/4 DEG), 349 (1/2 DEG)
405 (1/2 DEG), 499 (1/2 DEG), 592 (3/4 DEG), 655
(3/4 DEG), 727 (3/4 DEG), 847 (3/4 DEG), 999
(1/4 DEG), 1190 (3/4 DEG), 1484 (3/4 DEG), 1768
(3/4 DEG), 2160 (2 1/2 DEG), 2288 (3 DEG), 2382
(2 1/4 DEG), 2518 (2 3/4 DEG), 2581 (2 1/4 DEG),
2601 (1 1/2 DEG), 2687 (1 3/4 DEG), 2770 (1 3/4
DEG), 2895 (1 1/4 DEG), 3042 (3/4 DEG), 3421
(1/4 DEG), 3800 (1/4 DEG), 4198 (1 DEG), 4535
(3/4 DEG), 5035 (3/4 DEG), 5280 (3/4 DEG), 5725
(1 DEG), 6191 (1 1/4 DEG), 6705 (3/4 DEG), 6960
(1 3/4 DEG)
09/13 6960 TD, PB 6890, TOP
09/20 6960 TD, PB 6890, TOP
09/27 6960 TD, PB 6890, TOP
10/04 6960 TD, PB 6653, SWBG
10/11 6960 TD, PB 6653, TOP
10/18 6960 TD, PB 6760, TOP
10/25 6960 TD, PB 6760, TOP
11/08 6960 TD, PB 6760, WOCT
TD REACHED 09/01/89 RIG REL 09/03/89
11/27 6960 TD, PB 6770
COMP 10/17/89, IPP 71 BO, 17 MCFG, 221
BWPD, GOR 239, GTY 37.3
PROD ZONE - DRINKARD 6484-6750
(COMMINGLED)
NO CORES OR DSTS RPTD