

WRS COMPLETION REPORT

COMPLETIONS
PI# 30-T-0015 06/23/89 SEC 32 TWP 24S RGE 38E
30-025-30230-0000 PAGE 1

NMEX LEA * 1480FNL 150FWL SEC SW NW
STATE COUNTY FOOTAGE SPOT
TEXACO PROD
OPERATOR D DO
96 WEST DOLLARHIDE (DRINKARD) UNIT
WELL NO. LEASE NAME
3162KB 3150GR DOLLARHIDE
OPER ELEV FIELD POOL AREA
API 30-025-30230-0000
LEASE TYPE NO PERMIT OR WELL I.D. NO

05/02/1989 06/01/1989 ROTARY OIL
SPUD DATE COMP DATE TYPE TOOL STATUS
6870 DRINKARD ROD RIC CORP 7 RIG SUB 11
PROJ. DEPTH PROJ. FORM CONTRACTOR
DTD 6900 PB 6875 FM/TD ABO
DRILLERS T.D. LOG T.D. PLUG BACK TD OLD T.D. FORM T.D.

LOCATION DESCRIPTION

8 MI NE JAL, NM

CASING/LINER DATA

CSG 13 3/8 @ 1250 W/ 1300 SACKS
CSG 5 1/2 @ 6898 W/ 3220 SACKS

TUBING DATA

TBG 2 7/8 AT 6850

INITIAL POTENTIAL

IPP 123BOPD 26 MCFD 50BW 24HRS
TUBB PERF W/ 34/IT 6006- 6244 GROSS
DRINKARD PERF W/ 31/IT 6273- 6511 GROSS
ABO PERF W/ 55/IT 6540- 6845 GROSS
GTY 37.6 GOR 211

FIELD /RESERVOIR
/DRINKARD
FM - TUBB (6006 1/2-6244)
COMMINGLED

TYPE	FORMATION	LTH	TOP DEPTH/SUB	BSE DEPTH/SUB
LOG	RUSTLER		1185 1977	
LOG	SALT		1287 1875	2552 610
LOG	QUEEN		3620 -458	
LOG	GLORIETA		5124 -1962	

CONTINUED IC# 300257012889

Copyrighted 1984
Petroleum
Information Corporation

Petroleum Information

DB a company of
The Dun & Bradstreet Corporation

PI-WRS-GFT
Form No 187

COMPLETIONS SEC 32 TWP 24S RGE 38E
 P1# 30-T-0015 06/23/89 30-025-30230-0000 PAGE 2

TEXACO PROD WEST DOLLARHIDE (DRINKARD) UNIT D DO
 96

TYPE	FORMATION	LTH	TOP	DEPTH/SUB	BSE	DEPTH/SUB
LOG	TUBB		6000	-2838		
LOG	DRINKARD		6273	-3111		
LOG	ABO		6525	-3363		

SUBSEA MEASUREMENTS FROM KB

PRODUCTION TEST DATA

DRINKARD PERF W/ 25/IT 6415- 6511 GROSS
 ABO PERF W/ 55/IT 6540- 6845 GROSS
 PERF 6415, 6422, 6423, 6424, 6430, 6432, 6434, 6436
 PERF 6438, 6440, 6448, 6454, 6460, 6461, 6465, 6472
 PERF 6474, 6476, 6478, 6480, 6491, 6492, 6501, 6508
 PERF 6511, 6540, 6549, 6550, 6551, 6574, 6575, 6580
 PERF 6584, 6598, 6600, 6602, 6606, 6608, 6610, 6630
 PERF 6632, 6634, 6636, 6640, 6642, 6644, 6653, 6655
 PERF 6657, 6659, 6661, 6666, 6668, 6670, 6675, 6681
 PERF 6685, 6690, 6693, 6704, 6716, 6718, 6720, 6729
 PERF 6731, 6734, 6739, 6746, 6748, 6750, 6752, 6754
 PERF 6813, 6829, 6834, 6836, 6838, 6845
 ACID 6415- 6845 10000GALS
 20% NEFE
 PERFED @ 6415 1/2, 6584 1/2

TUBB PERF W/ 34/IT 6006- 6244 GROSS
 DRINKARD PERF W/ 6/IT 6273- 6323 GROSS
 PERF 6006, 6017, 6018, 6019, 6020, 6021, 6024, 6025
 PERF 6037, 6043, 6044, 6050, 6056, 6057, 6058, 6069
 PERF 6070, 6071, 6107, 6123, 6124, 6125, 6129, 6141
 PERF 6143, 6145, 6147, 6149, 6161, 6233, 6235, 6237
 PERF 6239, 6244, 6273, 6274, 6275, 6315, 6316, 6323
 ACID 6006- 6323 5000GALS
 20% NEFE
 PERFED @ 6006 1/2, 6037 1/2, 6323 1/2

PTP 123BOPD 50BW 24HRS
 TUBB PERF 6006- 6244 GROSS
 DRINKARD PERF 6273- 6511 GROSS
 ABO PERF 6540- 6845 GROSS
 GTY 37.6 GOR 211
 FM - TUBB (6006 1/2-6244)
 COMMINGLED

CONTINUED

COMPLETIONS SEC 32 TWP 24S RGE 38E
PI# 30-T-0015 06/23/89 30-025-30230-0000 PAGE 3

TEXACO PROD
96 WEST DOLLARHIDE (DRINKARD) UNIT D DO

LOGS AND SURVEYS /INTERVAL, TYPE/

LOGS 5000- 6894 GR 5000- 6894 CNL 5000- 6894 CALP
LOGS 5000- 6894 DLL 4800- 6875 GR 4800- 6875 CNL
LOGS 5000- 6894 MLAT

DRILLING PROGRESS DETAILS

TEXACO PROD
BOX 728
HOBBS, NM 88240
505-393-7191
ABANDON LOCATION ISSUED 03/13/89
FORMERLY ABAN LOC UNDER API 30-025-30230 & IC
30-025-70063-88
05/02 LOC/1989/
05/10 DRLG 3407
05/17 DRLG 5968
05/24 6900 TD, RNG TBG
05/24 DEVIATION SURVEYS @ 482 (1/2 DEG), 710 (1/2 DEG)
1250 (3/4 DEG), 1693 (1/2 DEG), 2121 (3/4 DEG),
2485 (2 1/4 DEG), 2578 (2 DEG), 2699 (2 DEG),
2770 (2 1/4 DEG), 3036 (1 1/4 DEG), 3497 (1 3/4
DEG), 3800 (3/4 DEG), 4254 (1/4 DEG), 4744 (1/2
DEG), 5228 (3/4 DEG), 5683 (1/2 DEG), 6145 (1
DEG), 6601 (1 1/4 DEG), 6900 (1 DEG)
TOTAL DISPLACEMENT 106.99 FT @ TD
05/31 6900 TD, PB 6875, PREP TEST
06/07 6900 TD, PB 6875, POP
06/14 6900 TD, PB 6875, WOPT
TD REACHED 05/19/89 RIG REL 05/21/89
06/21 6900 TD, PB 6875
COMP 6/1/89, IPP 123 BO, 26 MCFCG, 50 BWPD,
GOR 211, GTY 37.6
PROD ZONE - DRINKARD 6006 1/2-6845
(COMMINGLED)
NO CORES OR DSTS RPTD