

Form 3160-5
(November 1983)
(Formerly 9-331)UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT--" for such proposals.)

1. <input type="checkbox"/> OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER INJECTION		5. LEASE DESIGNATION AND SERIAL NO. LC-067968	
2. NAME OF OPERATOR OXY USA INC.		6. IF INDIAN, ALLOTTEE OR TRIBE NAME	
3. ADDRESS OF OPERATOR P.O. BOX 50250 MIDLAND, TX 79710		7. UNIT AGREEMENT NAME	
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.) At surface 400 FNL 1120 FWL NW-NW		8. FARM OR LEASE NAME W. DOLLARHIDE QN SD UT	
14. PERMIT NO. 30-025-30355		9. WELL NO. 133	
15. ELEVATIONS (Show whether DF, RT, GR, etc.) 3128		10. FIELD AND POOL, OR WILDCAT DOLLARHIDE QUEEN	
		11. SEC. T. R. M. OR BLK AND SURVEY OR AREA SEC 31 T24S R38E	
		12. COUNTY OR PARISH LEA	13. STATE NM

16. Check Appropriate Box To Indicate Nature of Notices, Report, or Other Data

NOTICE OF INTENTION TO:

SUBSEQUENT REPORT OF:

TEST WATER SHUT-OFF	<input type="checkbox"/>	PULL OR ALTER CASING	<input type="checkbox"/>
FRACTURE TREAT	<input type="checkbox"/>	MULTIPLE COMPLETE	<input type="checkbox"/>
SHOOT OR ACIDIZE	<input type="checkbox"/>	ABANDON*	<input type="checkbox"/>
REPAIR WELL	<input type="checkbox"/>	CHANGE PLANS	<input type="checkbox"/>
(Other)			

WATER SHUT-OFF	<input type="checkbox"/>	REPAIRING WELL	<input type="checkbox"/>
FRACTURE TREATMENT	<input type="checkbox"/>	ALTERING CASING	<input type="checkbox"/>
SHOOTING OR ACIDIZING	<input checked="" type="checkbox"/>	ABANDONMENT*	<input type="checkbox"/>
(Other)			

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and five pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

TD - 3950' PBTD - 3910' PERFS - 3678' - 3858'

MIRU PU 4/12/93, NDWH, NUBOP, POOH W/ PKR & TBG. RIH & TAG @ 3848', CLEAN OUT TO 3910'. PERF ADD'L INTERVAL @ 3735-38, 3769-73, 3808-13, 3856-3858'. ACIDIZE W/ 1800 GAL 15 % MODIFIED SWIC ACID. RIH W/ BAKER AD-1 PKR & 2-3/8" TBG & SET @ 3622', NDBOP, NUWH. PRESS CSG TO 310# -15MIN - HELD OK, NMOC D WITNESSED, RDP U 4/15/93. START INJECTING 769 BWPD @ 1240#.

J. Lora
11 1993RECEIVED
MAY 20 11 27 AM '93

18. I hereby certify that the foregoing is true and correct

SIGNED

TITLE

PROD. ACCT.

DATE 5/19/93

(This space for Federal or State office use)

APPROVED BY


TITLE

DATE

CONDITIONS OF APPROVAL, IF ANY:

*See Instructions on Reverse Side

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.



8 21 1993