INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well. It shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, Items 25 through 29 shall be reported for each zone. The form is to be filed in quintuplicate except on state land, where six copies are required. See Rule 1105.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico

T. Anhy

No 1 f

960

Northwestern New Mexico

T. Anhy960_	T O	· ·	
	1. Canyon	Т. Ојо Аlamo	T. Penn. "B"
	1. Surawn	I. Kittland-Envitland	T D 101
	1. Aloka	L Pictured Cliffs	T D
			T. Leadville
			1. Leadville
	T Silurian	T Deline I and	T. Madison
T. Grayburg	T. Montoya		T. Elbert
T. San Andres	T. Simpson	1. Mancos	T. McCracken
T. Glorieta	1. Sumpson	1. Gallup	T. Ignacio Otzte
T Paddock	T. McKee	Dase Greennom	T. Granite
T Blinghou	T. Ellenburger		T
r. Diffeory	T Gr Wach	T Manitan	T
1. 1400	T Delaware Sand	T Todila	T
	T Bone Springs	T. Entrada	1
1.110	T ,	T Wingste	i
1. Wolfcamp	T		1
T. Penn	T	T. Chinle	T
T. Cisco (Bough C)		T. Permain	T
(=g.: C)	T	T. Penn "A"	T
		AS SANDS OD ZONES	

JIL OH GAS SANDS OR ZONES

No. 2, fromto		
IMPORTANTI	WATER SANDS	•••
Include data on rate of water inflow and elevation to which water ros No. 1, fromto	se in hole.	

No 7 from			
110. Z, IIOIII	to		***********************
No 7 E-		feet	
NO. 5, ITOM	to		
	······		

LITHOLOGY RECORD (Attach additional sheet if necessary)

From	То	Thickness in Feet	Lithology	From	То	Thickness	Lithology
960	1075	115	Rustler (Anhydrate)			in Feet	
1075	2533	1458	Salado Salt				
			(Anhydrate & salt)				
2533	2944	262	Yates				
			(Dolomite & sandstone)				
2944	3159	215	Seven Rivers				
			(Dolomite)				
1	1						
1							
1	1	I I	11		1	1	