

WRS COMPLETION REPORT

COMPLETIONS SEC 15 TWP 25S RGE 37E
PI# 30-T-0035 05/11/90 30-025-30747-0000 PAGE 1

NMEX LEA * 1300FNL 1300FEL SEC NE NE
STATE COUNTY FOOTAGE SPOT
PETRUS OIL D DO
OPERATOR LANGLEIE-MATTIX (QUEEN) UNIT WELL CLASS INT FIN
41 LEASE NAME
WELL NO. 3117KB 3103GR LANGLEIE-MATTIX
OPER ELEV FIELD/POOL AREA
API 30-025-30747-0000
LEASE NO. PERMIT OR WELL I.D. NO.
01/04/1990 04/12/1990 ROTARY VERT OIL
SPUD DATE COMP. DATE TYPE TOOL HOLE TYPE STATUS
3800 QUEEN CAN-TEX DRLG 1 RIG SUB 13
PROJ. DEPTH PROJ. FORM CONTRACTOR
DTD 3650 PB 3532 FM/TD GRAYBURG
DRILLERS T.D. LOG T.D. PLUG BACK TO OLD T.D. FORM T.D.

LOCATION DESCRIPTION

2 MI E JAL, NM

CASING/LINER DATA

CSG 8 5/8 @ 993 W/ 550 SACKS
CSG 5 1/2 @ 3649 W/ 675 SACKS

TUBING DATA

TBG 2 7/8 AT 3508

INITIAL POTENTIAL

IPP 27BOPD 82 MCFD 122BW 24HRS
QUEEN U PERF W/ 2/FT 3299- 3366 GROSS
PENROSE PERF W/ 2/FT 3407- 3486 GROSS
GTY 39.3 GOR 3037
FIELD /RESERVOIR
/QUEEN

COMMINGLED

TYPE	FORMATION	LTH	TOP	DEPTH/SUB	BSE	DEPTH/SUB
LOG	YATES		2836	281		
LOG	SVN RVRS		2910	207		
LOG	QUEEN		3290	-173		
LOG	GRAYBURG		3566	-449		

SUBSEA MEASUREMENTS FROM KB

CONTINUED IC# 300257036089

Copyrighted 1990
Reproduction
Prohibited

Petroleum Information

PI-WRS-GET
Form No 187

DB a company of
The Dun & Bradstreet Corporation

COMPLETIONS
PI# 30-T-0035 05/11/90 SEC 15 TWP 25S RGE 37E
30-025-30747-0000 PAGE 2

PETRUS OIL
41 LANGLEIE-MATTIX (QUEEN) UNIT D DO

CORES

CORE 1 3275- 3333 REC 58.00FT SVN R QN CONV D
NO DESCRIPTION AVAILABLE

CORE 2 3333- 3393 REC 60.00FT QUEEN CONV D
NO DESCRIPTION AVAILABLE

CORE 3 3393- 3453 REC 60.00FT PENROSE CONV D
NO DESCRIPTION AVAILABLE

PRODUCTION TEST DATA

PTF 6BOPD 213BW 24HRS
PENROSE PERF W/ 2/FT 3407- 3563 GROSS
PERF 3407- 3417 3420- 3428 3432- 3438 3442- 3450
PERF 3461- 3463 3475- 3486 3547- 3547 3560- 3563
SFFR 3407- 3563 18000GALS 51400LBS SAND

QUALITY FOAM 12/20
BRPG @ 3532 3547- 3563 ADDTVNTGN

PTS 15BO 63BW
QUEEN U PERF W/ 2/FT 3299- 3366 GROSS
PERF 3299- 3302 3305- 3311 3314- 3317 3328- 3332
PERF 3334- 3336 3338- 3343 3346- 3350 3353- 3366
ACID 3299- 3366 2000GALS
15% NEFE HCL
SFFR 3299- 3366 16000GALS 56000LBS SAND

QUALITY FOAM 12/20 BRADY ADDTVNTGN

PTP 27BOPD 122BW 24HRS
QUEEN U PERF 3299- 3366 GROSS
PENROSE PERF 3407- 3486 GROSS
COMMINGLED

LOGS AND SURVEYS /INTERVAL,TYPE/

LOGS DLL
LOGS ACSL CNL GR

CONTINUED

COMPLETIONS SEC 15 TWP 25S RGE 37E
PI# 30-T-0035 05/11/90 30-025-30747-0000 PAGE 3

PETRUS OIL D DO
41 LANGLIE-MATTIX (QUEEN) UNIT

DRILLING PROGRESS DETAILS

PETRUS OIL
12377 MERIT DR STE 1600
DALLAS, TX 75251
214-788-3300
12/08 LOC/1989/
01/09 DRLG 2485
01/16 3650 TD, WOCT
01/16 DEVIATION SURVEYS @ 365 (1 3/4 DEG), 495 (3/4
DEG), 987 (1/2 DEG), 1232 (1 1/2 DEG), 1481
(1 3/4 DEG), 1730 (2 DEG), 1884 (2 1/4 DEG),
1980 (2 DEG), 2066 (2 DEG), 2160 (2 DEG),
2255 (2 DEG), 2343 (2 1/4 DEG), 2429 (2 1/4 DEG),
2511 (2 1/4 DEG), 2634 (2 1/4 DEG), 2820 (2 1/4
DEG), 3068 (1 3/4 DEG), 3275 (2 1/4 DEG)
01/29 3650 TD, WOCT
04/04 3650 TD, PB 3532, PREP FRAC
04/20 3650 TD, PB 3532, TSTG
04/23 3650 TD, PB 3532, TSTG
04/25 3650 TD, PB 3532, TOP
RIG REL 01/14/90
05/10 3650 TD, PB 3532
COMP 4/12/90, IPP 27 BO, 82 MCFG, 122 BWPD
GOR 3037, GTY 39.3
PROD ZONE - QUEEN 3299-3486
(COMMINGLED)
THREE CORES, NO DSTS RPTD