

Submit 3 Copies To Appropriate District
Office
District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 South First, Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
2040 South Pacheco, Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised March 25, 1999

OIL CONSERVATION DIVISION
2040 South Pacheco
Santa Fe, NM 87505

WELL API NO.
30-025-31996

5. Indicate Type of Lease

STATE ☒ FEE ☐

6. State Oil & Gas Lease No.

7. Lease Name or Unit Agreement Name:

West Dollarhide
Drinkard Unit

8. Well No.

#132

9. Pool name or Wildcat

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well:

Oil Well ☒ Gas Well ☐ Other

2. Name of Operator

Texaco Exploration & Production, Inc.

3. Address of Operator

P. O. Box 3109, Midland, Texas 79702

4. Well Location

Unit Letter D : 115 feet from the North line and 100 feet from the West line

Section 33

Township 24-S Range 38-E NMPM Lea County

10. Elevation (Show whether DR, RKB, RT, GR, etc.)

11. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐

TEMPORARILY ABANDON ☐ CHANGE PLANS ☐

PULL OR ALTER CASING ☐ MULTIPLE COMPLETION ☐

OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐

COMMENCE DRILLING OPNS. ☐ PLUG AND ABANDONMENT ☒

CASING TEST AND CEMENT JOB ☐

OTHER: ☐

12. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

- Set 5 1/2" CIBP @ 6275' cap w/50 sx on top 6275'-5800'
- Displace hole w/salt gel mud 9.5# brine w/25# gel P/BBL
- Spot 25 sx plug 3800'-3600' (Queen)
- Perf @ 2700' sqz perfs w/50 sx cmt (B-Salt) Tag @ 2490'
- Perf @ 1375' sqz perfs w/75 sx cmt (8 5/8" shoe) T-Salt Tag 1125'
- Perf @ 150', unable to sqz perf spot 37 sx cmt 218' to surface
8 5/8" X 5 1/2" csg.
- Install dry hole marker, clean location. 9/6/00

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Poly Abalos TITLE Vice-President DATE 9/6/00

Type or print name POLY ABALOS Telephone No. _____

(This space for State use)

APPROVED BY Randy W. Lief TITLE _____ DATE _____

Conditions of approval, if any

AWW

