# N.M. OIL CONS. COMMISSION P.O. BOX 1980 HOBBS, NEW MEXICO 88240

Form 3160-5 June 1990)	DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT		FORM APPROVED Budget Bureau No. 1004-0135 Expires: March 31, 1993	
			5. Lease Designation and Serial No.  NM 30400	
Do not us	SUNDRY NOTICES se this form for proposals to dri Use "APPLICATION FOI	6. If Indian, Allottee or Tribe Name		
	SUBMIT	7. If Unit or CA, Agreement Designation		
i Type or We Oil Well	Gas Other	,	8. Well Name and No.	
	on Oil & Gas Company	Hallwood 12 Federal #1		
	Telephone No.  Box 2267, Midland, Te	vas 79702	30 025 32050  10. Field and Poot, or Explorasory Area	
	Well (Footage, Sec., T., R., M., or Survey De	Red Hills Bone Spring		
	FSL & 1980' FWL 12, T25S, R33E		11. County or Parish. State  Lea	
12.	CHECK APPROPRIATE BOX	s) TO INDICATE NATURE OF NOTICE, REPOR	RT, OR OTHER DATA	
	TYPE OF SUBMISSION	TYPE OF ACTION		
	Notice of Intent	Abandonment	Change of Plans	
	Subsequent Report	Recompletion Plugging Back	New Construction Non-Routine Fracturing	
		Casing Repair	Water Shut-Off	
	Final Abandonment Notice	X Other New Disposal Method	Conversion to Injection	
		for produced water	Dispose Water (Note: Report results of multiple companion on Well Completion or Recompition Report and Log form.)	
		depths for all markers and zones pertinent to this work.)*		
14. I hereb ce	rury that the toregoing is true and correct		0.400.404	
Signed		Gildon Tide Regulatory Analyst	Date	
Approved t	ior Federaber/State office use:  Orig. Signed by Adam Salameh of approval, if any:	Petroleum Engineer	Date 3/10/94	

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any takes, fictinous or fraudulent states

or representations as to any matter within its ittrisdiction.

# BUREAU OF LAND MANAGEMENT CARLSBAD RESOURCE AREA

#### Disposal of Produced Water From Federal Wells

#### Conditions of Approval

Approval of the produced water disposal methodology is subject to the following conditions of approval:

- 1. This agency be notified of any change in your method or location of disposal.
- 2. Compliance with all provisions of MTL-TB Oil AND GAS ORDER NO.7.
- 3. This agency shall be notified of any spill or discharge as required by NTL-3A.
- 4. This agency reserves the right to modify or rescind approval whenever it determines continued use of the approved method may adversely affect the surface or subsurface environments.
- 5. All aboveground structures on the lease shall be painted sandstone brown, Federal Std. 595-20318, or 30318, within 90 days if you have not already done so.
- 6. Any on lease open top storage tanks or pits shall be covered with a wire screen or plastic/nylon netting to prevent entry by birds and other wildlife.
  - 7. This approval does not constitute right-of-way approval for any off lease activities. If water is transported via a pipeline that extends beyond the lease boundary, then you need to submit within 30 days an application for right-of-way approval to the Realty Section in this office if you have not already done so.

The following information is to show changes in Enron Oil & Gas Company's method of disposal of produced water. Onshore Oil & Gas Order #7.

#### Hallwood 12 Federal #1

1. Name of formation(s) producing water on the lease:

Bone Spring

Amount of water produced from all formations in bbls/day:

The well averages 8 barrels of water/day.

3. How water is stored on lease:

210 barrel fiber glass tank

4. How water is moved to the disposal facility:

**B&E** Water Haulers

5. Primary disposal facility:

Bettis, Boyle & Stovall's Littlefield Federal No. 1 SWD R-485, located 660' FNL & 1980' FEL (Unit B) of Section 11, T24S, R31E. Eddy County.

6. Secondary disposal facility:

Ralph Williamson's Conoco Federal No. 2 SWD R-3638, located in Unit B of Section 15, T26S, R33E. Lea County.

A copy of permits for both disposal facilities is enclosed.



## Laboratory Services, Inc.

1931 Tasker Orive Hobbs, Haw Mexico 88240

Telephone: (505) 397-3713

### WATER ANALYSIS

AMPLE	Hallwood 12 Fed		
AMPLED BY	Ray Gallagher-P	TO Well Testing & W	ireline
TE TAKEN	12-02-93		
MARKS			
rium as Ba			
	calinity PPM	20.00	
	uldlinity PPM	0.00	
H at Lab	PROFILE IN	440.00	
pecific Gravi	ity @ 60° F	6.74	
agnesium a		1.048	
	s as CaCO3	5,636	
hiorides as (	7	9,200	
ulfate as SO		38,124 225.00	
on as Fa			
otassium		23.00 36.25	
ydrogen Sul	fide	0-00	
esistivity Oh	ms	0.1800	22 48 6
otal Dissolve	d Solids	113,500	23.4° C
arbonate as	CO3 Gm/L	0.69	· · · · · · · · · · · · · · · · · · ·
doum as Ca		3,864	
trate		24.20	
suits reporti	ed as Parts per Million	บกไอรร stated	
oneller Setu	ration Index	+0.39	

Analysis by Rolland Perry 12-05-93