Med Med CO .: O. Best 1980 y Minerals and Natural Resource Hobbs, NM 88241-1980 E :partment District II - (505) 748-1283 Oil Conservation Division 811 S. Furk 2040 South Pacheco Street Artesia, NM 88210 P'enics III - (505) 334-6178 Santa Fe, New Mexico 87505ROSWELL DISTRICT COPY I Rio Brazos Road (505) 827-7191 ~ NN 87410 Disorier IV PAUL

form (-146) Originated 11/1

NM 30403

Submit Origi Plus 2 Cos to appropri District Of

APPLICATION FOR OLIALIFICATION OF WELL WORKOVER PROJECT AND CERTIFICATION OF APPROVAL

THREE COPIES OF THIS APPLICATION AND ALL ATTACHMENTS MUST BE FILED WITH THE APPROPRIATE DISTRICT OFFICE OF THE OIL CONSERVATION DIVISION.

Ope	Enron Oil & Gas O	Company		OGRID #: _	7377
Add	P.O. Box 2267, Mid	land, Texas, 79	702		
Con	ntact Party; Lee Roark	and the first designation and	Phone:	915/686-360	8
Nen	ne of West Hallwood 12 Fe	deral No: 2		4 # 30-025-3	2167
Loca	ation of Welt: Unit Latter 0,330 tion 12, Township 25S, R	Feet from the:	South The	1980 V feet	rom the East
	ے میر ہے' ہوتا ہے۔ - میر میر ہے' ہوتا ہے۔	V	Tied.		_County
	9 Workover Procedures Commenc 9 Workover Procedures were Com				
	· h.	1			
Atta	ch a description of the Workover	Propertures undertake	nto:Increase ti	e projection from	the Well.
Atta	ch an estimate of the production?	ate of the West	entioned in the		
table	ch an estimate of the production of the producti	elect Production Head	on at least two	ve (12) months of	stabilehed produ
-	The sale sales and the of brooks	resi casan oli Mali bali	cutance biles	o performing Wo	kover.
Pool	(s) on which Production Projection	n is based		1:	
Red	Hills (Bone Spring)			100	
			•	· · · · · · · · · · · ·	
AFFI	IDAVIT:	_	,		X1 7 1930
State	of Texas		•		
, ,).18.		•		- ocs
Cour	nty of Midland	• •		}	
4/	/10/98 being first duty sworn	i, upon ceth states:		/	
· 1.	I am the Operator or authorize	d manamananahan asahan	•		
		**	. *		
2.	I have made, or caused to be available and contain informati	made, audiligent sea on relevant to the prod	rch of the production history o	duction records with this Well.	hich are reason
3.	To the best of my knowledge, t and accurate and this projection	the data used to prepa in was prepared using	re the Producti found petroleu	on Projection for:	this Well is comp
		m. +	Ral		
		(Name)	- I JERUO		
		Em må :	m 1		
		Enginee (Tide)	r Tech		

SUBSC	CRIBED AND SWORN TO before me this 26th day of June, 1998. Lygg C. Hill III
My Cor	mmission expires: PEGGY C. LAVINE
	ည်းသေ လကလကလကလကလကလကလ ()
FOR O	IL CONSERVATION DIVISION USE ONLY:
VIII.	CERTIFICATION OF APPROVAL:
	designated as a Well Workover Project pursuant to the "Natural Gas and Crude Oil Production Incentive Act" (Laws 1995, Chapter 15, Sections 1 through 8). The Oil Conservation Division hereby verifies the Production Projection for the Well Workover Project attached to this application. By copy of this Application and Certification of Approval, the Division notifies the Secretary of the Taxation and Revenue Department of this Approval and certifies that this Well Workover Project has been completed as of 12-21, 1927
	and I flant
	District Supervisor, District Oil Conservation Division Geolegies
	Oil Conservation Division Geologist Date: 30 June 98
IX.	DATE OF NOTIFICATION TO THE SECRETARY OF THE TAXATION AND REVENUE DEPARTMENT.
	DATE:

•

HALLWOOD 12 FEDERAL NO. 2 330' FSL & 1,980' FEL Sec 12-T25S-R33E LEA Co., NM Spud Date: ENRON OIL & GAS COMPANY

DEV W/O: 0'

RED HILLS Field

EOG%: 81.5579% WI 66.4714% NRI

AFE No.: 10-1336

DHC: 0; CWC: 166,000

07/07/97

Install surface and subsurface pumping equipment to return the well to a production of 40 BOPD.

15 hrs MIRU Yale E. Key WSU and Rowland Hot Oil unit. Well head pressure 0 psi. Pumped 38 bbls hot oil into well @ 350 psi @ 150-175 deg. Well pressured up, switched to HP pump. Well pressured up to 550 psi, 1050 psi and 1150 psi with same results. Bled off pressure off loded and racked 396 jts 2-7/8" tbg. Tallied top layer of 196 jts. ND WH, NU 10,000 psi x 5,000 psi. Spool and BOP waited 1 hr for JU stripper, Notched collar and crossover. made up and TIH with 2-7/8" notched collar, 2 cross overs 5-1/2" csg scraper and change over to 2-7/8" EUE 8rd. BHA. Tbg started running over with 50 jts in hole when set down with each jt. Tbg started kicking with 80 jts in. Flowed back 5 bbls oil and quit with 119 jts in hole, tbg started kicking. Pumped 15 bbls PW down tbg. Broke circ up annulus with 5 bbls. Inst JU Strip and FIH with 196 jts (top row on rack). Tallied btm 200 jts 2-7/8" tbg and TIH with total of 260 jts 2-7/8" tbg to 8,267 KBM. CIW. SDFN. DWC \$7,117. CWC \$7,117.

07/08/97

13-1/2 hrs tbg on small vac. TIH with 124 jts additional 2-7/8" EUE N-80 tbg, tagged fill at 12,182.70' KBM. 22.70' below top perfs. TOh, LD 3 jts 2-7/8" tbg and TOH. Stood back 380 jts. LD X-O, 5-1/2" csg scraper, 2 X-O's and 2-7/8" notched collar. TIH with 2-7/8" purge valve, 1 jt 2-7/8" x 4' J55 PN, 2-1/2" x 1-1/4 SN, 7 jts 2-7/8", EUE, 8rd 6.5#, N80 tbg (MA) 1-2-7/8", EUE 8rd, 6.50#, N80 tbg, 1-5-1/2" x 2-1/2" Baker type TAC, (sheared for 40K) and 112 jts 2-7/8" EUE, 8rd 6.5#, N80 tbg. SDFN. DWC \$4,528. CWC \$11,645.

07/09/97

12 hrs started WSU. "U" jt on PTO broke and bearing out w/o rig mechanic. Pradon construction delivered 122-1" trico T-66 rods, 124-7/8" Trico T-66 and 256-3/4" Trico T-66 rods. Gibson roustabouts moved 16 jts 2-7/8" N-80 tbg and pipe racks to 12 No. 3. Removed rod thread protectors and install rod couplings. TIH with 260 jt 2-7/8" EUE 8rd 6.5#, N80 tbg. ND 10,000 x 5,000. Spool and BOP. Installed 10,000# slip type THF. Set TAC in 15,000 tension. Installed slips and tbg pack off. Secured well. SDFN. DWC \$54,390. CWC \$66,035.

Page 2
HALLWOOD 12 FEDERAL NO. 2
330' FSL & 1,980' FEL
Sec 12-T25S-R33E
LEA Co., NM
Spud Date:

ENRON OIL & GAL MPANY
DEV W/O: 0'

.

RED HILLS Field EOG%: 81.5579% WI 66.4714% NRI

AFE No.: 10-1336 DHC: 0; CWC: 166,000

07/11/97

14 hrs well dead. Installed pumping tee and valves. Gibson Roustabout removed flange and csg gate valve. Replaced with 2000# KF ball valve. TIH with 2-1/2" x 1-1/4" x 30' RHBC - BDV pump no CE-142 with 3/4" x 16' GA, 1-1" x 2' pony rod, 10-1" Trico T-66 rods, 242-3/4" trico T-66 rods, short 1-1" x 3/4" comb coupling. 1/3 of way in hole with 3/4" rods. Tbg started flowing oil with strong flow. MI Rapid Transport vac. Truck took suction on tbg while TIH with rod FIH with 3/4" rods, (14 out), 120-7/8" Trico T-66 rods (4 out) and 107-1" Trico T-66 rods (5 out) seated pump, spaced out, PU 48" clamped off. Gibson Roustabouts cleaned up location. Moved rental equipment to Hallwodd 12 #3. Fulfer electric constructed 4 span pole line and hung 3.25 KV transformes and disconecct. SDFN.

Rod detail:

1 - 1-1/2" x 26' polished rod with 1" pins and 14' liner

1 - 1" x 4' pony rod

1 - 1" x 6' pony rod

107 - 1" x 25' Trico T-66 rods

120 - 7/8" x 25' " "

242 - 3/4" x 25' " "

10 - 1" x 25' "

1 - 1" x 2' " " pony rods

1 - 2-1/2" x 1-1/4" x 30' RHBC pump with btm disch valve.

1 - 3/4" x 16' gas anchor DWC \$31,433. CWC \$97,468.

07/12/97

15 hrs RDMO Yale E. Key WSU. Gibson Roustabouts rebuilt flowline @ wellsite and hooked up pumping well head. Moved surplus sucker rods and rig mat. Cleaned location. WTG set American 456-365-144 Pumping unit. Had difficulty aligning motor and unit sheave. Rocked unit and threw belt; belt consistantly rolls over. Cut belt off. WTG to replace Fulfer electric, ditched and buried direct burial cable, set control panel and hooked up motor service, checked amps for balance. Well on pump 7-1/2 x 120" SPM @ 8:30 p.m. DWC \$33,325. CWC \$131,002.

07/13/97

14 hrs pump 78 BO, 7.5 x 120" SPM, 150 TP, 105 CP, 120 BW, 41 LP. CWC \$131,002.

07/14/97

24 hrs pump, 218 MCF, 240 BO, 7.5 x 120" SPM, 120 TP, 300 CP, 81 BW, 44 LP. CWC \$131,002.

07/15/97

Fulfer Electric install power line, transformers, disconnect, control panel, direct burial service and motor service. DWC \$9,266. CWC \$140,268.

07/16/97

24 hrs pump, 174 MCF, 173 BO, 7.5 x 120" SPM, 60 TP, 150 CP, 58 BW, 46 LP. CWC \$140,268.

Page 3
HALLWOOD 12 FEDERAL NO. 2
330' FSL & 1,980' FEL
Sec 12-T25S-R33E
LEA Co., NM
Spud Date:

ENRON OIL & GAS 1PANY
DEV W/O: 0'

RED HILLS Field


EOG%: 81.5579% WI 66.4714% NRI

AFE No.: 10-1336 DHC: 0; CWC: 166,000

07/17/97	24 hrs pump	, 215 MCF, 147 BO,	$7-1/2 \times 120$ " SPM	, 45 FTP 120, CP 41
	BW, 44 LP.	CWC \$140,268.		

- 07/18/97 24 hrs pump, 202 MCF, 148 BO, 7.5 x 120 SPM, 45 TP, 45 CP, 43 BW, 42 LP. CWC \$140,268.
- 07/19/97 24 hrs pump 219 MCF, 131 BO, 7.5 x 120" SPM, 55 TP, 140 CP, 50 BW, 47 LP. CWC \$140,268.
- 07/20/97 24 hrs pump 175 MCF, 106 BO, 7.5 x 120" SPM, 60 TP, 60 CP, 45 BW, 46 LP. DWC \$7,000. CWC \$147,268.

 Note: amend price add 7,000.
- 07/21/97 24 hrs pump, 225 MCF, 122 BO, 7.5 x 120" SPM, 50 TP, 100 CP, 20 BW, 47 LP. CWC \$147,268.
- 07/22/97 24 hrs pump 218 MCF, 118 BO, 7.5 x 120" SPM, 60 TP, 150 CP, 17 BW, 51 LP. CWC \$147,268.
- 07/23/97 24 hrs pump, 199 MCF, 100 BO, 7.5 x 120" SPM, 50 TP, 120 CP, 14 BW, 46 LP. CWC \$147,268.
- 07/24/97 24 hrs pump, 176 MCF, 110 BO, 7.5 x 120" SPM, 45 TP, 45 CP, 12 BW, 46 LP. CWC \$147,268.
- 07/25/97 24 hrs pump 182 MCF, 109 BO, 7.5 x 120" SPM, 50 TP, 60 CP, 16 BW, 43 LP. CWC \$147,268.
- 07/26/97 24 hrs pump, 193 MCF, 100 BP, 7.5 x 120" SPM, 50 TP, 50 CP, 11 BW, 73 LP. CWC \$147,268.
- 07/27/97 24 hrs pump 172 MCF, 106 BO, 7.5 x 120" SPM, 50 TP, 50 CP 12 BW, 42 LP. CWC \$147,268.
- Well not pumping. MI&RU Cobra Well service rig #160. Long stroke unit and got same pumping. Install 1-1" x 4' pony rod to help space out pump. By AA: Hot oil tbg-csg annulus with 150 BO, left well pumping while hot oiling. Well is now pumping OK. RD and release rig. DWC \$1,000. CWC \$148,268.



Hallwood 1	12 Federal N	lo. 2			
Future Pro	duction Befo	ore Workover			
Date	Oil	Gas	Date	Oil	Gas
Jul-97	14643	19035	Jan-00	2045	0
Aug-97	13928	18106	Feb-00	1936	0
Sep-97	13248	17222	Mar-00	1833	0
Oct-97	12602	16382	Apr-00	1735	0
Nov-97	11987	15582	May-00	1643	0
Dec-97	11402	14822	Jun-00	1555	0
Jan-98	10238	13162	Jul-00	1370	0
Feb-98	1	12490	Aug-00	1289	0
Mar-98	9219	11852	Sep-00	1214	0
Apr-98	8748	11247	Oct-00	1143	0
May-98	8302	10672	Nov-00	1076	0
Jun-98	7878	10127	Dec-00	1013	0
Jul-98	3067	8762	Jan-01	876	0
Aug-98	6631	8288	Feb-01	829	0
Sep-98	6272	7839	Mar-01	784	0
Oct-98	5933	7415	Apr-01	742	0
Nov-98	5612	7014	May-01	701	0
Dec-98	5308	6635	Jun-01	664	0
Jan-99	4669	5693	Jul-01	588	0
Feb-99	4409	5376	Aug-01	564	0
Mar-99	4163	5076	Sep-01	541	0
Apr-99	3931	4793	Oct-01	519	0
May-99	3712	4526	Nov-01	498	0
Jun-99	3505	4274	Dec-01	477	0
Jul-99	3067	4053	Jan-02	416	0
Aug-99	2901	3832	Feb-02	352	0
Sep-99	2744	3625	Mar-02	297	0
Oct-99	2596	0	Apr-02	252	0
Nov-99	2455	0	May-02	213	0
Dec-99	2322	0	Jun-02	180	0
			Jul-02	0	0