

OIL CONSERVATION DIVISION
P.O. Box 2088
Santa Fe, NM 87504-2088

District I
 PO Box 1980, Hobbs, NM 88241-1980
 District II
 PO Drawer DD, Artesia, NM 88211-0719
 District III
 1000 Rio Brazos Rd., Aztec, NM 87410
 District IV
 PO Box 2088, Santa Fe, NM 87504-2088

☐ AMENDED REPORT

APPLICATION FOR PERMIT TO DRILL, RE-ENTER, DEEPEN, PLUGBACK, OR ADD A ZONE

¹ Operator name and Address ARCO Permian P.O. BOX 1610 MIDLAND, TX 79702		² OGRID Number 000990
		³ API Number 30-025-32934
⁴ Property Code 1537	⁵ Property Name STATE "Y"	
		⁶ Well Number 11

⁷ Surface Location									
UL or lot no.	Section	Township	Range	Lot. Idn	Feet from the	North/South Line	Feet from the	East/West line	County
B	25	25S	37E		405	NORTH	2235	EAST	LEA

⁸ Proposed Bottom Hole Location If Different From Surface									
UL or lot no.	Section	Township	Range	Lot. Idn	Feet from the	North/South Line	Feet from the	East/West line	County

⁹ Proposed Pool 1 LANGLIE MATTIX 7RVRS-Q-GRAYBURG	¹⁰ Proposed Pool 2
--	-------------------------------

¹¹ Work Type Code N	¹² Well Type Code O	¹³ Cable/Rotary R	¹⁴ Lease Type Code S	¹⁵ Ground Level Elevation 3066
¹⁶ Multiple NO	¹⁷ Proposed Depth 3350	¹⁸ Formations 7RVRS-Q-GB	¹⁹ Contractor NABORS DRILLING	²⁰ Spud Date 04-26-95

²¹ Proposed Casing and Cement Program					
Hole Size	Casing Size	Casing weight/foot	Setting Depth	Sacks of Cement	Estimated TOC
12 1/4	8 5/8	24	1000	500	SURF
7 7/8	5 1/2	15.5	3350	800	SURF

²² Describe the proposed program. If this application is to DEEPEN or PLUG BACK give the data on the present productive zone and proposed new productive zone. Describe the blowout prevention program, if any. Use additional sheets if necessary

Permit Expires 6 Months From Approval
 Date Unless Drilling Underway.

²³ I hereby certify that the information given above is true and complete to the best of my knowledge and belief.		OIL CONSERVATION DIVISION	
Signature: <i>Ken W. Gosnell</i>		Approved by: ORIGINAL SIGNED BY JERRY SEXTON	
Printed name: KEN W. GOSNELL		Title: DISTRICT I SUPERVISOR	
Title: AGENT		Approval Date: APR 19 1995	Expiration Date:
Date: 04-17-95	Phone: 915 688-5672	Conditions of Approval: Attached <input type="checkbox"/>	

RECEIVED

RECEIVED
JAN 1 1991

2001 6 1 99A

District I
PO Box 1980, Hobbs, NM 88241-1980
District II
PO Drawer DD, Artesia, NM 88211-0719
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
PO Box 2088, Santa Fe, NM 87504-2088

State of New Mexico
Energy, Minerals & Natural Resources Department

OIL CONSERVATION DIVISION
PO Box 2088
Santa Fe, NM 87504-2088

Form C-102
Revised February 10, 1994
Instructions on back
Submit to Appropriate District Office
State Lease - 4 Copies
Fee Lease - 3 Copies

☐ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

API Number 30-125-32934		Pool Code 37240	Pool Name Langle Matrix 7 Rvrs-Q-Grayburg
Property Code 1537	Property Name STATE Y		Well Number 11
OGRID No. 000990	Operator Name ARCO Permian		Elevation 3066'

¹⁰ Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
B	25	25 S	37 E		405	North	2235	East	Lea

¹¹ Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
¹² Dedicated Acres 40		¹³ Joint or Infill		¹⁴ Consolidation Code		¹⁵ Order No.			

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED
OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION

16	405'	11	2235'	25	¹⁷ OPERATOR CERTIFICATION I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief. Signature <u>Ken W. Gosnell</u> Printed Name <u>Ken W. Gosnell</u> Title <u>Agent</u> Date <u>4-17-95</u>
					¹⁸ SURVEYOR CERTIFICATION I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief. Date of Survey <u>April 12, 1995</u> Signature and Seal of Professional Surveyer: <u>[Signature]</u> Certificate Number <u>648</u>

BOP Schematic

*Note: If BOP is equipped w/ side outlets below the rams, a spool is not required.

3000 psi WP Double Ram
Blow-out Preventor. Must be tested
to 1000 psi prior to drilling out
8-5/8" surface casing.

