


AREA 640 ACRES  
LOCATE WELL CORRECTLY

SOUTHERN CALIFORNIA PETROLEUM CORPORATION

Van Zandt

(Company or Operator)

(Lease)

Well No. 6, in NE  $\frac{1}{4}$  of NE  $\frac{1}{4}$ , of Sec. 25, T. 24S, R. 36E, NMPM.  
Undesignated Pool, Lea County.Well is 990 feet from north line and 990 feet from east lineof Section 25. If State Land the Oil and Gas Lease No. is \_\_\_\_\_Drilling Commenced 5/24, 1954 Drilling was Completed 6/10, 1954Name of Drilling Contractor Haynes & V-T Drilling Company  
Odessa, Texas

Address \_\_\_\_\_

Elevation above sea level at Top of Tubing Head 3295 DF The information given is to be kept confidential until  
Not confidential, 19\_\_\_\_

## OIL SANDS OR ZONES

No. 1, from <u>3436</u> to <u>3448</u>	No. 4, from _____ to _____
No. 2, from <u>3468</u> to <u>3504</u>	No. 5, from _____ to _____
No. 3, from _____ to _____	No. 6, from _____ to _____

## IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from _____ to _____ feet.	_____
No. 2, from _____ to _____ feet.	_____
No. 3, from _____ to _____ feet.	_____
No. 4, from _____ to _____ feet.	_____

## CASING RECORD

SIZE	WEIGHT PER FOOT	NEW OR USED	AMOUNT	KIND OF SHOE	CUT AND PULLED FROM	PERFORATIONS	PURPOSE
8-5/8"	24#	Used	286'	Guide			Surface
5 1/2"	14#	New	3420'	Float			Production

## MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHOD USED	MUD GRAVITY	AMOUNT OF MUD USED
12 1/4"	8-5/8"	286'	150	Plug		
7-7/8"	5 1/2"	3420'	300*	Howco stage-collar		

\*200 sax @ shoe  
100 " @ 1207'

## RECORD OF PRODUCTION AND STIMULATION

(Record the Process used, No. of Qts. or Gals. used, interval treated or shot.)

Treated well w/4000 gals. Dowell Stratofrac, using 6000# sand.Result of Production Stimulation No natural test. After treatment, well produced 318  
bbls. per day.

Depth Cleaned Out \_\_\_\_\_

RECORD OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto

TOOLS USED

Rotary tools were used from 0 feet to 3520 T.D. feet, and from feet to feet.  
Cable tools were used from feet to feet, and from feet to feet.

PRODUCTION

Put to Producing June 13, 19 54  
OIL WELL: The production during the first 24 hours was 318 barrels of liquid of which 100% was  
was oil; % was emulsion; % water; and % was sediment. A.P.I.  
Gravity 35°  
GAS WELL: The production during the first 24 hours was M.C.F. plus barrels of  
liquid Hydrocarbon. Shut in Pressure lbs.  
Length of Time Shut in

PLEASE INDICATE BELOW FORMATION TOPS (IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE):

Southeastern New Mexico

Northwestern New Mexico

T. Anhy.	1100	T. Devonian	T. Ojo Alamo
T. Salt.	1230	T. Silurian	T. Kirtland-Fruitland
B. Salt.	2800	T. Montoya	T. Farmington
T. Yates.	2963	T. Simpson	T. Pictured Cliffs
T. 7 Rivers.	3210	T. McKee	T. Menefee
T. Queen.	3390	T. Ellenburger	T. Point Lookout
T. Grayburg.		T. Gr. Wash	T. Mancos
T. San Andres.		T. Granite	T. Dakota
T. Glorieta.		T.	T. Morrison
T. Drinkard.		T.	T. Penn.
T. Tubbs.		T.	T.
T. Abo.		T.	T.
T. Penn.		T.	T.
T. Miss.		T.	T.

FORMATION RECORD

From	To	Thickness in Feet	Formation	From	To	Thickness in Feet	Formation
0	1100	1100	Red beds				
1100	1230	130	Anhydrite				
1230	2800	1570	Salt & anhydrite				
2800	2963	163	Dolomite & anhydrite				
2963	3158	195	Sand w/dolomite strks				
3158	3250	92	Dolomite w/sand strks				
3250	3272	22	Sand				
3272	3388	116	Dolomite w/sand strks				
3388	3436	48	Sand w/dolomite strks.				
3436	3448	12	Sand				
3448	3468	20	Dolomite				
3468	3502	34	Sand w/dolomite strks.				
3502	3520	18	Dolomite				

TD. 3520

ATTACH SEPARATE SHEET IF ADDITIONAL SPACE IS NEEDED

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

Company or Operator SOUTHERN CALIFORNIA PETROLEUM CORPORATION  
Name A. Manner

6/18/54  
(Date)  
Address Box 1071, Midland, Texas  
Position or Title Petroleum Engineer