


NEW MEXICO STATE LAND OFFICE

Santa Fe, New Mexico

DEPARTMENT OF THE STATE GEOLOGIST
NOTICE OF INTENTION TO DRILL NEW WELL

Notice must be given to the State Geologist or to the proper Oil and Gas Inspector and approval obtained before drilling begins. If changes in the proposed plan are considered advisable a copy of this notice showing such changes will be returned to the sender. Submit this notice in triplicate. One copy will be returned following approval.

Mr. J. D. Hunter, Dallas, Texas, State Geologist Oil & Gas Inspector, Sept. 7, 1934
Capital, New Mexico
 Dear Sir: You are hereby notified that it is our intention to commence the drilling of a well to be known as C. D. Woolworth Well No. 1 in NE/4 of Sec. 26 T. 24-S, R. 36-E, N. M. P. M., Cooper Oil Field Lee County



AREA 640 ACRES
LOCATE WELL CORRECTLY

The well is 1990 feet (N.) of North line and 1990 feet (E.)
(W.)
 of East line of Section 26, Township 24-S, Range 36-E
 (Give location from section or other legal subdivision lines. Cross out wrong directions.)

If state land the oil and gas lease is No. _____
 Assignment No. _____

If patented land the owner is C. D. Woolworth
 Address _____

The lessee is Atlantic Oil Producing Company Address Magnolia Building, Dallas, Texas
 The elevation of the derrick floor above sea level is about 5500 feet. We propose to drill well with No. 6" Rotary

Make of Drill

We propose to use the following strings of casing and to land or cement them as indicated.

Size of Casing	Weight Per Foot	New or Second Hand	Depth	Landed or Cemented	Size of Hole
<u>12 1/2" (15" OD)</u>	<u>50#</u>	<u>S. H.</u>	<u>44'</u>	<u>Cemented 20 sacks</u>	<u>10"</u>
<u>9 5/8" OD</u>	<u>32#</u>	<u>New</u>	<u>1400'</u>	<u>" 200 "</u>	<u>11 1/2"</u>
<u>7" OD</u>	<u>24#</u>	<u>"</u>	<u>5450'</u>	<u>" 400 "</u>	<u>9"</u>
<u>2 1/2" Tubing</u>	<u>6 1/2#</u>	<u>"</u>	<u>5500'</u>		

If changes in the above plan become advisable we will notify you before cementing or landing casing. We estimate that the first productive oil or gas sand should occur at a depth of about 5500 feet.
 Additional information: "Squeeze job" will require about 100 to 200 sacks cement.

NOTE: Sufficient cement must be used in cementing the 9-5/8" pipe to cement this string back to the surface.

DUPLICATE

J. D. Hunter
 Sincerely yours,

Approved SEP 19 1934, 19____
 Except as follows:

SEE NOTE ABOVE.

State Geologist or Oil and Gas Inspector.

ATLANTIC OIL PRODUCING COMPANY

Company or Operator.

By H. BeecherPosition Asst. Dir. & Prod. Dept.

Send communication regarding well to

Name ATLANTIC OIL PRODUCING COMPANYAddress Magnolia Building, Dallas, Texas.