

NEW MEXICO STATE LAND OFFICE  
SANTA FE, NEW MEXICO

DEPARTMENT OF THE STATE GEOLOGIST  
NOTICE OF INTENTION TO TEST WATER SHUT-OFF

Notice must be given to the State Geologist or to the proper Oil and Gas Inspector at least five days before the test. It is desirable that a representative of the Department of the State Geologist witness the water shut-off before drilling into the productive sand whenever possible. If changes in the proposed plan are considered advisable, a copy of this notice showing such changes will be returned to sender. Submit this notice in triplicate.

Bartlesville, Oklahoma N. Mex., March 16, 1935

Mr E. H. Wells

State Geologist,  
Santa Fe, New Mexico.

Dear Sir:

You are hereby notified that we intend to test the shut-off of water in C. D. Woolworth

Well No 13 in SW $\frac{1}{4}$  NW $\frac{1}{4}$  of Sec. 26, T. 24S, R. 36E  
N. M. P. M., Cooper Oil Field Lea County,  
on March 14, 1935 9 5/8 in. 36 lb. casing was 

}	cemented	}
	<del>plugged</del>	

 in anhydrite  
formation at a depth of 1363 feet on March 11, 1935  
350 sacks of Incor cement were used.

The method used in placing the cement was as follows: Halliburton

Fluid level will be bailed to a depth of 1363 feet and left undisturbed for at least 12 hours before your inspection.

Adjacent property owners have been notified as follows: \_\_\_\_\_

Additional information: \_\_\_\_\_

Approved \_\_\_\_\_ 19\_\_\_\_\_  
Except as follows:

Sincerely yours,

Phillips Petroleum Company

Company or Operator.

By [Signature]

Position Vice President

Send communication regarding well to

Name C. P. Dimit

Address Bartlesville, Oklahoma

[Signature]  
State Geologist or Oil and Gas Inspector.

NEW MEXICO STATE LAND OFFICE  
OFFICE OF THE STATE GEOLOGIST  
SANTA FE, NEW MEXICO

## MISCELLANEOUS REPORTS ON WELLS

Submit this report in duplicate to the State Geologist or proper Oil and Gas Inspector within ten days after the work specified is completed. It should be signed and sworn to before a notary public for reports on beginning drilling operations, results of shooting well, results of test of water shut-off, result of abandonment of well, and other important operations, even though the work was witnessed by the State Geologist or Oil and Gas Inspector. Reports on minor operations need not be signed and sworn to before a notary public, but such operations should be witnessed by an Oil and Gas inspector if possible.

Indicate nature of report by checking below:

REPORT ON BEGINNING DRILLING OPERATIONS		REPORT ON DEEPENING WELL	
REPORT ON RESULT OF SHOOTING WELL		REPORT ON PULLING OR OTHERWISE ALTERING CASING	
REPORT ON RESULT OF TEST OF WATER SHUT-OFF	XX	REPORT ON REPAIRING WELL	
REPORT ON RESULT OF ABANDONMENT OF WELL			

Bartlesville, Oklahoma      March 18, 1935

Place

Date

Mr. E. H. Wells State Geologist,  
Santa Fe, N. Mex.

Following is a report on the work done and the results obtained under the heading noted above at the Phillips Petroleum Company C. D. Woolworth Well No. 13 in the Company or Operator SW 1/4 NW 1/4 of Sec. 26 Lease, T. 24S, R. 36E N. M. P. M., Cooper Oil Field, Lea County.

The dates of this work were as follows: March 14, 1935

Notice of intention to do the work was (~~submitted~~) submitted on Form SG 103 on March 16, 1935, and approval of the proposed plan was (~~submitted~~) obtained. (Cross out incorrect words.)

### DETAILED ACCOUNT OF WORK DONE AND RESULTS OBTAINED

Water shut off on 9 5/8" casing was tested by applying 600<sup>psi</sup> pressure before and after drilling cement plug. The test was approved by Mr. F. J. Vesely.

DUPLICATE

Subscribed and sworn to before me this

18 day of March, 1935

J. R. Cobb

Notary Public

My Commission expires 9/6/1938

Remarks:

I hereby swear or affirm that the information given above is true and correct.

Name Paul J. Hubbell

Position Paul J. Hubbell Asst. to the Vice Pres.

Representing Phillips Petroleum Company

Company or Operator

Address Bartlesville, Oklahoma

Name

Title



NEW MEXICO STATE LAND OFFICE  
SANTA FE, NEW MEXICO

DEPARTMENT OF THE STATE GEOLOGIST  
NOTICE OF INTENTION TO TEST WATER SHUT-OFF

Notice must be given to the State Geologist or to the proper Oil and Gas Inspector at least five days before the test. It is desirable that a representative of the Department of the State Geologist witness the water shut-off before drilling into the productive sand whenever possible. If changes in the proposed plan are considered advisable, a copy of this notice showing such changes will be returned to sender. Submit this notice in triplicate.

Bartlesville, Oklahoma N. Mex., April 4, 1935

Mr. E. H. Wells

State Geologist,  
Santa Fe, New Mexico.

Dear Sir:

You are hereby notified that we intend to test the shut-off of water in C. D. Woolworth

Well No. 13 in SW 1/4 NW 1/4 of Sec. 26, T. 24S, R. 36E  
N. M. P. M., Cooper Oil Field Lea County,  
on April 4 19 35. 7 in. 24 lb. casing was { cemented } in Brown line  
~~2400000~~ formation at a depth of 3434 feet on April 1 19 35  
400 sacks of Incor cement were used.

The method used in placing the cement was as follows: Halliburton

Fluid level will be bailed to a depth of 3434 feet and left undisturbed for at least 12 hours before your inspection.

Adjacent property owners have been notified as follows: \_\_\_\_\_

Additional information: \_\_\_\_\_

Approved \_\_\_\_\_ 19 \_\_\_\_\_

Except as follows:

Sincerely yours,

Phillips Petroleum Company  
Company or Operator.

By Paul Tubbs

Position Asst. to the Vice President

Send communication regarding well to

Name Mr. C. P. Dimit

Address \_\_\_\_\_

Bartlesville, Oklahoma

L. J. Hardy  
State Geologist or Oil and Gas Inspector.

cc: L. B. Holland  
V. M. Spratt