

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

N.M. Oil Cons. Division
1625 N. French Dr.
Hobbs, NM 88240
FORM APPROVED
Bureau No. 1004-0135
Expires: March 31, 1993
Lease Registration and Serial No.
NM LC 032714A

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.
Use "APPLICATION FOR PERMIT-" for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well

☒ Oil Well ☐ Gas Well ☐ Other

2. Name of Operator

SOUTHWEST ROYALTIES, INC.

3. Address and Telephone No.

P.O. BOX 11390; MIDLAND, TEXAS

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

660 FSL & 660 FEL, SEC 27, T24S, R36E

6. If Indian, Allottee or Tribe Name

7. If Unit or CA, Agreement Designation

8. Well Name and No.

GATES A-27 #1

9. API Well No.

30 025 09679

10. Field and Pool, or Exploratory Area

JALMAT TANSIL YTS SRV

11. County or Parish, State

LEA CO., NM

12. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

- ☒ Notice of Intent
☐ Subsequent Report
☐ Final Abandonment Notice

TYPE OF ACTION

- ☒ Abandonment
☐ Recompletion
☐ Plugging Back
☐ Casing Repair
☐ Altering Casing
☐ Other

- ☐ Change of Plans
☐ New Construction
☐ Non-Routine Fracturing
☐ Water Shut-Off
☐ Conversion to Injection
☐ Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

MIRU PLUGGING CONTRACTOR & ABANDON WELL AS FOLLOWS:

- 1) FILL CSG W/MUD.
- 2) SPOT 35' PLUG, 6 SX OF CMT ON CIBP @ 3,430'.
- 3) SPOT 190' PLUG, 25 SX OF CMT FROM 2,400' - 2,590'.
- 4) SPOT ^{280'} 150' PLUG, 25 SX OF CMT FROM 1,500' - 1,790'. -Tag
- 5) SPOT 115' PLUG, 15 SX OF CMT FROM 200' - 315'.
- 6) SPOT 69' PLUG, 9 SX OF CMT FROM 3' = 69'.
- 7) CUT OFF WELLHEAD(S). CLOSE WORK PIT & RESTORE LOCATION.

14. I hereby certify that the foregoing is true and correct

Signed

Title AREA SUPERVISOR

Date 02/04/01

(This space for Federal or State office use)

Approved by (ORIG. SGD.) DAVID R. GLASS

Title PETROLEUM ENGINEER

Date FEB 08 2001

Conditions of approval, if any:

SEE ATTACHED FOR

CONDITIONS OF APPROVAL

Title and position of signatory must be printed and willfully make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

RECEIVED

FEB 06 '01

BLM
ROSNELL, NM

SOUTHWEST ROYALTIES

PROJECT Gates A - 27 #1
2100 - Field


PAGE 1 OF 1
BY CME DATE 2/5/01

ε1 - 3310' GR

660' FS & EL
Sec 27, T21S, R36E
Lea Co, NM
LC 032714(a)

API No. 30-025-09679

Spudled 10/17/35
(Continental oil Co)
w/Battery tools



RECEIVED

FEB 06 '01

BLM
RESNELL, NM