PHILLIPS PETROLEUM COMPANY

BARTLESVILLE, OKLAHOMA

PRODUCING DIVISION

November 21, 1934

C.P. DIMIT

D R KNOWLTON

Mr. F. J. Vesely State Oil and Gas Inspector Santa Fe, New Mexico

Dear Sir:

We are in receipt of your letter under date of November 16, 1934, in which you advise you have not yet received Form SG 101 "Notice of Intention to Drill New Well" covering our C. D. Woolworth well No. 9, located in the NE/4 of Sec. 27, Twp. 24S, Rge. 36E, Lea County.

We are enclosing herewith photostatic copy of this form approved by your office under date of October 25, 1934.

Yours very truly,

wKL:p Enc. C. P. Dimit

NEW MEXICO STATE LAND CONCE

Santa Fe, New Mexico

DEPARTMENT OF THE STATE GEOLOGIST NOTICE OF INTENTION TO DRILL NEW WELL

Notice must be given to the State Geologist or to the proper Oil and Gas Inspector and approval obtained before drilling begins. If changes in the proposed plan are considered advisable a copy of this notice showing such changes will be returned to the sender. Submit this notice in triplicate. One copy will be returned following approval.

Dear Sir: You are hereby notified that it is our intention to commence the drilling of a well to known as C. D. Woolworth Well No. 9 in NE of Sec. 25 r. 36E N. M. P. M. Jel Oil F. County S. Test County S. The well is 559.2 feet (S.) of North line and 659.1 (Give location from section or other legal subdivision lines. County wrong directions.) If state land the oil and gas lease is No. Assignment No. If patented land the owner is C. D. Woolworth Address Jal, New Mexico Assignment No. If patented land the owner is C. D. Woolworth Address The lesser is Ture 611 Company The elevation of the derrick floor above sea level is 3354.9 feet. We propose to drill well w Rotary tools Make of Drill We propose to use the following strings of casing and to land or cement them as indicated. Size of Casing Weight Per Foot New Orsecond Hand Depth Landed or Cement Rotary tools Size of Casing Weight Per Foot New 1450 Cemented Cemented Size of Casing Weight Per Foot New 1450 Cemented Cemented Additional information: Sincerely yours, Phillips Petroleum Cement of Additional information: Sincerely yours, Phillips Petroleum Cement Secure of State Geologist or Oil and Gas Inspector. Sincerely yours, Phillips Petroleum Cement Secure of State Geologist or Oil and Gas Inspector. Sincerely yours, Phillips Petroleum Cement Secure of State Geologist or Oil and Gas Inspector. Sincerely yours, Phillips Petroleum Cement Secure of State Geologist or Oil and Gas Inspector. Sincerely yours, Phillips Petroleum Cement Secure of State Geologist or Oil and Gas Inspector. Sincerely yours, Phillips Petroleum Cement Secure of Secure of State Geologist or Oil and Gas Inspector. Sincerely yours, Phillips Petroleum Cement Secure of Secu	following approval.		Bartlesvi	lle, Okla 😽	Vis. October 22. 34
known as C. D. Woolworth Well No. 9 in NE of Sec. 87 T. Lea County N. M. P. M. Jel Ooil F County N. The well is 659.2 feet (S.) of North line and 659.1 (Give location from section or other legal subdivision lines. Count wrong directions.) If state land the oil and gas lease is No. Assignment No. If patented land the owner is C. D. Woolworth Address Jel, New Mexico Address Jel, We worth, Texas The levation of the detrick floor above sea level is 3554.9 feet. We propose to drill well v No. Make of Deill We propose to use the following strings of casing and to land or cement them as indicated. Size of Casing Weight Per Foot New or Second Hand 121 Size of Casing Weight Per Foot New or Second Hand 1250 Cemented 1250 Cemented 1260 Cemented 127 128 138 148 149 140 15 changes in the above plan become advisable we will notify you before cementing or landing casing. Sincerely yours. Phillips Petroleum Company Sincerely yours. Phillips Petroleum Company Company or Opera Position Vice President Send communication regarding well to Name C. P. Dimit			ate Geologist.		
The well is \$59.2 feet (S.) of North line and \$59.1 The well is \$59.2 feet (S.) of North line and \$59.1 The well is \$59.2 feet (S.) of North line and \$59.1 (F.) of West line of (Give location from section or other legal subdivision lines. Count wrong directions.) If state land the oil and gas lease is No. Assignment No. If patented land the owner is C. D. Woolworth Address Jal, Now Mexico The elevation of the derrick floor above sea level is 3534.9 feet. We propose to drill well well well well well well of the derrick floor above sea level is 3534.9 feet. We propose to drill well well well well well well well w	Dear Sir: You	are hereby notified Woolworth	that it is our intention Well No.	to commence the	e drilling of a well to
The well is \$59.2 feet (S.) of North line and \$59.1 The well is \$59.2 feet (S.) of North line and \$59.1 The well is \$59.2 feet (S.) of North line and \$59.1 (F.) of West line of (Give location from section or other legal subdivision lines. Count wrong directions.) If state land the oil and gas lease is No. Assignment No. If patented land the owner is C. D. Woolworth Address Jal, Now Mexico The elevation of the derrick floor above sea level is 3534.9 feet. We propose to drill well well well well well well of the derrick floor above sea level is 3534.9 feet. We propose to drill well well well well well well well w	T 24S R.	36E . N. N	I. P. M.,	Ja l	Oil Fi
(Give location from section or other legal subdivision lines. Count wrong directions.) If state land the oil and gas lease is No. Assignment No. If patented land the owner is C. D. Woolworth Address Jal, Now Mextco Address Ft. Worth, Texas The elevation of the derrick floor above sea level is 3554.9 feet. We propose to drill well we propose to use the following strings of casing and to land or cement them as indicated. Size of Casing Weight Per Foot New or Second Hand Depth Landod or Cements 125			County		
(Give location from section or other legal subdivision lines. Count wrong directions.) If state land the oil and gas lease is No. Assignment No. If patented land the owner is C. D. Woolworth Address Jal, Now Mextco Address Ft. Worth, Texas The elevation of the derrick floor above sea level is 3554.9 feet. We propose to drill well we propose to use the following strings of casing and to land or cement them as indicated. Size of Casing Weight Per Foot New or Second Hand Depth Landod or Cements 125	N.	The	well is 659.2 feet	of North	line and 659.1 f
of line of (Give location from section or other legal subdivision lines. Count wrong directions.) If state land the oil and gas lease is No. Assignment No. If patented land the owner is C. D. Woolworth Address Jel., Now Mexico Locate Well Company The lessee is The elevation of the derrick floor above sea level is 3534.9 feet. We propose to drill well well well of the propose to use the following strings of casing and to land or cement them as indicated. Size of Casing Weight Per Foot New or Second Hand Depth Landed or Cemented Size of Casing Weight Per Foot New or Second Hand Depth Landed or Cemented 125		(E.)	of West line	(S.) 07 mmmm	
(Give location from section or other legal subdivision lines. Cout wrong directions.) If state land the oil and gas lease is No. Assignment No. Assignment No. Assignment No. If patented land the owner is. Co. Do. Woolworth Address Jal. New Mexico Address Ft. Worth, Texas The levation of the derick floor above sea level is 3534.9 feet. We propose to drill well well well well of the levation of the derick floor above sea level is 3534.9 feet. We propose to drill well well well well of the levation of the derick floor above sea level is 3534.9 feet. We propose to drill well well well well of the levation of the derick floor above sea level is 3534.9 feet. We propose to drill well well well of the levation of the derick floor above sea level is 3534.9 feet. We propose to drill well well well well of the levation of the levation of the levation of the levation of the derick floor above sea level is 3534.9 feet. We propose to drill well well well well well of the levation o					
out wrong directions.) If state land the oil and gas lease is No. Assignment No. If patented land the owner is. C. D. Woolworth Address Jal, New Mexico Address Ft. Worth, Texas The elevation of the derick floor above sea level is 3334.9 feet. We propose to drill well well well well to the propose to use the following strings of casing and to land or cement them as indicated. Size of Casing Weight Per Foot New or Second Hand Depth Landed or Cement 122 50 Cemented 1450		of			
If state land the oil and gas lease is No. Assignment No. If patented land the owner is Co. Do. Woolworth Address Jal, New Mexico Address Tt. Worth, Texas The elevation of the derrick floor above sea level is 3334.9 feet. We propose to drill well well we propose to use the following strings of casing and to land or cement them as indicated. Size of Casing Weight Per Foot New or Second Hand Depth Landed or Cemented Size of Casing Weight Per Foot New or Second Hand 250 Cemented 9 5/8" 56 New 1450 Cemented 7" 24 New 3450 Cemented It changes in the above plan become advisable we will notify you before cementing or landing casing. estimate that the first productive oil or gas sand should occur at a depth of about 5400 Additional information: Sincerely yours. Phillips Petroleum Company Company or Operantal area as adopted Aug. 1, 1934 Position Vice President Send communication regarding well to Name C. P. Dimit		Out		tion or other leg	gal subdivision lines. Cr
Assignment No. If patented land the owner is C. D. Woolworth AREA 640 ACRES LOCATE WELL CORRECTLY The lessee is Pure 011 Company Address Ft. Worth, Texas The elevation of the derrick floor above sea level is 3534.9 feet. We propose to drill well well well well well of the propose to use the following strings of casing and to land or cement them as indicated. Size of Casing Weight Per Foot New or Second Hand Depth Landed or Cemented 12½ 50 Rad hand 250 Cemented 9 5/8" 56 New 1450 Cemented 7" 24 New 3450 Cemented Company If changes in the above plan become advisable we will notify you before cementing or landing casing. estimate that the first productive oil or gas sand should occur at a depth of about Additional information: Sincerely yours, Phillips Petroleum Company Except as follows: Subject to special company of the propose of the propose of the propose of the patents of the propose of the patents of the pat		Out		one lease is No	
If patented land the owner is C. D. Woolworth AREA 640 ACRES LOCATE WELL CORRECTLY The lessee is Tree deviation of the derrick floor above sea level is 3334.9 feet. We propose to drill well with the level of the		Δ ας:			
AREA 6:0 ACRES LOCATE WELL CORRECTLY The lessee is The elevation of the derrick floor above sea level is The elevation of the derrick floor above sea level is The elevation of the derrick floor above sea level is Make of Drill We propose to use the following strings of casing and to land or cement them as indicated. Size of Casing Weight Per Foot New or Second Hand Depth Landed or Cements 12-2-1-5-5-6 New 1450 Cemented 7" 24 New 1450 Cemented Cemented The changes in the above plan become advisable we will notify you before cementing or landing casing. estimate that the first productive oil or gas sand should occur at a depth of about 3400 Additional information: Sincerely yours. Phillips Petroleum Company Except as follows: Subject to special lations for drilling and casing in area as adopted Aug. 1, 1934 State Geologist or Oil and Gas Inspector. Send communication regarding well to Name C. P. Dimit		ASSI	If notanted land the own	ner is C. D. W	oolworth
The elevation of the derrick floor above sea level is The elevation of the derrick f					
The elevation of the derrick floor above sea level is	AREA 640 ACR LOCATE WELL COR	ES RECTLY	Address		1
The elevation of the derrick floor above sea level is	The lessee is	ure Ull Company	Address	rt. worth, I	exes
We propose to use the following strings of casing and to land or cement them as indicated. Size of Casing	The elevation of	of the derrick floor a	bove sea level is	ieet. We	propose to drill well w
We propose to use the following strings of casing and to land or cement them as indicated. Size of Casing	No				
Size of Casing Weight Per Foot New or Second Hand Depth Landed or Cements 12½ 50 2nd hand 250 Cements 1450 Cements 15 changes in the above plan become advisable we will notify you before cementing or landing casing. 16 changes in the above plan become advisable we will notify you before cementing or landing casing. 17 changes in the above plan become advisable we will notify you before cementing or landing casing. 18 changes in the above plan become advisable we will notify you before cementing or landing casing. 19 Sincerely yours, Phillips Petroleum Company 19 Phillips Petroleum Company 10 Company or Opera 10 Position Vice President 11 State Geologist or Oil and Gas Inspector. 12 Send communication regarding well to 12 Name C. P. Dimit					
12½ 50 2nd hand 250 Cemented 9 5/8" 36 New 1450 Cemented 15 changes in the above plan become advisable we will notify you before cementing or landing casing. 3450 16 changes in the above plan become advisable we will notify you before cementing or landing casing. 3400 17 Sincerely yours. Approved Sincerely yours. Phillips Petroleum Company Except as follows: Subject to special lations for drilling and casing in area as adopted Aug. 1, 1934 State Geologist or Oil and Gas Inspector. Send communication regarding well to Name C. P. Dimit	We propose to	use the following stri	ngs of casing and to land	d or cement them	as indicated.
Sincerely yours, Phillips Petroleum Company Except as follows: Subject to special lations for drilling and casing in area as adopted Aug. 1, 1934 State Geologist or Oil and Gas Inspector. Sew New New 1450 3450 Cemented Cemented Cemented Cemented Sincerely your at a depth of about. Sincerely yours, Phillips Petroleum Company Fosition Vice President Send communication regarding well to Name C. P. Dimit	Size of Casing	Weight Per Foot	New or Second Hand	Depth	Landed or Cementee
If changes in the above plan become advisable we will notify you before cementing or landing casing. estimate that the first productive oil or gas sand should occur at a depth of about		1 27			
If changes in the above plan become advisable we will notify you before cementing or landing casing. estimate that the first productive oil or gas sand should occur at a depth of about. Additional information: Sincerely yours, Phillips Petroleum Company Except as follows: Subject to special alations for drilling and casing in area as adopted Aug. 1, 1934 State Geologist or Oil and Gas Inspector. Send communication regarding well to Name Co Po Dimit		1			
Sincerely yours, Approved Except as follows: Subject to special lations for drilling and casing in area as adopted Aug. 1, 1934 State Geologist or Oil and Gas Inspector. Sincerely yours, Phillips Petroleum Company Company or Operation By Position Vice President Send communication regarding well to Name C. P. Dimit	7"	APE.	TAGM	5250	Courant nam
Sincerely yours, Approved Except as follows: Subject to special lations for drilling and cusing in area as adopted Aug. 1, 1934 State Geologist or Oil and Gas Inspector. Sincerely yours, Phillips Petpoleum Company Company or Operation By Position Vice President Send communication regarding well to Name C. P. Dimit					
Sincerely yours, Approved Except as follows: Subject to special lations for drilling and casing in area as adopted Aug. 1, 1934 State Geologist or Oil and Gas Inspector. Sincerely yours, Phillips Petroleum Company Company or Operation By Position Vice President Send communication regarding well to Name C. P. Dimit	If changes in the ab	ove plan become adv	isable we will notify you	before cementing	ng or landing casing.
Additional information: Sincerely yours, Approved	estimate that the fir	st productive oil or g	as sand should occur at	a depth of abou	t 3400 fe
Approved					
Approved					
Approved	**************************************				
Approved		, in the second			
Approved			Sincer	ely yours,	
Except as follows: Subject to special alations for drilling and casing in area as adopted Aug. 1, 1934 State Geologist or Oil and Gas Inspector. State Geologist or Oil and Gas Inspector. Name C. P. Dimit	Approved	· • • • • • • • • • • • • • • • • • • •			m Company
State Geologist or Oil and Gas Inspector. State Geologist or Oil and Gas Inspector. Send communication regarding well to Name C. P. Dimit			, 19		
State Geologist or Oil and Gas Inspector. State Geologist or Oil and Gas Inspector. Send communication regarding well to Name C. P. Dimit					Jak 18 18 h
State Geologist or Oil and Gas Inspector. Send communication regarding well to Name C. P. Dimit					
Name C. P. Dimit			- 02.4		
and Colombia and C	State Get	nogration on and da	•	·	
by - ill		1.10 41.		~~ ~~~~~~ ~~ ~~~~~~~~~~~~~~~~~~~~~~~~	······································
		~ · ~ , //U	Address .		- ,

PHILLIPS PETROLEUM COMPANY



BARTLESVILLE, OKLAHOMA

PRODUCING DIVISION

C. P DIMIT

D. R. KNOWLTON

January 8, 1935

Mr. F. J. Vesely State Oil and Gas Inspector Carlsbad, New Mexico

Dear Sir:

We are enclosing herewith, two copies of your form SG 108, Well Record, covering the completion of our C. D. Woolworth well No. 9 located in the NE/4 Section 27, Township 24S, Range 36E, Lea County, New Mexico.

Yours very truly

C. P. Dimit dink

WKL:h

cc: The Pure Oil Company Ft. Worth, Texas

PHILLIPS PETROLEUM COMPANY

BARTLESVILLE, OKLAHOMA

October 22, 1934

PRODUCING DIVISION

C. P. DIMIT VICE PRESIDENT

D. R. KNOWLTON Assistant

> Mr. J. D. Munter State Oil and Gas Inspector

Carlsbad, New Mexico

Dear Sir:

Attached herewith find three copies of your form SG101, Notice of Intention to Drill New Well covering our C. D. Woolworth well No. 9 located in the NE/4 Section 27, Township 24S, Range 36E Lea County.

Yours very truly

c. v. Mait

WKL:h

cc: Messrs. L. B. Holland

V. M. Spratt

Attachments