


NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico



MISCELLANEOUS REPORTS ON WELL

HOBBS OFFICE

Submit this report in triplicate to the Oil Conservation Commission or its proper agent within ten days after the work specified is completed. It should be signed and sworn to before a notary public for reports on beginning drilling operations, results of shooting well, results of test of casing shut-offs, result of plugging of well, and other important operations, even though the work was witnessed by an agent of the commission. Reports on minor operations need not be signed and sworn to before a notary public. See additional instructions in the Rules and Regulations of the Commission.

Indicate nature of report by checking below:

REPORT ON BEGINNING DRILLING OPERATIONS		REPORT ON REPAIRING WELL	<input checked="" type="checkbox"/>
REPORT ON RESULT OF SHOOTING OR CHEMICAL TREATMENT OF WELL		REPORT ON PULLING OR OTHERWISE ALTERING CASING	
REPORT ON RESULT OF TEST OF CASING SHUT-OFF		REPORT ON DEEPENING WELL	
REPORT ON RESULT OF PLUGGING OF WELL			

Monument, New Mexico. March 17, 1938.

Place

Date

OIL CONSERVATION COMMISSION
Santa Fe, New Mexico.

Gentlemen:

DUPLICATE

Following is a report on the work done and the results obtained under the heading noted above at the.....

Amerada Petroleum Corporation

Nugent Everett

Well No. 1

in the

Company or Operator

Lease

NE NW

of Sec. 35

T. 24s

R. 36e

N. M. P. M.,

Jal

Field, Lea

County

The dates of this work were as follows: 3/10/38 to 3/13/38

Notice of intention to do the work ~~was~~ (was not) submitted on Form C-102 on 19.....
and approval of the proposed plan ~~was~~ (was not) obtained. (Cross out incorrect words.)

DETAILED ACCOUNT OF WORK DONE AND RESULTS OBTAINED

Total depth of hole was 3469' with 7" casing set and cemented at 3418'.
The hole was plugged back to TD 3413' with lead wool from 3469' to 3437' and with cement from 3437' to 3413'. Casing was then perforated from 3411' to 3374' with 60 shots. This perforation was performed by Lane Wells. After perforation, well tested 625 barrels of fluid in 14 hours, 46% of which was water.

Prior to repairing well, average was 30 barrels per day with 70% water.

Witnessed by John Davis Lane Wells Co., Superintendent
Name Company Title

Subscribed and sworn to before me this
17 day of March, 19 38

Lewis Q. Manne
Notary Public

My Commission expires December 21, 1940

I hereby swear or affirm that the information given above is true and correct.

Name J. C. Low

Position Superintendent

Representing Amerada Petroleum Corporation

Company or Operator

Address Monument, New Mexico.

Remarks:

Guy Shepard
Oil & Gas Inspector

Title

MAR 22 1938

