


WELL LOCATION SURVEY PLAT.

COMPANY R. OLSEN
LEASE WATKINS
WELL NO. 1



SEC. 35 TWP. 24 S. RGE. 36 E. N.M.P.M.

I CERTIFY THAT THIS SURVEY WAS MADE UNDER
MY DIRECTION, AND THAT THE PLAT IS CORRECT
TO THE BEST OF MY KNOWLEDGE.

John W. West
NEW MEXICO LICENSE NO. 676

MARCH 26, 1951

NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

NOTICE OF INTENTION TO DRILL OIL CONSERVATION COMMISSION

HOBBS-OFFICE

Notice must be given to the Oil Conservation Commission or its proper agent and approval obtained before drilling begins. If changes in the proposed plan are considered advisable, a copy of this notice showing such changes will be returned to the sender. Submit this notice in triplicate. One copy will be returned following approval. See additional instructions in Rules and Regulations of the Commission.

JAL, NEW MEXICO

3/23/51

Place


Date

OIL CONSERVATION COMMISSION,
Santa Fe, New Mexico,

Gentlemen:

You are hereby notified that it is our intention to commence the drilling of a well to be known as
R. OLSEN WATKINS Well No. 1 in E/2 NE NE

Company or Operator Lease Field, Lea County.
of Sec. 35, T. 24S, R. 36E N. M. P. M., Cooper-Jal
The well is 660 feet (N.) (S.) of the North line and 330 feet
(E.) (W.) of the East line of Sec. 35-24S-36E



AREA 660 ACRES

LOCATE WELL CORRECTLY

(Give location from section or other legal subdivision lines. Cross out wrong directions.)

If state land the oil and gas lease is No. Assignment No.

If patented land the owner is Geo. H. Coates, et al

Address

If government land the permittee is

Address

The lessee is R. OLSEN

Address

We propose to drill well with drilling equipment as follows:

to T. D. with Rotary Tools

The status of a bond for this well in conformance with Rule 39 of the General Rules and Regulations of the Commission is as follows: Blanket Bond

We propose to use the following strings of casing and to land or cement them as indicated:

Size of Hole	Size of Casing	Weight Per Foot	New or Second Hand	Depth	Landed or Cemented	Sacks Cement
10-1/4	8-5/8	24#	New	300'	Cemented	150
7-5/8	5-1/2	17	New	3000'	Cemented	400 sxs. 200 at shoe-200 thru' 2 stage tool - set approx. 1300'

If changes in the above plan become advisable we will notify you before cementing or landing casing. We estimate that the first productive oil or gas sand should occur at a depth of about 3000' feet.

Additional information:

Approved MAR 26 1951, 19
except as follows:

Sincerely yours,

R. OLSEN

Company or Operator

By Dewey WatsonPosition Geological Engineer

Send communications regarding well to

Name R. OlsenAddress Drawer Z, Jal, New Mexico

OIL CONSERVATION COMMISSION,

By Roy YarbroughTitle Oil & Gas Inspector