NEW ML...CO OIL CONSERVATION COMMI JN

Santa Fe, New Mexico

MISCELLANEOUS REPORTS ON WELLS

Submit this report in triplicate to the Oil Conservation Commission or its proper agent within ten days after the work specified is completed. It should be signed and sworn to before a notary public for reports on beginning drilling operations, results of shooting well, results of test of casing shut-off, result of plugging of well, and other important operations, even though the work was witnessed by an agent of the Commission. Reports on minor operations need not be signed and sworn to before a notary public. See additional instructions in the Rules and Regulations of the Commission.

Indicate nature of report by checking below:

Hebb	New Mexico 12/7/35 Place Date
REPORT ON RESULT OF PLUGGING OF WELL	Report on result of repairing wel
REPORT ON RESULT OF TEST OF CASING SHUT-OFF	REPORT ON DEEPENING WELL
REPORT ON RESULT OF SHOOTING OR CHEMICAL TREATMENT OF WELL	REPORT ON PULLING OR OTHERWISE ALTERING CASING
REPORT ON BEGINNING DRILLING OPERATIONS	REPORT ON REPAIRING WELL

OIL CONSERVATION COMMISSION,

Santa Fe, New Mexico.

Gentlemen:

Following is a report on the work done and the results obtained under the heading noted above at the

Simms Oil Company	Oil Company C.D. Woolw			worth Well		No in t	
Company or Operator	of Sec	35	Lea T	^{se} 24	<u></u>	, N. M. P.	
Comer	Field,		Ĺ.	ea		Cou	

Notice of intention to do the work was **New and** submitted on Form C-102 on 10/23/35 19

and approval of the proposed plan was **DALLOL** obtained. (Cross out incorrect words.)

DETAILED ACCOUNT OF WORK DONE AND RESULTS OBTAINED

Gas oil ratio had increased until it was about 80,000 ft per day, after setting packer reduced ratio but slightly. Killed well with water for a geeze job. Filled back to 3460' with gravel, then 10" lead wool. Put in 5-gale. of Nowell filler which was pumped to bottom, raised tubing 5' off bottom and pumped in 5-sacks hydrated line followed by 20-sacks Incor cement, which out cement up into easing. Harsed tubing 270' and washed. Shut easing and applied pressure down tubing forcing down 1-3/4-bols. water, pressure building up to 1425#. Brilled to bottom and put back to flowing. Well started off with gas-oil ratio of 9540, now has 24000 with fluid-gas ratio of 19800. Gas volume now 1/3rd of what it was before squeeze job.

Witnessed by	Name	Company	Title		
Subscribed and sworn	to before rie this	I hereby swear or affirm that is true and correct Name	the information given above \mathcal{L}_{e1} - \mathcal{P} - \mathcal{P}		
Patricia	Mahoney	Position Prod. Si	1p * 1 :		
My Commission expi	res	Representing <u>SiANS Off</u> Com Address Drawer [#] KK [#] He	pany or Operator		
Remarks:			A Study Name		

Title

4. A second s

and a second s

e da seta a comencia e en

ł . . . •

• • •. •) •

يسا منادي المست المسال سال $(1-1)^{1-1} \sqrt{1-1} W_{1} = 1 \sqrt{1-1}$

e de la companya de l

NEW MEXICO STATE LAND OFFICE

OFFICE OF THE STATE GEOLOGIST

SANTA FE, NEW MEXICO

MISCELLANEOUS NOTICES

Submit this notice in triplicate to the State Geologist or proper Oil and Gas Inspector at least five days before the work specified is to begin. A copy will be returned to the sender on which will be given the approval with any modifications considered advisable or the rejection by the State Geologist or Oil and Gas Inspector of the plan submitted. The plan as approved should be followed and work should not begin until approval is obtained.

Indicate nature of notice by checking below:

NOTICE OF INTENTION TO CHANGE PLANS		NOTICE OF INTENTION TO PULL OR OTHERWISE ALTER CASING	
NOTICE OF INTENTION TO REPAIR WELL	X		
NOTICE OF INTENTION TO DEEPEN WELL			

Hobbs, New Mexico 10/23/35

Date

Place

Kr. State Geologist,

Santa Fe, N. Mex.

Following is a notice of intention to do certain work as described below at the_____

Simme O	il Company	C.D.	Woolworth	Well No.	1 in	net
Company of Sec	35 T, T	24	, R	_, N. M. P. M.,	Cooper	
Oil Field	Le:	a	County	· · ·		

DETAILS OF PROPOSED PLAN OF WORK

Preparing to try squeeze job on this well, to lower Gas Jil Ratio which is 55,000 gu. ft. per barrel.

Approved, 19	Simms Oil Company
except as follows:	Company or Operator
- /	By
1/1	Position Prod, Supit
	Send communications regarding well to
Al. Mally	Name F. Schneider
Name Title	AddressDrawer*KK" Hobbs New dexico
Address	

1. 1918

化化合金 化对应金属 机构成合同的 法法的现在分词

作者的过去式和过去分词 建氯乙基乙基化物 名言 网络有种物

and the product of the second second

50 A.

图1-15-611 2010年代,但1936年月末年

میکندهای به مرد او به مرواند در در در در در در بالا به به مرد و دیگر در این به به مرد او در به به این از این ا به و هم در اور و بر این مرد بالا و موارد در در در به این او او در از و به مرد او دیگر در به ترک و به در در این ا به از اس والا و به به مرد این اور در این اور در در و به مرد این از و به مرد این و مرکز در به ترک و مرد این این این و به به و بود و به به این از و در این این این و به مرد این از و به مرد این و در این و در این و مرد این این این و به به مرد و به به این این و در این و در و به مرد این و در ا

e e sere e

and the strength

and a start of the second start A second start of the second star

 $= 1.5 \pm 100^{-11} + 1.5 \pm 10$

• • • • •

Attanta de la composition de

and a second second

and the second second