


## OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

## MISCELLANEOUS REPORTS ON WELLS



Submit this report in triplicate to the Oil Conservation Commission or its proper agent within ten days after the work specified is completed. It should be signed and sworn to before a notary public for reports on beginning drilling operations, results of shooting well, results of test of casing shut off, result of plugging of well, and other important operations, even though the work was witnessed by an agent of the Commission. Reports on minor operations need not be signed and sworn to before a notary public. See additional instructions in the Rules and Regulations of the Commission.

Indicate nature of report by checking below.

REPORT ON BEGINNING DRILLING OPERATIONS	<input checked="" type="checkbox"/>	REPORT ON REPAIRING WELL	
REPORT ON RESULT OF SHOOTING OR CHEMICAL TREATMENT OF WELL		REPORT ON PULLING OR OTHERWISE ALTERING CASING	
REPORT ON RESULT OF TEST OF CASING SHUT-OFF		REPORT ON DEEPENING WELL	
REPORT ON RESULT OF PLUGGING OF WELL			

February 3, 1949

Hobbs, New Mexico

Date

Place

OIL CONSERVATION COMMISSION,  
SANTA FE, NEW MEXICO  
Gentlemen:

Following is a report on the work done and the results obtained under the heading noted above at the \_\_\_\_\_

Cities Service Oil Company

State "W"

Well No. 1 in the \_\_\_\_\_

Company or Operator

Lease

C - SE SE

of Sec. 36

T. 24

R. 36

N. M. P. M.,

Cooper - Jal

Field,

Lea

County.

The dates of this work were as follows: February 2, 1949

Notice of intention to do the work was ~~submitted~~ submitted on Form C-102 on January 18 19 49 and approval of the proposed plan was ~~obtained~~ obtained. (Cross out incorrect words.)

## DETAILED ACCOUNT OF WORK DONE AND RESULTS OBTAINED

This well was spudded at 8:00 A.M., February 2, 1949.

Witnessed by R. W. Ely Cities Service Oil Company District Superintendent  
Name Company Title

Subscribed and sworn before me this 3 rd

day of February 19 49

*R. W. Ely*

Notary Public

I hereby swear or affirm that the information given above is true and correct.

Name

Position District Superintendent

Representing Cities Service Oil Company

Company or Operator

Drawer "G"

Address Hobbs, New Mexico

My commission expires March 12, 1951

Remarks:

APPROVED

Date Feb 3 1949

*Roy. Yankrough*  
Name  
OIL CONSERVATION  
Title

1921 April 10

## NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

## NOTICE OF INTENTION TO DRILL

Notice must be given to the Oil Conservation Commission or its proper agent and approval obtained before drilling begins. If changes in the proposed plan are considered advisable, a copy of this notice showing such changes will be returned to the sender. Submit this notice in triplicate. One copy will be returned following approval. See additional instructions in Rules and Regulations of the Commission.

Hobbs, New Mexico

January 18, 1949

OIL CONSERVATION COMMISSION,  
Santa Fe, New Mexico,

Place

Date

Gentlemen:

You are hereby notified that it is our intention to commence the drilling of a well to be known as

Cities Service Oil Company

State "NM" Lease

Well No. 1 in S SE SE

of Sec. 36, T. 24, R. 36, N. M. P. M., Cooper-Jal Field, Lea County.

The well is 660 feet (N.) (S.) of the South line and 660 feet (E.) (W.) of the East line of Sec. 36-24-36

(Give location from section or other legal subdivision lines. Cross out wrong directions.)

If state land the oil and gas lease is No. Unknown Assignment No. Unknown

If patented land the owner is --

Address --


If government land the permittee is --

Address --

The lessee is Cities Service Oil Co.

Address Empire-Masonic Building, Bartlesville, Oklahoma

We propose to drill well with drilling equipment as follows: Rotary all the way



AREA 640 ACRES

LOCATE WELL CORRECTLY

The status of a bond for this well in conformance with Rule 39 of the General Rules and Regulations of the Commission is as follows: Approved

We propose to use the following strings of casing and to land or cement them as indicated:

Size of Hole	Size of Casing	Weight Per Foot	New or Second Hand	Depth	Landed or Cemented	Sacks Cement
11 1/4"	8 5/8"	24#	New	1100	Cemented	450
7 3/8"	5 1/2"	14#	New	3500	Cemented	250

If changes in the above plan become advisable we will notify you before cementing or landing casing. We estimate that the first productive oil or gas sand should occur at a depth of about 3550 feet.

Additional information:

Approved JAN 20 1949, 19  
except as follows:

Sincerely yours,

Cities Service Oil Company

Company or Operator

By [Signature]

Position District Superintendent

Send communications regarding well to

Name R. W. Ely

Address Drawer G., Hobbs, New Mexico

OIL CONSERVATION COMMISSION

By Roy ParkhurstTitle OIL & GAS INSPECTOR

ELF

1954-1955-1956