

E. J. Weatherby I,..... being first duly sworn on oath, state that I have knowledge of the facts and matter herein set forth on this plat and that the same are true and correct. Notary Public Wy Commission Expires Aug. 19, 1952

RAYELLAS

Sec. 2. 1.

Bartlesville, Oklahona December 13 Place Place Notice hereby is given that it is our intention to commence the drilling of a well to be known as Cherry Phillips Cherrical Company - Chem MAHix well No. 2	EC 2 1 1951 ERVATION COMMIS
See Rules 101 and 1104. changes in the proposed plan are considered advisable, a copy of this notice showing such a sender. Submit this notice in triplicate. One copy will be returned following approval. Bertlesville, Oklabona Place Notice hereby is given that it is our intention to commence the drilling of a well to be known as Charles	EC 2 1 1951 ERVATION COMMIS
See Rules 101 and 1104. Changes in the proposed plan are considered advisable, a copy of this notice showing such sender. Submit this notice in triplicate. One copy will be returned following approval. Bartlesville, Oklahoma Place Notice hereby is given that it is our intention to commence the drilling of a well to be known as Charter	EC 2 1 1951 ERVATION COMMIS
chances in the proposed plan are considered advisable, a copy of this notice showing such changes we hanges we have been sender. Submit this notice in triplicate. One copy will be returned following approval. Bertlesville, Oklahome Place Notice hereby is given that it is our intention to commence the drilling of a well to be known as Charter and the sender of the	EC 2 1 1951 ERVATION COMMIS
Rertlesville, Oklahome December 13 Place December 13 Notice hereby is given that it is our intention to commence the drilling of a well to be known as Chert	1951 ERVATION COMMIS
Notice hereby is given that it is our intention to commence the drilling of a well to be known as	ERVATION COMMIS
	GROG OFFICE
Phillips Chemical Company - Chem MAHix well No. 2	
Company or Operator Lease	i n.
Sec. 2, T. 24-S, R. 37E, N. M., P. MLanglie-Mattixool,	
N The well is 1304 feet from (N.) (\S) line and 662	feet from
(E.) (¥.) line of the above section. (Give location from section lines. Cross out wrong directions.)	
If state land the oil and gas lease is No)
If patented land the owner is	
Address	
If government land the permittee is	
Address Phillips Charles Company	
AREA 640 ACRES Address Bartlesville, Oklahoma	- s
OCATE WELL CORRECTLY	
To be drilled with retary	
lows:Bond being applied for.	
	Sacks Cement
size of Size of Landed or	Sacks
e propose to use the following strings of casing and to land or cement them as indicated: Size of Bize of Weight Per Foot New or Second Hand Depth Cemented	Sacks
e propose to use the following strings of casing and to land or cement them as indicated: Size of Hole Size of Casing Weight Per Foot New or Second Hand Depth Landed or Cemented	Sacks Cement
e propose to use the following strings of casing and to land or cement them as indicated: Size of Size of Weight Per Foot Second Hand Depth Cemented 1.* 8 5/8* 28# New 350' Cemented	Sacks Cement Circulate Circulate
e propose to use the following strings of casing and to land or cement them as indicated: Size of Size of Casing Weight Per Foot Second Hand Depth Cemented 1" 8 5/8" 28# New 3501 Cemented 7/8" 5 1/2" 14# New 34001 Cemented changes in the above plans become advisable we will notify you before cementing or landing casing. We	Sacks Cement Circulate Circulate
e propose to use the following strings of casing and to land or cement them as indicated: Size of Size of Casing Weight Per Foot Second Hand Depth Cemented 1.* 8 5/8* 28# New 350' Cemented 7/8* 5 1/2* 14# New 3400' Cemented changes in the above plans become advisable we will notify you before cementing or landing casing. We st productive oil or gas sand should occur at a nepth of about 3600 feet.	Sacks Cement Circulate Circulate e estimate that the
e propose to use the following strings of casing and to land or cement them as indicated: Size of Size of Casing Weight Per Foot New or Second Hand Depth Cemented 1* 8 5/8* 28# New 350' Cemented 7/8* 5 1/2* 14# New 3400' Cemented changes in the above plans become adviseble we will notify you before cementing or landing casing. We at productive oil or gas sand should occur at a hepth of about 5600 feet.	Sacks Cement Circulate Circulate Circulate e estimate that the ERVATION COMMICS
propose to use the following strings of casing and to land or cement them as indicated: Size of Hole Size of Casing Weight Per Foot New or Second Hand Depth Landed or Cemented 1* 8 5/8* 28# New of Second Hand 350* Cemented 1* 8 5/8* 28# New of Second Hand 350* Cemented 1* 8 5/8* 28# New of Second Hand 350* Cemented 1* 8 5/8* 28# New of Second Hand 350* Cemented 1* 8 5/8* 28# New of Second Hand 350* Cemented 1* 8 5/8* 28# New of Second Hand 350* Cemented 1* 9 1/2* 14# New of Second Hand 3400* Cemented changes in the above plans become advisable we will notify you before cementing or landing casing. We to productive oil or gas sand should occur at a nepth of about	Sacks Cement Circulate Circulate Circulate e estimate that the ERVATION COMMICS
propose to use the following strings of casing and to land or cement them as indicated: Size of Hole Size of Casing Weight Per Foot New or Second Hand Dopth Landed or Cemented 1* 8 5/8* 28# New of Second Hand 350* Cemented 7/8* 5 1/2* 14# New of Second Hand 3400* Cemented ehanges in the above plans become advisable we will notify you before cementing or landing casing. We t productive oil or gas sand should occur at a nepth of about	Sacks Cement Circulate Circulate Circulate e estimate that the ERVATION COMMICS
propose to use the following strings of casing and to land or cement them as indicated: Size of Size of Weight Per Foot New or Second Hand Depth Landed or Cemented 1" 8 5/8" 28# New 350' Cemented 7/8" 5 1/2" 14# New 3400' Cemented hanges in the above plans become advisable why will notify you before cementing or landing casing. We t productive oil or gas sand should occur at a hepth of about 3600 feet. Well to be drilled to depth sufficient to test Queen antic DE	Sachs Cement Circulate Circulate Girculate Envation communication FR. NEW MEXICO
propose to use the following strings of casing and to land or cement them as indicated: Size of Size of Casing Weight Per Foot Second Hand Depth Cemented 1* 8 5/8* 28# New 350* Cemented 7/8* 5 1/2* 14# New 3400* Cemented thanges in the above plans become adviseble where will notify you before cementing or landing casing. We t productive oil or gas sand should occur at a hepth of about 3600 feet. Bittional information: Off. CONSE Well to be drilled to depth sufficient to test Queen Second Band DEC 2 1 1959 19	Sacks Cement Circulate Girculate e estimate that the ERVATION COMMICS FR. NEW MEXICO DE 17 1950
propose to use the following strings of casing and to land or cement them as indicated: Size of Edo Casing Weight Per Foot New or Second Hand Depth Landed or Cemented 1* 8 5/8* 28# New of Second Hand 350* Cemented 7/8* 5 1/2* 14# New of Second Hand 3400* Cemented changes in the above plans become advisable we will notify you before cementing or landing casing. We t productive oil or gas sand should occur at a depth of about feet. 3600 feet. ditional information: Weilt to be drilled to depth sufficient to test Queen while Difference of the sufficient to test Queen intervention Difference of the sufficient to test Queen intervention proved DEC 2 1 1959 19 19 19	Sachs Cement Circulate Circulate Girculate Envation communication FR. NEW MEXICO
propose to use the following strings of casing and to land or cement them as indicated: Size of Size of Casing Weight Per Foot Second Hand Depth Cemented 1. 8 5/8 28 New 7 Second Hand Cemented 1. 8 5/8 28 New 350 Cemented 7/8 5 1/2 14 New 3400 Cemented changes in the above plans become advisable of will notify you before cementing or landing casing. We t productive oil or gas sand should occur at a hepth of about feet. Hitional information: Off CONSE Well to be drilled to depth sufficient to test Queen Second Depth DEC 2 1 1959 19	Sacks Cement Circulate Girculate e estimate that the ERVATION COMMICS FR. NEW MEXICO DE 17 1950
propose to use the following strings of casing and to land or cement them as indicated: Size of Hole Size of Casing Weight Per Foot New or Second Hand Depth Landed or Cemented 1* 8 5/8* 28# New of Second Hand 350* Generated 7/8* 5 1/2* 14# New of Second Hand 3400* Cemented ethanges in the above plans become advisable will notify you before cementing or landing casing. We to productive oil or gas sand should occur at a flepth of about	Sacks Cement Circulate Girculate e estimate that the ERVATION COMMICS FR. NEW MEXICO DE 17 1950
propose to use the following strings of casing and to land or cement them as indicated: Size of Casing Weight Per Foot Second Hand Bite of Casing Weight Per Foot New or Second Hand Depth Landed or Cemented 1* 8 5/8* 28# New of 350* Cemented 7/8* 5 1/2* 14# New of 3400* Cemented representation in the above plans become advisable where the productive oil or gas sand should occur at a nepth of about 3600 feet. Off. CONSE Well to be drilled to depth sufficient to test Queen Shift DEC 21 195% 19 DEC 21 195% proved DEC 21 195% 19 19 DEC 2000 DEC 2000 By Metric Metric Metric Metric DEC 2000	Sacks Cement Circulate Girculate e estimate that the ERVATION COMMICS FR. NEW MEXICO DE 17 1950
Propose to use the following strings of casing and to land or cement them as indicated: Size of Casing Weight Per Foot New or Second Hand Depth Landed or Cemented 1* 8 5/8* 28# New of Second Hand 350* Cemented 1* 8 5/8* 28# New of Second Hand 350* Cemented 7/8* 5 1/2* 14# New of Second Hand 3400* Cemented changes in the above plans become advisable where it productive oil or gas sand should occur at a nepth of about	Sacks Cement Circulate Girculate e estimate that the ERVATION COMMUCS PELING MEXICO CIT 1954

<u>_</u>...

.....

....

•