Submit this report in triplicate to the Oil Conservation Commission District Office within ten days after the work special is completed. It should be signed and filed as a report on beginning drilling operations, results of shooting well, results of test of casing shut off, result of plugging of well, and other important operations, even though the work was witnessed by an

	Indicate	nature of repo	ort by checking	below.		
REPORT ON BEGINNING OPERATIONS	DRILLING	1	REPORT (ON REPAIRING WE	ELL	
REPORT ON RESULT OF S CHEMICAL TREATME				ON PULLING OR OT	THERWISE	
REPORT ON RESULT OF SHUT-OFF	TEST OF CASING	x	REPORT O	ON DEEPENING WE	ELL	
REPORT ON RESULT OF	PLUGGING OF WEI					,
	Остовея	19	195-1	DALLAS	, Texas	
COMPANY Compar Compar	Pool			LEA		Count
nd approval of the proposed DE TER SHUT OFF TEST OF WATER PRESSURE	plan was (obtained. (Cross OF WORK D NG	s out incorrect w	or d s.)		¹⁹ -51
TER SHUT OFF TEST OF WATER PRESSURE ILLED 72' OF CEMEN OF WATER PRESSURE	Plan was (************************************	obtained. (Cross OF WORK D NG ELD CASING	s out incorrect w	ords.) SULTS OBTAINED		
TER SHUT OFF TEST OF WATER PRESSURE ILLED 72' OF CEMEN OF WATER PRESSURE	Plan was (************************************	obtained. (Cross OF WORK D NG ELD CASING	s out incorrect w	ords.) SULTS OBTAINED	PRODS	
TER SHUT OFF TEST OF WATER PRESSURE ILLED 72' OF CEMEN OF WATER PRESSURE	Plan was (************************************	obtained. (Cross OF WORK D NG ELD CASING	S OUT INCOFFECT WOOD RES	Ords.) SULTS OBTAINED UCTION CO	St	JP T
TER SHUT OFF TEST OF WATER PRESSURE ILLED 72' OF CEMEN OF WATER PRESSURE	Plan was (************************************	obtained. (Cross OF WORK D NG ELD CASING	S out incorrect wood one and res	Ords.) SULTS OBTAINED UCTION CO	nformation given	JPT
TER SHUT OFF TEST OF WATER PRESSURE ILLED 72' OF CEMEN OF WATER PRESSURE	Plan was (MARMET) of TAILED ACCOUNT - SURFACE CASI FOR 30 MIN. H T TESTED BELOW 30 MIN - HELD Name FION COMMISSION Officers No. 10 Min - Mi	obtained. (Cross OF WORK D NG ELD CASING	S out incorrect wood one and resource and resource and correct work and correct warms.	Ords.) SULTS OBTAINED OF affirm that the intect.	nformation given	JP T

DALLAS, TEXAS