

DISTRICT I
P.O. Box 1980, Hobbs, NM 88240

DISTRICT II
P.O. Drawer DD, Artesia, NM 88210

DISTRICT III
1000 Rio Brazos Rd., Aztec, NM 87410

OIL CONSERVATION DIVISION
P.O. Box 2088
Santa Fe, New Mexico 87504-2088

WELL API NO.
30-025-11003

5. Indicate Type of Lease
STATE ☐ FEE ☒

6. State Oil & Gas Lease No.

7. Lease Name or Unit Agreement Name

Myers Langlie Mattix Unit

011007

8. Well No.

129

9. Pool name or Wildcat 037240

Langlie Mattix 7 Rvr Q-G

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A
DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT"
(FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well:

OIL
WELL ☒

GAS
WELL ☐

OTHER

2. Name of Operator

OXY USA Inc.

16696

3. Address of Operator

P.O. Box 50250 Midland, TX 79710-0250

4. Well Location

Unit Letter D : 660 Feet From The North Line and 660 Feet From The West Line

Section

4

Township

24S

Range

37E

NMPM

Lea

County

10. Elevation (Show whether DF, RKB, RT, GR, etc.)

11. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐

PLUG AND ABANDON ☒

TEMPORARILY ABANDON ☐

CHANGE PLANS ☐

PULL OR ALTER CASING ☐

OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐

COMMENCE DRILLING OPNS. ☐ PLUG AND ABANDONMENT ☐

CASING TEST AND CEMENT JOB ☐

OTHER: ☐

12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

See other side

THE COMPLETION MUST BE NOTICED 24
HOURS PRIOR TO THE BEGINNING OF
PLUGGING OPERATIONS FOR THE C-103
TO BE APPROVED.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE

David Stewart

TITLE

Regulatory Analyst

DATE 2/18/98

TYPE OR PRINT NAME

David Stewart

TELEPHONE NO. 9156855717

(This space for State Use)

ORIGINAL SIGNED BY CHRIS WILLIAMS
DISTRICT I SUPERVISOR

APPROVED BY

TITLE

DATE

CONDITIONS OF APPROVAL, IF ANY:

ATTACHMENT C-103
OXY USA INC.
MYERS LANGLIE MATTIX UNIT #129
SEC 4 T248 R37E
LEA COUNTY, NM

TD - 3680' PBD - 3668' PERFS - 3300-3666'

CASING: 7-5/8" 24# @ 408', 8-3/4", cmt w/300sx (TOC-SURF-CIRC)
4-1/2" 9.5# @ 3680', 6-3/4", cmt w/400sx (TOC-784'-CALC)

1. MIRU PU, NDWH, NUBOP. RIH & SET CIBP @ 3250', SPOT 10sx CMT ON TOP TO 3170'. M&P 9.5# MUD LADEN FLUID, POOH TO 2640'.
2. M&P 20sx CL C CMT PLUG FROM 2740-2640', M&P 9.5# MUD LADEN FLUID, POOH TO 2300'.
3. M&P 20sx CL C CMT PLUG FROM 2400-2300', M&P 9.5# MUD LADEN FLUID, POOH TO 1180'.
4. PERF 2 SQZ HOLES @ 1280', EIR M&P 35sx CL C CMT PLUG FROM TO 1280-1180', M&P 9.5# MUD LADEN FLUID, POOH TO 358'.
5. PERF 2 SQZ HOLES @ 458', EIR, M&P 80sx CL C CMT PLUG CIRC CMT TO SURFACE, SPOT CMT IN 4-1/2" CSG TO 358'. M&P 9.5# MUD LADEN FLUID, POOH.
6. M&P 10sx CL C CMT SURFACE PLUG. NDBOP, CUT-OFF CSG 3' BELOW GROUND LEVEL, RDP, INSTALL DRY-HOLE MARKER, CLEAN LOC & BACKFILL W/O PIT.

408.0 - 3680.0' 6 3/4" OD HOLE
784.0 - 3680.0' CEMENT 400sx-CALC
0.0 - 3680.0' 4 1/2" OD PROD CSG

TD: 3680'

OXY USA INC. PROPOSED
MYERS LANGLEY MATTIX UT #129
SEC 4 T23S R37E LEA NM

