

## OIL CONSERVATION COMMISSION

SANTA FE, NEW MEXICO

## Miscellaneous Reports on Wells

February 1951

Submit this report in triplicate to the Oil Conservation Commission or its proper agent. When the work specified is completed. It should be signed and sworn to before a notary public for reports on beginning drilling operations, results of shooting well, results of test of casing shut off, result of plugging of well, and other important operations, even though the work was witnessed by an agent of the Commission. Reports on minor operations need not be signed and sworn to before a notary public. See additional instructions in the Rules and Regulations of the Commission.

Indicate nature of report by checking below.

REPORT ON BEGINNING DRILLING OPERATIONS		REPORT ON REPAIRING WELL	
REPORT ON RESULT OF SHOOTING OR CHEMICAL TREATMENT OF WELL		REPORT ON PULLING OR OTHERWISE ALTERING CASING	
REPORT ON RESULT OF TEST OF CASING SHUT-OFF	XX	REPORT ON DEEPENING WELL	
REPORT ON RESULT OF PLUGGING OF WELL			

February 16, 1951

Date

Hobbs, New Mexico

Place

OIL CONSERVATION COMMISSION,  
SANTA FE, NEW MEXICO.  
Gentlemen:

Following is a report on the work done and the results obtained under the heading noted above at the

Skelly Oil Company

Mexico "G"

Well No. 1

in the

Company or Operator

Lease

NW/4 NW/4

of Sec. 16

T. 24S

R. 37E

N. M. P. M.

Langlie-Mattix

Field

Lea

County.

The dates of this work were as follows: February 14, 1951

Notice of intention to do the work was ~~submitted~~ submitted on Form C-102 on February 12 1951

and approval of the proposed plan was (rescinded) obtained. (Cross out incorrect words.)

## DETAILED ACCOUNT OF WORK DONE AND RESULTS OBTAINED

Ran 7" OD casing to TD 3703', and cemented with Halliburton two-stage process, 50 sacks cement around shoe and 150 sacks cement through two-stage tool at 2641'.

Let set 48 hours and at approximately 3:00 A.M. February 14, 1951, drilled plug and tested casing shut-off. Shut-off tested OK.

Witnessed by R. L. Calhoon

Name

Skelly Oil Company


Company

District Foreman

Title

Subscribed and sworn before me this

23rd day of February, 1951



Notary Public

MY COMMISSION EXPIRES AUG. 19, 1952

My commission expires

I hereby swear or affirm that the information given above is true and correct.

Name

Position

Dist. Supt.

Representing

Skelly Oil Company


Company or Operator

Address

Drawer "D", Hobbs, New Mexico

Remarks:

APPROVED  
FEB 27 1951  
Date

  
Name  
Title

1976-77

## NEW MEXICO OIL CONSERVATION COMMISSION

SANTA FE, NEW MEXICO

## MISCELLANEOUS NOTICES

Submit this notice in triplicate to the Oil Conservation Commission or its proper agent before the work specified is to begin. A copy will be returned to the sender on which will be given the approval, with any modifications considered advisable, or the rejection by the Commission or agent, of the plan submitted. The plan as approved should be followed, and work should not begin until approval is obtained. See additional instructions in the Rules and Regulations of the Commission.

Indicate nature of notice by checking below:

NOTICE OF INTENTION TO TEST CASING SHUT-OFF		NOTICE OF INTENTION TO SHOOT OR CHEMICALLY TREAT WELL	
NOTICE OF INTENTION TO CHANGE PLANS	XX	NOTICE OF INTENTION TO PULL OR OTHERWISE ALTER CASING	
NOTICE OF INTENTION TO REPAIR WELL		NOTICE OF INTENTION TO PLUG WELL	
NOTICE OF INTENTION TO DEEPEN WELL			

Hobbs, New Mexico

February 22, 1951

Place

Date

OIL CONSERVATION COMMISSION,  
Santa Fe, New Mexico

Gentlemen:

Following is a notice of intention to do certain work as described below at the

Skelly Oil Company Mexico "G" Well No. 1 in NW/4 NW/4  
 Company or Operator Lease  
 of Sec. 16, T. 24S, R. 37E, N. M. P. M. Langlie-Mattix Field.  
Lea County.

## FULL DETAILS OF PROPOSED PLAN OF WORK

FOLLOW INSTRUCTIONS IN THE RULES AND REGULATIONS OF THE COMMISSION

Drilled to total depth of 3632'. Tested black sulphur water with no shows of oil or gas.

Propose to plug back into 7" OD casing set at 3403' with approximately 60 sx cement using Halliburton Cementing process. After cement has set, will perforate 7" OD casing opposite Yates Sand section to test for gas.

Approved FEB 27 1951, 19\_\_\_\_  
 except at follows:

OIL CONSERVATION COMMISSION,

By Noy Yarkraugh  
 Title \_\_\_\_\_

Skelly Oil Company

Company or Operator

By J. M. SimlaryPosition Dist. Supt.

Send communications regarding well to

Name Skelly Oil CompanyAddress Drawer "D"Hobbs, New Mexico