

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUBMIT IN DUPLICATE*

(See other instructions on reverse side)

Form approved.
Budget Bureau No. 42-R355.5.

WELL COMPLETION OR RECOMPLETION REPORT AND LOG *

1a. TYPE OF WELL: OIL WELL ☐ GAS WELL ☐ DRY ☐ Other Water injection

b. TYPE OF COMPLETION:

NEW WELL ☒ WORK OVER ☐ DEEP-EN ☐ PLUG BACK ☐ DIFF. RESVR. ☐ Other _____

2. NAME OF OPERATOR

GETTY OIL COMPANY

3. ADDRESS OF OPERATOR

P.O. Box 730, Hobbs, NM 88240

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements)

At surface Ltr. C, 660' FNL & 1980' FWL

At top prod. interval reported below

At total depth

RECEIVED

FEB 23 1981

U.S. GEOLOGICAL SURVEY
HOBBS, NEW MEXICO

5. LEASE DESIGNATION AND SERIAL NO.

NM 7488

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

Myers Langlie Mattix Unit

8. FARM OR LEASE NAME

Myers Langlie Mattix Unit

9. WELL NO.

204

10. FIELD AND POOL, OR WILDCAT

Langlie Mattix

11. SEC., T., R., M., OR BLOCK AND SURVEY OR AREA

Sec. 7, T24S, R37E

12. COUNTY OR PARISH

Lea

13. STATE

NM

15. DATE SPUDDED 16. DATE T.D. REACHED 17. DATE COMPL. (Ready to prod.) 18. ELEVATIONS (DF, RKB, RT, GR, ETC.)* 19. ELEV. CASINGHEAD

10/5/80

10/12/80

1/31/81

3311' G.L.

3311' G.L.

20. TOTAL DEPTH, MD & TVD 21. PLUG, BACK T.D., MD & TVD 22. IF MULTIPLE COMPL., HOW MANY* 23. INTERVALS DRILLED BY ROTARY TOOLS CABLE TOOLS

3750'

0-3750'

24. PRODUCING INTERVAL(S), OF THIS COMPLETION—TOP, BOTTOM, NAME (MD and TVD)

3355-3503 = 34 (.35") Holes

ACCEPTED FOR RECORD
PETER W. CHESTER
FEB 24 1981U.S. GEOLOGICAL SURVEY
ROSWELL, NEW MEXICO

25. WAS DIRECTIONAL SURVEY MADE

Yes

26. TYPE ELECTRIC AND OTHER LOGS RUN

CNL-FDC, DLL, MLL

27. WAS WELL CORED

NO

28. CASING RECORD (Report all strings set in hole)

CASING SIZE	WEIGHT, LB./FT.	DEPTH SET (MD)	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
8 5/8	24#	505'	12 1/4	350 SXS.	84 sxs. circ.
5 1/2	14#	3751'	7 7/8	1050 SXS.	35 sxs. circ.

29. LINER RECORD

SIZE	TOP (MD)	BOTTOM (MD)	SACKS CEMENT*	SCREEN (MD)	SIZE	DEPTH SET (MD)	PACKER SET (MD)
					2 3/8	3303'	3306'

30. TUBING RECORD

31. PERFORATION RECORD (Interval, size and number)

3355, 56, 57, 58, 66, 69, 75, 76, 95, 97, 98, 99, 3400, 14, 21, 33, 42, 43, 47, 50, 51, 52, 54, 55, 60, 61, 63, 64, 67, 68, 71, 72, 3501, 03 = 34 (.35") holes

32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.

DEPTH INTERVAL (MD)	AMOUNT AND KIND OF MATERIAL USED
3355-3503	4000 gals. 20% NE, 48 balls

33.* PRODUCTION

DATE FIRST PRODUCTION		PRODUCTION METHOD (Flowing, gas lift, pumping—size and type of pump)				WELL STATUS (Producing or shut-in)	
						SI*	
DATE OF TEST	HOURS TESTED	CHOKE SIZE	PROD'N. FOR TEST PERIOD	OIL—BBL.	GAS—MCF.	WATER—BBL.	GAS-OIL RATIO
FLOW. TUBING PRESS.	CASING PRESSURE	CALCULATED 24-HOUR RATE	OIL—BBL.	GAS—MCF.	WATER—BBL.	OIL GRAVITY-API (CORR.)	

34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.)

TEST WITNESSED BY

35. ~~XXXXXXXXXXXX~~

* Waiting on Injection Line

36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records

SIGNED

Dale R. Crockett

TITLE Area Superintendent

DATE 2/20/81

*(See Instructions and Spaces for Additional Data on Reverse Side)

INSTRUCTIONS

General: This form is designed for submitting a complete and correct well completion report and log on all types of lands and leases to either a Federal agency or a State agency, or both, pursuant to applicable Federal and/or State laws and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State office. See instructions on items 22 and 24, and 33, below regarding separate reports for separate completions.

If not filed prior to the time this summary record is submitted, copies of all currently available logs (drillers, geologists, sample and core analysis, all types electric, etc.), formation and pressure tests, and directional surveys, should be attached hereto, to the extent required by applicable Federal and/or State laws and regulations. All attachments should be listed on this form, see item 35.

Item 4: If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State or Federal office for specific instructions.

Item 18: Indicate which elevation is used as reference (where not otherwise shown) for depth measurements given in other spaces on this form and in any attachments. **Items 22 and 24:** If this well is completed for separate production from more than one interval zone (multiple completion), so state in item 22, and in item 24 show the producing interval, or intervals, top(s), bottom(s) and name(s) (if any) for only the interval reported in item 33. Submit a separate report (page) on this form, adequately identified, for each additional interval to be separately produced, showing the additional data pertinent to such interval.

Item 29: "Sacks Cement": Attached supplemental records for this well should show the details of any multiple stage cementing and the location of the cementing tool. **Item 33:** Submit a separate completion report on this form for each interval to be separately produced. (See instruction for items 22 and 24 above.)

37. SUMMARY OF POROUS ZONES: SHOW ALL IMPORTANT ZONES OF POROSITY AND CONTENTS THEREOF; CORED INTERVALS; AND ALL DRILL-STEM TESTS, INCLUDING DEPTH INTERVAL TESTED, CUSHION USED, TIME TOOL OPEN, FLOWING AND SHUT-IN PRESSURES, AND RECOVERIES				38. GEOLOGIC MARKERS		
FORMATION	TOP	BOTTOM	DESCRIPTION, CONTENTS, ETC.	NAME	MEAS. DEPTH	TRUE VERT. DEPTH
Surface	0	1178	sand and red bed	Rustler	1178	
Rustler	1178	2798	anhydrite	Salt	2798	
Salt	2798	2858	salt	Yates	2858	
Yates	2858	3110	sand and anhydrite	7R	3110	
7R	3110	3446	dolomite, anhydrite, and sand	Queen	3446	
Queen	3446	3574	sand and anhydrite	Penrose	3574	
Penrose	3574	3750	sand			

MAR 10 1981
OIL CONSERVATION DIV.