

Petroleum Information.

COUNTY **LEA** FIELD **Langlie Mattix** STATE **NM**
 OPR **GULF OIL CORP.** API **30-025-27036**
 NO **10** LEASE **Carr, S. J.** MAP
Sec 10, T24S, R37E CO-ORD
660 FSL, 330 FWL of Sec SPD **10-4-80** CMP **4-3-40 NM**
8 mi NE/Jal 3-29-81

CSG
 8 5/8-1027-600 sx
 5 1/2-7700-2550 sx
 2 3/8-3201

WELL CLASS: INIT D FIN DG LSE CODE			
FORMATION	DATUM	FORMATION	DATUM
ID	7700 (DVNN)	PBD	4875

IP (Queen) Perfs 3258-3376 F 610 MCFGPD. Pot based on 24
 hr test thru 26/64 chk. GOR Dry; gty (NR); CP Pkr; TP 125

CONTR **Sharp #48** OPRSELEV **3264 GL** PD **7700 RT**

F.R. 9-15-80
 (Queen)
 4-18-81 AMEND FIELD & ZONE: Formerly reported as
 Fowler (Devonian)
 10-6-80 Drlg 1037 anhy
 10-13-80 Drlg 4029 anhy & 1m
 10-20-80 Drlg 6730 1m
 10-27-80 TD 7700; Rng 5 1/2 csg
 11-3-80 TD 7700; PBD 7682; SI
 Perf (Devonian) 7482-84, 7496-98, 7510-12 w/2 SPF
 11-10-80 TD 7700; PBD 7682; Swbg
 Acid (7482-7512) 3000 gals (20% NEFD)
 Swbd 15 BW w/tr Oil in 9 hrs (7482-7512)
 11-17-80 TD 7700; PBD 7682; Swbg
 Perf (Devonian) 7529-32 w/2 SPF
 Acid (7529-32) 126 gals
 12-1-80 TD 7700; PBD 7682; SI

4-3-40 NM

LEA
GULF OIL CORP.

Langlie Mattix
10 Carr, S. J.
Sec 10, T24S, R37E

NM
Page #2

12-1-80 Continued
Swbd 4 BW in 4 hrs (7529-32)
12-16-80 TD 7700; PBD 7400; WOP
Perf (Drinkard) 6363-70, 6388-91, 6400-03,
6411-14, 6422-25
Acid (6363-6425) 3000 gals (20% NEFE)
Swbd 24 BO + 96 BW in 8 hrs 30 mins (6363-6425)
1-5-81 TD 7700; PBD 7400; TOP
1-19-81 Ppd 22 BO + 194 BW in 24 hrs (6363-6425)
TD 7700; PBD 7400; TOP
1-26-81 Ppd 6 BW + 64 BW in 24 hrs (6363-6425)
TD 7700; PBD 7400; TOP
Ppd 1 BO + 69 BW in 24 hrs (6363-6425)
4-3-40 NM

1-30-81 TD 7700; PBD 7400; SI
2-6-81 TD 7770; PBD 6295; SI
RBP @ 6379
Ppd 3 BO + 54 BW in 24 hrs (6363-70)
CIBP @ 6295
Perf (Glorieta) 4985-85, 5000-02, 5038-40,
5058-60, 5092-94, 5106-08, 5142-44, 5180-82
w/2 SPF
2-16-81 TD 7700; BPD 6295; Swbg
Acid (4985-5182) NA
Swbd 118 BW w/NS in 9 hrs (4985-5182)
RBP @ 5070, Pkr @ 5025
Swbd 19 BW in 3 runs (5038-60)
Reset RBP & Pkr
Swbd 19 BW in 4 runs (5142-82)
4-3-40 NM

LEA
GULF OIL CORP.

Langlie Mattix
10 Carr, S. J.
Sec 10, T24S, R37E

NM
Page #3

2-16-81 Continued
Reset RBP & Pkr
Swbd 72 BW in 3 hrs (5092-5108)
Reset RBP & Pkr
Acid (4985-5002) 200 gals
2-23-81 TD 7700; PBD 4994; Swbg
Swbd 79 BW w/NS in 6 hrs (4985-5002)
Pulled RBP & Pkr
Cmt ret @ 4975
Sqzd (4985-5182) 150 sx & DOC to 4994.
Perf (Glorieta) 4934-36, 4943-45, 4956-58,
4969-71 w/2 SPF
Acid (4934-71) 200 gals
4-3-40 NM

3-2-81 TD 7700; PBD 4994; SI Eval
Swbd 15 BW (4934-71)
Acid (4934-71) 2500 gals
Swbd 40 BW in 5 hrs (4934-71)
Acid (4934-71) 2500 gals
Swbd 118 BW in 9 hrs (4934-71)
3-23-81 TD 7700; PBD 4875; Swbg
CIBP @ 4875
Perf (Queen) 3258-60, 3278-80, 3299-3301,
3314-16, 3344-46, 3357-59, 3374-76 w/2 SPF
Acid (3258-3376) 4000 gals
Swbd w/SSG (3258-3376)
3-30-81 TD 7700; PBD 4875; WOSP
Frac (3258-3376) 42,000 gals foam + 91,000# sd
+ 1800# rock salt
4-3-40 NM

LEA
GULF OIL CORP.

Langlie Mattie
10 Carr, S. J.
Sec 10, T24S, R37E

NM
Page #4

3-30-81

Continued

Flwd 610 MCFGPD thru 26/64 chk, TP 125
(3258-3376)

4-13-81

TD 7700; PBD 4875; Complete
LOG TOPS: Rustler 1004, Salt 1185, Base
Salt 2400, Yates 2558, Seven Rivers 2820,
Queen 3240, Grayburg 3538, San Andres 3808,
Glorieta 4952, Paddock 5225, Binebry 5397,
Tubb 6020, Drinkard 6242, Woodford 7391,
Devonian 7976

4-18-81

LOGS RUN: GRL, CCL
Rig Released 10-27-80
COMPLETION ISSUED

4-3-40 NM
IC 30-025-70458-80