

OIL CONSERVATION DIVISION

P. O. BOX 2088
SANTA FE, NEW MEXICO 87501

Form C-103
Revised 10-1-79

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	
FILE	
U.S.O.S.	
LAND OFFICE	
OPERATOR	

5a. Indicate Type of Lease
State ☐ Fee ☒
5. State Oil & Gas Lease No.

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)

1. <input checked="" type="checkbox"/> OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER-	7. Unit Agreement Name
2. Name of Operator The Superior Oil Company	8. Farm or Lease Name Mescalero Ridge
3. Address of Operator P.O. Box 3901, Midland, Texas 79702	9. Well No. 7
4. Location of Well UNIT LETTER <u>E</u> <u>1980</u> FEET FROM THE <u>North</u> LINE AND <u>660'</u> FEET FROM THE <u>West</u> LINE, SECTION <u>17</u> TOWNSHIP <u>19S</u> RANGE <u>35E</u> N.M.P.M.	10. Field and Pool, or Wildcat Scharb (Bone Spring)
15. Elevation (Show whether DF, RT, GR, etc.) 3849.2' GR	12. County Lea

Check Appropriate Box To Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

SUBSEQUENT REPORT OF:

PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input checked="" type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER <input type="checkbox"/>	CASING TEST AND CEMENT JOBS <input type="checkbox"/>	

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

*Change in Production Liner and Drilling Depth

Superior Oil requests a drilling depth change to 11,200' on the Mescalero Ridge Well No. 7. The original application was approved to a depth of 10,700'. A 7-7/8" hole will be drilled to 11,200 and a 5-1/2" production string will be set from TD back to the surface using 495 sacks of cement.

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED G.E. Tate TITLE Division Operations Supt. DATE 2-29-83

APPROVED BY ORIGINAL SIGNED BY JERRY SEXTON TITLE DISTRICT SUPERVISOR DATE MAR 5 1984
CONDITIONS OF APPROVAL, IF ANY: