

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	
FILE	
U.S.G.S.	
LAND OFFICE	
OPERATOR	

5A. Indicate Type of Lease
STATE ☐ FEDERAL ☒

5. State Oil & Gas Lease No.

APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK

1a. Type of Work
b. Type of Well DRILL ☒ DEEPEN ☐ PLUG BACK ☐
OIL WELL ☒ GAS WELL ☐ OTHER ☐ SINGLE ZONE ☐ MULTIPLE ZONE ☐

7. Unit Agreement Name

8. Farm or Lease Name
Mescalero Ridge

2. Name of Operator
The Superior Oil Company

9. Well No.
9

3. Address of Operator
P.O. Box 3901, Midland, Texas 79702

10. Field and Pool, or Wildcat
Scharb (Bone Spring)

4. Location of Well UNIT LETTER A LOCATED 660 FEET FROM THE North LINE
AND 810 FEET FROM THE East LINE OF SEC. 20 TWP. 19S RGE. 35E NMPM

12. County
Lea

19. Proposed Depth 11,200' 19A. Formation Bone Spring 20. Rotary or C.T. Rotary

21. Elevations (show whether D.F., K.T., etc.) 3799.4' GR 21A. Kind & Status Plug. Bond Active Blanket 21B. Drilling Contractor Resource Drilling Co. 22. Approx. Date Work will start April 1, 1984

23. PROPOSED CASING AND CEMENT PROGRAM

SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH	SACKS OF CEMENT	EST. TOP
17-1/2"	13-3/8"	54.5#	400'	440	Surface
12-1/4"	9-5/8"	36#	4,100'	1210	Surface
7-7/8"	5-1/2"	17#	11,200'	495	8500'

BOP Sketch Attached.

Gas Dedicated to Phillips Petroleum Company

APPROVAL VALID FOR 180 DAYS
PERMIT EXPIRES 9/20/84
UNLESS DRILLING UNDERWAY

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM; IF PROPOSAL IS TO DEEPEN OR PLUG BACK, GIVE DATA ON PRESENT PRODUCTIVE ZONE AND PROPOSED NEW PRODUCTIVE ZONE. GIVE BLOWOUT PREVENTER PROGRAM, IF ANY.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

Signed [Signature] E. Tate Tule Division Operations Supt. Date 3-8-84

(This space for State Use)

APPROVED BY ORIGINAL SIGNED BY JERRY SEXTON
DISTRICT 1 SUPERVISOR TITLE
CONDITIONS OF APPROVAL, IF ANY:

MAR 20 1984

RECEIVED
MAR 13 1984
O.C.D.
HOBBS OFFICE

NEW MEXICO OIL CONSERVATION COMMISSION
WELL LOCATION AND ACREAGE DEDICATION PLAT

Form C-102
Supersedes C-128
Effective 1-1-85

All distances must be from the outer boundaries of the Section


Operator THE SUPERIOR OIL COMPANY		Lease MESCALERO RIDGE		Section 9	
Well Letter A	Section 20	Township 19S	Range 35E	County LEA	
Actual Footage Location of Well:					
660 feet from the NORTH line and		810 feet from the EAST line			
Ground Level Elev. 3799.4	Producing Formation Bone Spring	Pool Scharb	Dedicated Acreage 80		

1. Outline the acreage dedicated to the subject well by colored pencil or hachure marks on the plat below.
2. If more than one lease is dedicated to the well, outline each and identify the ownership thereof (both as to working interest and royalty).
3. If more than one lease of different ownership is dedicated to the well, have the interests of all owners been consolidated by communitization, unitization, force-pooling, etc?

☐ Yes ☐ No If answer is "yes," type of consolidation _____

If answer is "no," list the owners and tract descriptions which have actually been consolidated. (Use reverse side of this form if necessary.) _____

No allowable will be assigned to the well until all interests have been consolidated (by communitization, unitization, forced-pooling, or otherwise) or until a non-standard unit, eliminating such interests, has been approved by the Commission.



CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief

[Signature]

Name
G. E. Tate, Div. Opr. Supt.

Position
The Superior Oil Company

Date
March 16, 1984

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my knowledge and belief.

Date Surveyed
3/1/84

Registered Professional Engineer and or Land Surveyor

[Signature]


Certificate No. **JOHN W. WEST, 676**

RONALD J. EIDSON, 3239



RECEIVED
MAR 19 1984
O.C.D.
HOBBS OFFICE

התאריך: 21.05.1990




0000 191 W' ON BETTER CLAIR' JUNG
MAY BE SUBSTITUTED FOR FLA/IGER

ONE ADVANTAGE CHOLE MAY BE
PLACED WITH A POSITIVE CHOICE

VALVES MAY BE SHUT DOWN
ON THE VALVE POWER, BUT
THE VALVE POWER IS NOT
CLOSED MANUALLY. THE
VALVE POWER IS NOT
CLOSED MANUALLY.

11211



11211



5000 PSI WORKING PRESSURE
WITHOUT PREVENTED FLOW-OUT
(SEALS 1500 PSI) LIGES ON DETT.

RECEIVED
MAR 13 1984
O.C.D.
HOBBS OFFICE