

**DISTRICT I**

P.O. Box 1980, Hobbs, NM 88240

**DISTRICT II**

P.O. Box Drawer DD, Artesia, NM 88210

**DISTRICT III**

1000 Rio Brazos Rd., Aztec, NM 87410

**OIL CONSERVATION DIVISION**

P.O. Box 2088

Santa Fe, New Mexico 87504-2088

WELL API NO.	30 025 32568
5. Indicate Type of Lease	STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/>
6. State Oil / Gas Lease	

**WELL COMPLETION OR RECOMPLETION REPORT AND LOG**

1a. Type of Well: OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> DRY <input type="checkbox"/> OTHER <input type="checkbox"/>	7. Lease Name or Unit Agreement Name COOPER JAL UNIT
b. Type of Completion: NEW WELL <input checked="" type="checkbox"/> WORKOVER <input type="checkbox"/> DEEPEN <input type="checkbox"/> PLUG BACK <input type="checkbox"/> DIFF RES. <input type="checkbox"/> OTHER AMENDED <input type="checkbox"/>	8. Well No. 406
2. Name of Operator TEXACO EXPLORATION & PRODUCTION INC.	9. Pool Name or Wildcat JALMAT/LANGLIE MATTIX
3. Address of Operator P.O. BOX 730, HOBBS, NM 88240	

4. Well Location  
Unit Letter H : 2522 Feet From The NORTH Line and 400 Feet From The EAST Line  
Section 24 Township 24-S Range 36-E NMPM LEA COUNTY

10. Date Spudded 7/19/94	11. Date T.D. Reached 7/27/94	12. Date Compl. (Ready to Prod.) 10/1/94	13. Elevations (DF & RKB, RT, GR, etc.) GR-3303'	14. Elev. Csghead
15. Total Depth 3750'	16. Plug Back T.D. 3705'	17. If Mult. Compl. How Many Zones? 2	18. Intervals Drilled By Rotary Tools 0'-3750'	Cable Tools
19. Producing Interval(s), of this completion - Top, Bottom, Name 3132' - 3163' JALMAT; 3435' - 3668' LANGLIE MATTIX				20. Was Directional Survey Made YES
21. Type Electric and Other Logs Run GR - DLL - MSFL, GR - DSN - SDL - CAL				22. Was Well Cored NO

23. CASING RECORD (Report all Strings set in well)

CASING SIZE	WEIGHT LB./FT.	DEPTH SET	HOLE SIZE	CEMENT RECORD	AMOUNT PULLED
8 5/8	24#	410'	12 1/4	250	
5 1/2	15.5#	3750'	7 7/8	950	

24. LINER RECORD					25. TUBING RECORD		
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN	SIZE	DEPTH SET	PACKER SET
NONE					2-7/8"	3662'	NONE

26. Perforation record (interval, size, and number) 3132' - 3163', 4 JSPF, 124 HOLES 3435' - 3668', 2 JSPF, 50 HOLES (COMMINGLED ZONES)	27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC. DEPTH INTERVAL 3132' - 3163' 3435' - 3668' AMOUNT AND KIND MATERIAL USED FRAC W/ 43000 G 220000# 2/20 SAND FRAC W/ 29000 G 106000# 16/30 SAND
--	---

28. PRODUCTION

Date First Production 9/1/94	Production Method (Flowing, gas lift, pumping - size and type pump) FLOWING				Well Status (Prod. or Shut-in) PROD.		
Date of Test 10/28/94	Hours tested 24	Choke Size	Prod'n For Test Period	Oil - Bbl. 36	Gas - MCF 58	Water - Bbl. 338	Gas - Oil Ratio 1611
Flow Tubing Press.	Casing Pressure	Calculated 24-Hour Rate	Oil - Bbl. 36	Gas - MCF 58	Water - Bbl. 338	Oil Gravity - API -(Corr.) 36	

29. Disposition of Gas (Sold, used for fuel, vented, etc.)  
SOLD

Test Witnessed By

30. List Attachments

31. I hereby certify that the information on both sides of this form is true and complete to the best of my knowledge and belief.

SIGNATURE Darrell J. Carriger TITLE Engineering Assistant DATE 3/16/95

TYPE OR PRINT NAME Darrell J. Carriger Telephone No. 397-0426

## INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well. It shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true verticle depths shall be reported. For multiple completions, Items 25 through 29 shall be reported for each zone. The form is to be filed in quintuplicate except on state land, where six copies are required. See Rule 1105.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

## Southeastern New Mexico

T. Anhy	3014'	T. Canyon
T. Salt	3244'	T. Strawn
B. Salt		T. Atoka
T. Yates	3014'	T. Miss
T. 7 Rivers	3244'	T. Devonian
T. Queen	3640	T. Silurian
T. Grayburg		T. Montoya
T. San Andres		T. Simpson
T. Glorieta		T. McKee
T. Paddock		T. Ellenburger
T. Blinebry		T. Gr. Wash
T. Tubb		T. Delaware Sand
T. Drinkard		T. Bone Springs
T. Abo		T.
T. Wolfcamp		T.
T. Penn		T.
T. Cisco (Bough C)		T.

## Northwestern New Mexico

T. Ojo Alamo	T. Penn "B"
T. Kirtland-Fruitland	T. Penn "C"
T. Pictured Cliffs	T. Penn "D"
T. Cliff House	T. Leadville
T. Menefee	T. Madison
T. Point Lookout	T. Elbert
T. Mancos	T. McCracken
T. Gallup	T. Ignacio Otztz
T. Base Greenhorn	T. Granite
T. Dakota	T.
T. Morrison	T.
T. Todilto	T.
T. Entrada	T.
T. Wingate	T.
T. Chinle	T.
T. Permian	T.
T. Penn "A"	T.

**OIL OR GAS SANDS OR ZONES**

No. 1, from	2918'	to	3390'
No. 2, from	3390'	to	3750'

## IMPORTANT WATER SANDS

**Include data on rate of water inflow and elevation to which water rose in the hole.**

No. 1, from	to	feet
No. 2, from	to	feet
No. 3, from	to	feet

## LITHOLOGY RECORD (Attach additional sheet if necessary)

From	To	Thickness in Feet	Lithology	From	To	Thickness in Feet	Lithology
2918'	3390'	472'	SANDSTONE/CARBONATE				
3390'	3750'	360	SANDSTONE/CARBONATE				