## INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well. It shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true verticle depths shall be reported. For multiple completions, Items 25 through 29 shall be reported for each zone. The form is to be filed in quintuplicate except on state land, where six copies are required. See Rule 1105.

# INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

#### Southeastern New Mexico

#### Northwestern New Mexico

T. Anhy		T. Canyon	T. Ojo Alamo	T. Penn "B"
T. Salt	1100'	T. Strawn	T. Kirtland-Fruitland	T. Penn "C"
B. Salt		T. Atoka	T. Pictured Cliffs	T. Penn "D"
T. Yates	2896'	T. Miss	T. Cliff House	T. Leadville
T. 7 Rivers	2994'	T. Devonian 7658'	T. Menefee	T. Madison
T. Queen	3420'	T. Silurian	T. Point Lookout	T. Elbert
T. Grayburg	3796'	T. Montoya	T. Mancos	T. McCracken
T. San Andres	3880'	T. Simpson	T. Gallup	T. Ignacio Otzte
T. Glorieta	5040'	T. McKee	T. Base Greenhorn	T. Granite
T. Paddock	5230'	T. Ellenburger	T. Dakota	Т.
T. Blinebry	5425'	T. Gr. Wash	T. Morrison	Т
T. Tubb	6100'	T. Delaware Sand	T. Todilto	Т.
T. Drinkard		T. Bone Springs	T. Entrada	т.
T. Abo	6614'	Τ.	T. Wingate	
T. Wolfcamp	7285'	T.	T. Chinle	Τ
T Penn		Т.	T. Permian	T
T. Cisco (Bough C	;)	Τ.	T. Penn "A"	Т.

## OIL OR GAS SANDS OR ZONES

No. 1, from	to	No. 3, from	to
No. 2, from	to	No. 4, from	to

## IMPORTANT WATER SANDS

Include data on rate of water	inflow and elevation to which	water rose in the hole.
N 4 4	4-	fact

No. 1, from	to	feet	
No. 2, from	to	feet	
No. 3, from	to	feet	

### LITHOLOGY RECORD (Attach additional sheet if necessary)

From	Τo	Thickness in Feet	Lithology	From	То	Thickness in Feet	Lithology
0	1100	1100	SALT				
1100	2896	1796	LIMESTONE/DOLOSTONE				:
2896	2994	98	ANHYDRITIC LIMESTONE			2	
2994	3420	426	SANDY DOLOSTONE				
3420	3575	155	SANDSTONE				
3575	3796	221	DOLOMITE/LIMESTONE				
3796	3880	84	DOLOSTONE				
3880	5040	1160	DOLOSTONE				
5040	5230	190	DOLOSTONE				
5230	5425	195	DOLOSTONE				
5425	6100	675	SANDSTONE/DOLOSTONE				
6100	6614	514	DOLOSTONE				
6614	7285	671	DOLOSTONE/LIMESTONE				
7285	7582	297	SHALE				
7582	7658	76	LIMESTONE				

DeSoto/Nichols 12-93 ver 1.