

District I  
1625 N. French Dr., Hobbs, NM 88240  
District II  
811 South First, Artesia, NM 88210  
District III  
1000 Rio Brazos Road, Aztec, NM 87410  
District IV  
2040 South Pacheco, Santa Fe, NM 87505

State of New Mexico  
Energy Minerals and Natural Resources

Oil Conservation Division  
2040 South Pacheco  
Santa Fe, NM 87505

Form C-101  
Revised March 17, 1999

Submit to appropriate District Office  
State Lease - 6 Copies  
Fee Lease - 5 Copies

☐ AMENDED REPORT

**APPLICATION FOR PERMIT TO DRILL, RE-ENTER, DEEPEN, PLUGBACK, OR ADD A ZONE**

<sup>1</sup> Operator Name and Address David H. Arrington Oil & Gas, Inc P.O. Box 2071 Midland, Texas 79702		<sup>2</sup> OGRID Number 005898
<sup>3</sup> Property Code 28458	<sup>5</sup> Property Name Triple-Hackle Dragon "25"	<sup>4</sup> API Number 30-025-35636
		<sup>6</sup> Well No. 1

**Surface Location**

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
E	25	16S	35E		1815'	North	750'	West	Lea

**Proposed Bottom Hole Location If Different From Surface**

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
<sup>9</sup> Proposed Pool 1 North Townsend Mississippian						<sup>10</sup> Proposed Pool 2			

<sup>11</sup> Work Type Code N	<sup>12</sup> Well Type Code Gas	<sup>13</sup> Cable/Rotary Rotary	<sup>14</sup> Lease Type Code Fee	<sup>15</sup> Ground Level Elevation 3958'
<sup>16</sup> Multiple NO	<sup>17</sup> Proposed Depth 13,400'	<sup>18</sup> Formation Mississippian	<sup>19</sup> Contractor Patterson	<sup>20</sup> Spud Date ASAP

**Proposed Casing and Cement Program**

Hole Size	Casing Size	Casing weight/foot	Setting Depth	Sacks of Cement	Estimated TOC
17 1/2"	13 3/8"	54 1/2#	450'	500 sxs	Circulate
11"	8 5/8"	32#	4900'	1300 sxs	Circulate
7 7/8"	5 1/2"	17#	13,400'	1200 sxs	500' above
					upper most pay*

<sup>22</sup> Describe the proposed program. If this application is to DEEPEN or PLUG BACK, give the data on the present productive zone and proposed new productive zone.

Describe the blowout prevention program, if any. Use additional sheets if necessary.

Set surface casing at 450'. Circulate cement to surface. Drill 11" hole to 4900'. Set 8 5/8" intermediate casing at 4900'. Circulate cement to surface. Install and test BOP's to 5000 psi. Drill 7 7/8" hole to 13,400'. DST any prospective pays. Run 5 1/2" production casing through Mississippian if justified.

Permit Expires 1 Year From Approval  
Date Unless Drilling Underway

<sup>23</sup> I hereby certify that the information given above is true and complete to the best of my knowledge and belief. Signature: <i>Danny Legford</i> Printed name: Danny Legford Title: Geologist Date: 07/17/2001		OIL CONSERVATION DIVISION Approved by: _____ Title: _____ Approval Date: _____ Expiration Date: _____ Conditions of Approval: _____ Attached <input type="checkbox"/>	
Phone: (915) 682-6685			

