

DISTRICT I  
1625 N. French Dr., Hobbs, NM 88240  
District II  
811 S. First St., Artesia, NM 88210  
District III  
1000 Rio Brazos Rd., Aztec, NM 87410  
District IV  
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
Energy, Minerals & Natural Resources

Form C-104  
Revised August 1, 2011

Oil Conservation Division  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

Submit one copy to appropriate District Office

AMENDED REPORT

**I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT**

<sup>1</sup> Operator name and Address <b>XTO Energy, Inc. 6401 HOLIDAY HILL ROAD BLDG 5 MIDLAND, TX 79707</b>		<sup>2</sup> OGRID Number <b>5380</b>
		<sup>3</sup> Reason for Filing Code/ Effective Date <b>NW</b>
<sup>4</sup> API Number <b>30 - 015-47112</b>	<sup>5</sup> Pool Name <b>PURPLE SAGE; WOLFCAMP (GAS)</b>	<sup>6</sup> Pool Code <b>98220</b>
<sup>7</sup> Property Code <b>328244</b>	<sup>8</sup> Property Name <b>CORRAL CANYON 9 4 FEDERAL</b>	<sup>9</sup> Well Number <b>102H</b>

**II. <sup>10</sup> Surface Location**

Ul or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South Line	Feet from the	East/West line	County
<b>L</b>	<b>09</b>	<b>25S</b>	<b>29E</b>		<b>2112</b>	<b>South</b>	<b>362</b>	<b>West</b>	<b>EDDY</b>

**<sup>11</sup> Bottom Hole Location**

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
<b>D</b>	<b>04</b>	<b>25S</b>	<b>29E</b>		<b>198</b>	<b>North</b>	<b>778</b>	<b>West</b>	<b>Eddy</b>

<sup>12</sup> Lse Code	<sup>13</sup> Producing Method Code	<sup>14</sup> Gas Connection Date	<sup>15</sup> C-129 Permit Number	<sup>16</sup> C-129 Effective Date	<sup>17</sup> C-129 Expiration Date
<b>F</b>	<b>F</b>				

**III. Oil and Gas Transporters**

<sup>18</sup> Transporter OGRID	<sup>19</sup> Transporter Name and Address	<sup>20</sup> O/G/W
<b>248440</b>	<b>Western Refining</b>	<b>O</b>
<b>329302</b>	<b>Enlink</b>	<b>G</b>
<b>147831</b>	<b>Lucid</b>	<b>G</b>
<b>373073</b>	<b>XTO Permian Midstream</b>	<b>W</b>

**IV. Well Completion Data**

<sup>21</sup> Spud Date	<sup>22</sup> Ready Date	17840 <sup>23</sup> TD	<sup>24</sup> PPTD	<sup>25</sup> Perforations	<sup>26</sup> DHC, MC
<b>6/9/2020</b>	<b>5/26/22</b>	<b>10010 TVD</b>	<b>17828 MD 10010 TVD</b>	<b>10,450 to 17,709</b>	
<sup>27</sup> Hole Size	<sup>28</sup> Casing & Tubing Size	<sup>29</sup> Depth Set		<sup>30</sup> Sacks Cement	
<b>14.75</b>	<b>11.75 J55 54#</b>	<b>877</b>		<b>610</b>	
<b>10.625</b>	<b>8.625 HCL80 32#</b>	<b>8,892</b>		<b>1,212</b>	
<b>7.875</b>	<b>5.5 CYP110 20#</b>	<b>17,830</b>		<b>2,255</b>	
	<b>2 7/8 L80 6.5#</b>	<b>9,643</b>			

**V. Well Test Data**

<sup>31</sup> Date New Oil	<sup>32</sup> Gas Delivery Date	<sup>33</sup> Test Date	<sup>34</sup> Test Length	<sup>35</sup> Tbg. Pressure	<sup>36</sup> Csg. Pressure
<b>5/27/22</b>	<b>6/2/22</b>	<b>6/2/22</b>	<b>24 hrs</b>	<b>804</b>	<b>615</b>
<sup>37</sup> Choke Size	<sup>38</sup> Oil	<sup>39</sup> Water	<sup>40</sup> Gas	<sup>41</sup> Test Method	
<b>1804</b>		<b>5252</b>	<b>3164</b>	<b>Flowing</b>	

<sup>42</sup> I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief. Signature: <i>Amanda Thames</i> Printed name: <b>Amanda Thames</b> Title: <b>Regulatory Analyst</b> E-mail Address: <b>amanda.thames@exxonmobil.com</b> Date: <b>6/10/2022</b> Phone: <b>432.221.7340</b>	OIL CONSERVATION DIVISION
	Approved by:
	Title:
	Approval Date:

District I  
1625 N. French Dr., Hobbs, NM 88240  
Phone: (575) 393-6161 Fax: (575) 393-0720  
District II  
811 S. First St., Artesia, NM 88210  
Phone: (575) 748-1283 Fax: (575) 748-9720  
District III  
1000 Rio Brazos Road, Aztec, NM 87410  
Phone: (505) 334-6178 Fax: (505) 334-6170  
District IV  
1220 S. St. Francis Dr., Santa Fe, NM 87505  
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico  
Energy, Minerals & Natural Resources Department  
OIL CONSERVATION DIVISION  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

Form C-102  
Revised August 1, 2011  
Submit one copy to appropriate  
District Office  
 AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT AS-DRILLED PLAT

1 API Number 30-015-47112		2 Pool Code 98220		3 Pool Name PURPLE SAGE; WOLFCAMP (GAS)			
4 Property Code 328244		5 Property Name CORRAL CANYON 9-4 FED			6 Well Number 102H		
7 OGRID No. 005380		8 Operator Name XTO ENERGY, INC.			9 Elevation 3,002'		

10 Surface Location

UL or lot no. L	Section 9	Township 25 S	Range 29 E	Lot Idn	Feet from the 2,112	North/South line SOUTH	Feet from the 362	East/West line WEST	County EDDY
--------------------	--------------	------------------	---------------	---------	------------------------	---------------------------	----------------------	------------------------	----------------

11 Bottom Hole Location If Different From Surface

UL or lot no. L4	Section 4	Township 25 S	Range 29 E	Lot Idn	Feet from the 198	North/South line NORTH	Feet from the 778	East/West line WEST	County EDDY
---------------------	--------------	------------------	---------------	---------	----------------------	---------------------------	----------------------	------------------------	----------------

12 Dedicated Acres 479.64	13 Joint or Infill	14 Consolidation Code	15 Order No.
------------------------------	--------------------	-----------------------	--------------

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division. NOTE: AS-DRILLED BOTTOM HOLE PLOTTED FROM DATA FURNISHED BY XTO ENERGY.

**LOT ACREAGE TABLE**  
LOT 2 - 39.92 ACRES  
LOT 3 - 39.85 ACRES  
LOT 4 - 39.79 ACRES

SHL (NAD83 NME) Y = 415,966.8 X = 645,469.4 LAT. = 32.143124 °N LONG. = 103.996888 °W	LTP (NAD83 NME) Y = 424,136.9 X = 645,853.1 LAT. = 32.165580 °N LONG. = 103.995566 °W
KOP (NAD83 NME) Y = 416,279.6 X = 645,819.0 LAT. = 32.143981 °N LONG. = 103.995755 °W	BHL (NAD83 NME) Y = 424,267.9 X = 645,854.7 LAT. = 32.165940 °N LONG. = 103.995559 °W
FTP (NAD83 NME) Y = 416,882.4 X = 645,852.9 LAT. = 32.145638 °N LONG. = 103.995640 °W	
<b>CORNER COORDINATES (NAD83 NME)</b>	
A - Y = 416,506.6 N , X = 645,107.0 E	B - Y = 416,512.0 N , X = 646,435.1 E
C - Y = 419,157.4 N , X = 645,103.3 E	D - Y = 419,164.6 N , X = 646,431.2 E
E - Y = 421,811.2 N , X = 645,090.1 E	F - Y = 421,818.4 N , X = 646,414.5 E
G - Y = 424,458.8 N , X = 645,075.7 E	H - Y = 424,471.0 N , X = 646,397.3 E
SHL (NAD27 NME) Y = 415,908.3 X = 604,285.2 LAT. = 32.143000 °N LONG. = 103.996401 °W	LTP (NAD27 NME) Y = 424,078.1 X = 604,669.3 LAT. = 32.165455 °N LONG. = 103.995077 °W
KOP (NAD27 NME) Y = 416,220.9 X = 604,635.0 LAT. = 32.143857 °N LONG. = 103.995267 °W	BHL (NAD27 NME) Y = 424,209.1 X = 604,670.9 LAT. = 32.165815 °N LONG. = 103.995070 °W
FTP (NAD27 NME) Y = 416,823.7 X = 604,668.9 LAT. = 32.145513 °N LONG. = 103.995152 °W	
<b>CORNER COORDINATES (NAD27 NME)</b>	
A - Y = 416,448.1 N , X = 603,922.8 E	B - Y = 416,453.5 N , X = 605,250.9 E
C - Y = 419,098.9 N , X = 603,919.2 E	D - Y = 419,106.1 N , X = 605,247.1 E
E - Y = 421,752.6 N , X = 603,906.0 E	F - Y = 421,759.8 N , X = 605,230.4 E
G - Y = 424,400.2 N , X = 603,891.7 E	H - Y = 424,412.4 N , X = 605,213.3 E

**17 OPERATOR CERTIFICATION**  
*I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.*  
Signature: Amanda Thames Date: 6/10/2022  
Printed Name: Amanda Thames  
E-mail Address: amanda.thames@exxonmobil.com

**18 SURVEYOR CERTIFICATION**  
*I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.*  
Date of Survey: 5-3-2022  
Signature and Seal of Professional Surveyor: [Signature]  
MARK DILLON HARP 23786  
Certificate Number: 2018010258

Intent  As Drilled

API # 30-015-47112		
Operator Name: XTO XTO ENERGY, INC.	Property Name: CORRAL CANYON 9-4 FED	Well Number 102H

Kick Off Point (KOP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
L	9	25S	29E		2,423	FSL	712	FWL	EDDY
Latitude 32.143981					Longitude 103.995755				NAD 83

First Take Point (FTP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
E	9	25S	29E		2,279	FNL	746	FWL	EDDY
Latitude 32.145638					Longitude 103.995640				NAD 83

Last Take Point (LTP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
L4	4	25S	29E		329	FNL	776	FWL	EDDY
Latitude 32.165580					Longitude 103.995566				NAD 83

Is this well the defining well for the Horizontal Spacing Unit?  N

Is this well an infill well?  Y

If infill is yes please provide API if available, Operator Name and well number for Defining well for Horizontal Spacing Unit.

API # 30-015-47116		
Operator Name: XTO Energy Inc.	Property Name: Corral Canyon 9 4 Federal	Well Number 162H

KZ 06/29/2018

Oilfield Services, Central U.S. Land

Schlumberger Drilling and Measurements

Drilling Group

Geo Market Area: South West Texas Basin

7220 W I-H 20

Midland, Texas 79706

Phone : (432) 742-5400 (Main)

Fax : (432) 742-5606 (Shared)



August 2, 2020

XTO ENERGY INCORPORATED

810 Houston ST

Fortworth, TX 76102-6223

Re:

CLIENT: XTO ENERGY INCORPORATED

WELL: Corral Canyon 9-4 Fed 102H

FIELD: Purple Sage Wolfcamp

RIG: Precision 580

COUNTY: Eddy

API NO: 30-015-47112

JOB NO: 20MLE0769

S9 T25S R29E NM Eddy  
N -32.143000 W -103.996401

Enclosed, please find the original copy of the survey performed on the referenced well by Drilling & Measurements, a division of Schlumberger Technology Corporation (P-5 No. 754900).

Other information required by your office is as follows.

<u>Name &amp; Title of Surveyor</u>	<u>Drainhole Number</u>	<u>Surveyed Depths</u>	<u>Dates Performed</u>	<u>Type of Survey</u>
Edgar R Carballo FE	Corral Canyon 9-4 Fed			XBOLT G2
	102H	10707.00 Ft	July 25, 2020	
	Original Hole	17789.00 Ft	July 31, 2020	

Oilfield Services, Central U.S. Land

**Schlumberger Drilling and Measurements**

Drilling Group

Geo Market Area: South West Texas Basin

7220 W I-H 20

Midland, Texas 79706

Phone : (432) 742-5400 (Main)

Fax : (432) 742-5606 (Shared)



---

Well Reference:

S9 T25S R29E NM Eddy

N -32.143000 W -103.996401

I, Edgar R Carballo certify that; I am employed by Drilling & Measurements, a division of Schlumberger Technology Corporation; that I did on the day(s) of July 25, 2020 through July 31, 2020, conduct or supervise the taking of the XBOLT G2 surveys from a depth of 10707.00 feet to a depth of 17789.00 feet referenced to driller's depth; that the data is true, correct, complete and within the limitations of the tool as set forth by Drilling & Measurements, a division of Schlumberger Technology Corporation; that I am authorized and qualified to make this report; that this survey was conducted at the request of XTO ENERGY INCORPORATED for the Corral Canyon 9-4 Fed 102H Well (Original Hole) API No. 30-015-47112 in New Mexico; and that I have reviewed this report and find that it conforms to the principals and procedures as set forth by Drilling & Measurements, a division of Schlumberger Technology Corporation.

By  
Edgar R Carballo  
FE

Subscribed and Sworn to before me this \_\_\_\_\_ day of \_\_\_\_\_ (month) \_\_\_\_\_ (yr)

My Commission expires:

\_\_\_\_\_

\_\_\_\_\_- (signature)  
Notary Public

\_\_\_\_\_  
(County State)



XTO Corral Canyon 9-4 FED 102H 0 to 17682ft MD Survey Geodetic Report

(Def Survey)

Report Date: July 31, 2020 - 03/10 PM
Client: XTO Energy
Field: NM Eddy County (NAD 27)
Structure / Slot: XTO Corral Canyon 9-4 FED 102H / New Slot
Well: XTO Corral Canyon 9-4 FED 102H
Borehole: XTO Corral Canyon 9-4 FED 102H
UWI / API#: Unknown / 30-015-47112
Survey Name: XTO Corral Canyon 9-4 FED 102H 0 to 17682ft MD
Survey Date: July 21, 2020
Tort / AHD / DDI / ERD Ratio: 259.803 / 8664.741 ft / 6.601 / 0.860
Coordinate Reference System: NAD27 New Mexico State Plane, Eastern Zone, US Feet
Location Lat / Long: N 32° 8' 34.80053", W 103° 59' 47.04209"
Location Grid N/E Y/X: N 415908.300 RUS, E 604285.200 RUS
CRS Grid Convergence Angle: 0.1793 °
Grid Scale Factor: 0.99992155
Version / Patch: 2.10.818.0

Survey / DLS Computation: Minimum Curvature / Lubinski
Vertical Section Azimuth: 359.770 ° (Grid North)
Vertical Section Origin: 0.000 ft, 0.000 ft
TVD Reference Datum: RKB
TVS Reference Elevation: 3029.000 ft above MSL
Seabed / Ground Elevation: 3002.000 ft above MSL
Magnetic Declination: 6.797 °
Total Gravity Field Strength: 998.4528mgn (9.80665 Based)
Gravity Model: GARM
Total Magnetic Field Strength: 47757.275 nT
Magnetic Dip Angle: 59.823 °
Declination Date: July 31, 2020
Magnetic Declination Model: NDGM 2020
North Reference: Grid North
Grid Convergence Used: 0.1793 °
Total Corr Mag North->Grid North: 6.6180 °
Local Coord Referenced To: Well Head

Table with columns: Comments, MD (ft), Incl (°), Azim Grid (°), TVD (ft), VSEC (ft), NS (ft), EW (ft), DLS (ft/100ft), Northing (RUS), Easting (RUS), Latitude (°), Longitude (°), Closure (ft), Closure Azimuth (°). Contains a long list of survey data points.

...XTO Corral Canyon 9-4 FED 102HXTO Corral Canyon 9-4 FED 102H 0 to 17682ft MD

Table with columns: Comments, MD (ft), Incl (°), Azim Grid (°), TVD (ft), VSEC (ft), NS (ft), EW (ft), DLS (ft/100ft), Northing (ftUS), Easting (ftUS), Latitude (°), Longitude (°), Closure (ft), Closure Azimuth (°). Rows include data for 7-5/8in Casing, FTP [340' FSL, 582 FEL], and LTP [330' FNL, 546' FEL].

Survey Type: Def Survey

...XTO Corral Canyon 9-4 FED 102HXTO Corral Canyon 9-4 FED 102H 0 to 17682ft MD

Drilling Office 2.10.818.0

Schlumberger-Private

7/31/2020 3:12 PM Page 2 of 3

Comments	MD (ft)	Incl (°)	Azim Grid (°)	TVD (ft)	VSEC (ft)	NS (ft)	EW (ft)	DLS (°/100ft)	Northing (ftUS)	Easting (ftUS)	Latitude (°)	Longitude (°)	Closure (ft)	Closure Azimuth (°)
Survey Error Model: Survey Program:	ISWISA Rev 0 *** 3-D 95.000% Confidence 2.7955 sigma													
Description	Part	MD From (ft)	MD To (ft)	EOU Freq (ft)	Hole Size (in)	Casing Diameter (in)	Survey Tool Type	Borehole / Survey						
	1	0.000	27.000	1/98.425	14.750	11.750	NAL_MWD-NON_SLB-Depth Only	XTO Corral Canyon 9-4 FED 102H / XTO Corral Canyon 9-4 FED 102H 0 to 17682ft MD						
	1	27.000	27.000	Act Stns	14.750	11.750	NAL_MWD-NON_SLB-Depth Only	XTO Corral Canyon 9-4 FED 102H / XTO Corral Canyon 9-4 FED 102H 0 to 17682ft MD						
	1	27.000	875.000	Act Stns	14.750	11.750	NAL_MWD-NON_SLB	XTO Corral Canyon 9-4 FED 102H / XTO Corral Canyon 9-4 FED 102H						
	1	875.000	8902.000	Act Stns	10.625	8.625	NAL_MWD-NON_SLB	XTO Corral Canyon 9-4 FED / XTO Corral Canyon 9-4 FED						
	1	8902.000	10707.000	Act Stns	7.875	5.500	NAL_MWD-NON_SLB	XTO Corral Canyon 9-4 FED 102H / XTO Corral Canyon 9-4 FED 102H						
	1	10707.000	17840.000	Act Stns	7.875	5.500	NAL_MWD_JFR1+MS	XTO Corral Canyon 9-4 FED 102H / XTO Corral Canyon 9-4 FED						

...XTO Corral Canyon 9-4 FED 102HXTO Corral Canyon 9-4 FED 102H 0 to 17682ft MD



<b>Well Name:</b> CORRAL CANYON 9-4 FEDERAL	<b>Well Location:</b> T25S / R29E / SEC 9 / NWSW / 32.143124 / -103.996888	<b>County or Parish/State:</b> EDDY / NM
<b>Well Number:</b> 102H	<b>Type of Well:</b> CONVENTIONAL GAS WELL	<b>Allottee or Tribe Name:</b>
<b>Lease Number:</b> NMNM136870	<b>Unit or CA Name:</b>	<b>Unit or CA Number:</b>
<b>US Well Number:</b> 3001547112	<b>Well Status:</b> Producing Gas Well	<b>Operator:</b> XTO ENERGY INCORPORATED

**Notification**

**Sundry ID:** 2677008

**Type of Submission:** Notification      **Type of Action:** First Production

**Date Sundry Submitted:** Jun 15, 2022      **Time Sundry Submitted:** 9:23:13 AM

**First Production Date:** May 27, 2022

Wellbore Code	Completion Code
00	S1

**US Well Number:** 3001547112

**First Production Remarks:** This is a well record clean up for the ready date and first production date.  
 Ready Date: 5/26/2022  
 First Production Date: 5/27/2022

<b>Well Name:</b> CORRAL CANYON 9-4 FEDERAL	<b>Well Location:</b> T25S / R29E / SEC 9 / NWSW / 32.143124 / -103.996888	<b>County or Parish/State:</b> EDDY / NM
<b>Well Number:</b> 102H	<b>Type of Well:</b> CONVENTIONAL GAS WELL	<b>Allottee or Tribe Name:</b>
<b>Lease Number:</b> NMNM136870	<b>Unit or CA Name:</b>	<b>Unit or CA Number:</b>
<b>US Well Number:</b> 3001547112	<b>Well Status:</b> Producing Gas Well	<b>Operator:</b> XTO ENERGY INCORPORATED

**Subsequent Report**

**Sundry ID:** 2672109

**Type of Submission:** Subsequent Report


**Type of Action:** Drilling Operations

**Date Sundry Submitted:** 05/17/2022

**Time Sundry Submitted:** 09:29

**Date Operation Actually Began:** 02/22/2022

**Actual Procedure:** XTO PERMIAN OPERATING LLC respectfully submits this sundry notice to report the completion operations of the referenced well. KOP @ depth 9,412 ft. PBTD = 17,828 ft. 9/14/21 Run RCB/GR/CCL 1/8/22 Pressure test 5.5 in csg to 7,650 psi for 30min test good, open sleeve. 2/22/22 Perf and frac 36 stages, 1,5406 total shots, from 10,450 to 17,709 using 391,665 bbls of fluid and 18,122,346 lbs Proppant. Tag and drill out plugs. 4/19/22 Run 2-7/8 L80 6.5# tubing set at 9,643 ft. 4/19/22 Packer setting depth 9,628 ft.



Well Number: 102H

Type of Well: CONVENTIONAL GAS WELL

Allottee or Tribe Name:

Lease Number: NMNM136870

Unit or CA Name:

Unit or CA Number:

US Well Number: 3001547112

Well Status: Producing Gas Well

Operator: XTO ENERGY INCORPORATED

**Operator**

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: CASSIE EVANS

Signed on: MAY 17, 2022 09:29 AM

Name: XTO ENERGY INCORPORATED

Title: Regulatory Analyst

Street Address: 6401 Holiday Hill Road, Bldg 5

City: Midland

State: TX

Phone: (432) 218-3671

Email address: CASSIE.EVANS@EXXONMOBIL.COM

**Field**

Representative Name:

Street Address:

City:

State:

Zip:

Phone:

Email address:

**BLM Point of Contact**

BLM POC Name: Jonathon W Shepard

BLM POC Title: Petroleum Engineer

BLM POC Phone: 5752345972

BLM POC Email Address: jshepard@blm.gov

Disposition: Accepted

Disposition Date: 06/02/2022

Signature: Jonathon Shepard

<b>Well Name:</b> CORRAL CANYON 9-4 FEDERAL	<b>Well Location:</b> T25S / R29E / SEC 9 / NWSW / 32.143124 / -103.996888	<b>County or Parish/State:</b> EDDY / NM
<b>Well Number:</b> 102H	<b>Type of Well:</b> CONVENTIONAL GAS WELL	<b>Allottee or Tribe Name:</b>
<b>Lease Number:</b> NMNM136870	<b>Unit or CA Name:</b>	<b>Unit or CA Number:</b>
<b>US Well Number:</b> 3001547112	<b>Well Status:</b> Producing Gas Well	<b>Operator:</b> XTO ENERGY INCORPORATED

**Notification**

**Sundry ID:** 2672111

**Type of Submission:** Notification      **Type of Action:** First Production

**Date Sundry Submitted:** May 17, 2022      **Time Sundry Submitted:** 9:31:05 AM

**First Production Date:** May 2, 2022

Wellbore Code	Completion Code
00	X1

**US Well Number:** 3001547112

**First Production Remarks:** Ready Date: 5/01/2022  
First Production: 5/02/2022

**Disposition:** Accepted

**Accepted Date:** 05/18/2022

Submit to Appropriate District Office Two Copies District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Rd., Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505	State of New Mexico Energy, Minerals and Natural Resources  Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505	Form C-105 Revised April 3, 2017  1. WELL API NO. 30-015-47112  2. Type of Lease <input type="checkbox"/> STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/> FED/INDIAN  3. State Oil & Gas Lease No.
--	--	--

**WELL COMPLETION OR RECOMPLETION REPORT AND LOG**

4. Reason for filing:  <input checked="" type="checkbox"/> <b>COMPLETION REPORT</b> (Fill in boxes #1 through #31 for State and Fee wells only)  <input type="checkbox"/> <b>C-144 CLOSURE ATTACHMENT</b> (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)	5. Lease Name or Unit Agreement Name CORRAL CANYON 9 4 FEDERAL  6. Well Number:  102H
---	--

7. Type of Completion:  
 NEW WELL  WORKOVER  DEEPENING  PLUGBACK  DIFFERENT RESERVOIR  OTHER

8. Name of Operator XTO PERMIAN OPERATING LLC.	9. OGRID 5380
---	------------------

10. Address of Operator 6401 HOLIDAY HILL RD BLDG #5, MIDLAND TX 79707	11. Pool name or Wildcat PURPLE SAGE;WOLFCAMP (GAS)
---	--

12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County
<b>Surface:</b>	L	09	25S	29E		2112	South	362	West	Eddy
<b>BH:</b>	D	04	25S	29E		198	North	778	West	Eddy

13. Date Spudded 6/9/2020	14. Date T.D. Reached 7/31/2020	15. Date Rig Released 8/2/2020	16. Date Completed (Ready to Produce) 5/26/2022	17. Elevations (DF and RKB, RT, GR, etc.) 3002' GL
------------------------------	------------------------------------	-----------------------------------	--	---

18. Total Measured Depth of Well 17,840	19. Plug Back Measured Depth 17,828	20. Was Directional Survey Made? Yes	21. Type Electric and Other Logs Run CBL
--	--	---	---

22. Producing Interval(s), of this completion - Top, Bottom, Name  
 10,450 to 17,709 PURPLE SAGE;WOLFCAMP (GAS)

**23. CASING RECORD (Report all strings set in well)**

CASING SIZE	WEIGHT LB./FT.	DEPTH SET	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
11 3/4"	54.0	877'	14 3/4"	610	
8 5/8"	32.0	8,892'	10 5/8"	1,212	
5 1/2"	20.0	17,830'	7 7/8"	2,255	

24. LINER RECORD				25. TUBING RECORD			
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN	SIZE	DEPTH SET	PACKER SET
					2 7/8"	9,643	9,628

26. Perforation record (interval, size, and number) 10,450 to 17,709, 2spf, 1,540 Total Shots 34 stages	27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC. DEPTH INTERVAL      AMOUNT AND KIND MATERIAL USED 10,450 to 17,709      391,665 bbl fluid + 18,122,346 lbs proppant
--	---

**28. PRODUCTION**

Date First Production 5/27/22	Production Method ( <i>Flowing, gas lift, pumping - Size and type pump</i> ) Flowing	Well Status ( <i>Prod. or Shut-in</i> ) Producing
----------------------------------	---	--

Date of Test	Hours Tested	Choke Size	Prod'n For Test Period	Oil - Bbl	Gas - MCF	Water - Bbl.	Gas - Oil Ratio
6/2/22	24			1804	3164	5252	1754

Flow Tubing Press.	Casing Pressure	Calculated 24-Hour Rate	Oil - Bbl.	Gas - MCF	Water - Bbl.	Oil Gravity - API - ( <i>Corr.</i> )
804	615		1804	3164	5252	

29. Disposition of Gas ( <i>Sold, used for fuel, vented, etc.</i> ) Sold	30. Test Witnessed By
---	-----------------------

31. List Attachments  
 C-104 NW, C-102 & Supplement , Directional Survey (Log uploaded to NMOCD)

32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.	33. Rig Release Date:
--	-----------------------

34. If an on-site burial was used at the well, report the exact location of the on-site burial:

Latitude \_\_\_\_\_ Longitude \_\_\_\_\_ NAD83

*I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief*

Signature *Amanda Thames*      Printed Name Amanda Thames      Title Regulatory Analyst      Date 6/10/2022

E-mail Address amanda.thames@exxonmobil.com

# INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

## INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico		Northwestern New Mexico	
T. Anhy	T. Canyon	T. Ojo Alamo	T. Penn A"
T. Salt 901'	T. Strawn	T. Kirtland	T. Penn. "B"
B. Salt 2,755'	T. Atoka	T. Fruitland	T. Penn. "C"
T. Yates	T. Miss	T. Pictured Cliffs	T. Penn. "D"
T. 7 Rivers	T. Devonian	T. Cliff House	T. Leadville
T. Queen	T. Silurian	T. Menefee	T. Madison
T. Grayburg	T. Montoya	T. Point Lookout	T. Elbert
T. San Andres	T. Simpson	T. Mancos	T. McCracken
T. Glorieta	T. McKee	T. Gallup	T. Ignacio Otzte
T. Paddock	T. Ellenburger	Base Greenhorn	T. Granite
T. Blinebry	T. Gr. Wash	T. Dakota	
T. Tubb	T. Delaware Sand 2,974'	T. Morrison	
T. Drinkard	T. Bone Springs 6,722'	T. Todilto	
T. Abo	T. Rustler 419'	T. Entrada	
T. Wolfcamp 9,933'	T.	T. Wingate	
T. Penn	T.	T. Chinle	
T. Cisco (Bough C)	T.	T. Permian	

### OIL OR GAS SANDS OR ZONES

No. 1, from.....to.....  
 No. 2, from.....to.....

No. 3, from.....to.....  
 No. 4, from.....to.....

### IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....  
 No. 2, from.....to.....feet.....  
 No. 3, from.....to.....feet.....

## LITHOLOGY RECORD (Attach additional sheet if necessary)

From	To	Thickness In Feet	Lithology		From	To	Thickness In Feet	Lithology

Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/ocd/contact-us>

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

ACKNOWLEDGMENTS

Action 117288

**ACKNOWLEDGMENTS**

Operator: XTO ENERGY, INC 6401 Holiday Hill Road Midland, TX 79707	OGRID: 5380
	Action Number: 117288
	Action Type: [C-104] Completion Packet (C-104C)

**ACKNOWLEDGMENTS**

<input checked="" type="checkbox"/>	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
<input checked="" type="checkbox"/>	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/ocd/contact-us>

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

CONDITIONS

Action 117288

**CONDITIONS**

Operator: XTO ENERGY, INC 6401 Holiday Hill Road Midland, TX 79707	OGRID: 5380
	Action Number: 117288
	Action Type: [C-104] Completion Packet (C-104C)

**CONDITIONS**

Created By	Condition	Condition Date
crystal.walker	None	8/26/2025