

**Volumetrics Inc.**

3710 East Rio Grande St, Victoria, TX-77901

Phone: 361-827-4024

Company: OXY USA INC
Field/Location : NMSW
Station Name : GOODNIGHT 27 FED 4H CTB CHECK 2 PRODUCTION
Station Number : 14922P
Sample Date: 12/9/21 12:50 PM
Analysis Date: 12/15/21 7:30 AM
Instrument: INFICON
Calibration/Verification Date: 12/15/2021
Heat Trace used: YES

Work Order 4000409501
Sampled by: OXY/JE
Sample Type : SPOT-CYLINDER
Sample Temperature (F): 43
Sample Pressure (PSIG): 42
Flow rate (MCF/Day): 799
Ambient Temperature (F): 60
Sampling method: FILL & EMPTY
Cylinder Number: 27790

NATURAL GAS ANALYSIS: GPA 2261

Components	Un-Normalized Mol%	Normalized Mol%	GPM 14.650	GPM 14.730	GPM 15.025
Hydrogen Sulfide	0.0000	0.0000			
Nitrogen	1.7106	1.7628			
Methane	68.5511	70.6417			
Carbon Dioxide	0.9548	0.9839			
Ethane	11.9845	12.3500	3.299	3.318	3.384
Propane	7.2547	7.4760	2.058	2.069	2.110
Isobutane	1.1053	1.1390	0.372	0.374	0.382
N-butane	2.8147	2.9005	0.913	0.918	0.937
Isopentane	0.6938	0.7150	0.261	0.263	0.268
N-Pentane	0.7711	0.7946	0.288	0.289	0.295
Hexanes Plus	1.1999	1.2365	0.539	0.542	0.553
Total	97.0405	100.0000			

Hexanes plus split (60%-30%-10%)

Physical Properties (Calculated)	14.650 psia	14.730 psia	15.025 psia
Total GPM Ethane+	7.731	7.773	7.929
Total GPM Iso-Pentane+	1.088	1.094	1.116
Compressibility (Z)	0.9953	0.9953	0.9952
Specific Gravity (Air=1) @ 60 °F	0.8273	0.8273	0.8274
Molecular Weight	23.859	23.859	23.859

Gross Heating Value	14.650 psia	14.730 psia	15.025 psia
Dry, Real (BTU/Ft ³)	1377.8	1385.4	1413.2
Wet, Real (BTU/Ft ³)	1353.8	1361.2	1388.6
Dry, Ideal (BTU/Ft ³)	1371.4	1378.9	1406.5
Wet, Ideal (BTU/Ft ³)	1347.5	1354.9	1382.0

Temperature base 60 °F

Comment: FIELD H2S =0 PPM**Verified by**

Mostaq Ahammad
Petroleum Chemist

Approved by

Deann Friend
Laboratory Manager

UPSET VENTING EVENT SPECIFIC JUSTIFICATIONS FORM**Facility:** Goodnight 27-4 CTB**Vent Date:** 05/07/2022**Duration of event:** 3 Hours 30 Minutes**MCF Vented:** 71**Start Time:** 03:00 PM**End Time:** 4:55 PM**Cause:** Downstream Activity Issue > ETC > Harroun Booster Station> Compression Equipment Issues**Method of Flared Gas Measurement:** Gas Vent Meter**Comments:** This upset event was not caused by any wells associated with the facility.

1. Reason why this event was beyond Operator's control:

The emissions event was caused by the unforeseen, unexpected, sudden, and unavoidable interruption, restriction or complete shut-in of a gas pipeline by a third-party pipeline operator, which impacted Oxy's ability to send gas to a third-party operator's gas pipeline. In this case, ETC's downstream facility, Harroun Booster Station, had several facility emergency shutdowns due to issues with their compression equipment failing as a result of severe hot weather conditions affecting the area as temperatures reached and exceeded 103 degrees. ETC's Harroun Booster Station compression equipment was repeatedly failing, which in turn, triggered a venting event at Oxy's upstream facility. Until ETC was able to resolve their downstream facility and/or compression equipment issues, Oxy was unable to push its gas into their gas sales service pipeline as there were restrictions and a shut-in of the gas sales service pipeline to Oxy when the Harroun Booster Station had sudden and unexpected facility shutdowns, and thusly, the gas began to vent at Oxy's facility. To minimize emissions, Oxy production techs began to shut in their wells until ETC was back to normal working service and they were able to handle the volume of sales gas sent to them. No advance warning of any kind was provided to Oxy personnel from ETC personnel regarding issues with their sales gas service pipeline system or issues with their downstream facility, Harroun Booster Station. Oxy vented minimal emissions as Oxy production techs worked swiftly and diligently to shut in the wells. It was noted during communication with ETC personnel during this venting event, that ETC had multiple issues across the New Mexico area because of the severe hot weather conditions.

2. Steps Taken to limit duration and magnitude of venting or flaring:

The steps take to limit the duration and magnitude of venting during this event was for Oxy production techs to immediately begin to shut in the wells until ETC was back to normal working service and they were able to handle the volume of sales gas sent to them. No advance warning of any kind was provided to Oxy personnel from ETC personnel regarding issues with their sales gas service pipeline system or issues with their downstream facility, Harroun Booster Station. Oxy vented minimal emissions as Oxy production techs worked swiftly and diligently to shut in the wells. It was noted during communication with ETC personnel, during this venting event, when cause of the third-party operator gas sales serve pipeline restriction/shut in was known, that ETC had multiple issues with their equipment across the New Mexico area because of the severe hot weather conditions.

3. Corrective Actions taken to eliminate the cause and reoccurrence of venting or flaring:

Oxy is limited in its corrective actions to eliminate the cause and potential reoccurrence of an ETC gas flow pipeline restriction or shut in, as this control issue is downstream of Oxy's custody transfer point and out of Oxy's control to avoid or prevent from happening or reoccurring. ETC's downstream facility issues will re-occur from time to time, which in turn, directly impacts Oxy's ability to send gas to them. When ETC downstream facility and/or its facility equipment has issues or greatly struggles to handle the volume of gas being sent to them by Oxy, ETC then restricts or cuts off Oxy's ability to send gas, which then prompts Oxy to route its stranded gas not pushed into the ETC gas pipeline, to suddenly and unexpectedly vent. OXY makes every effort to control and minimize emissions as much as possible during these circumstances. The limited actions that Oxy can do in this circumstance is to shut in its wells in a swift and diligent manner, to cease venting, while keeping constant communication with ETC personnel until they resolved their facility and/or equipment issues.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

DEFINITIONS

Action 107446

DEFINITIONS

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 107446
	Action Type: [C-129] Venting and/or Flaring (C-129)

DEFINITIONS

For the sake of brevity and completeness, please allow for the following in all groups of questions and for the rest of this application: • this application's operator, hereinafter "this operator"; • venting and/or flaring, hereinafter "vent or flare"; • any notification or report(s) of the C-129 form family, hereinafter "any C-129 forms"; • the statements in (and/or attached to) this, hereinafter "the statements in this"; • and the past tense will be used in lieu of mixed past/present tense questions and statements.
--

District I

1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS

Action 107446

QUESTIONS

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID:	16696
	Action Number:	107446
	Action Type:	[C-129] Venting and/or Flaring (C-129)

QUESTIONS

Prerequisites	
Any messages presented in this section, will prevent submission of this application. Please resolve these issues before continuing with the rest of the questions.	
Incident Well	Not answered.
Incident Facility	[fAPP2126636923] GOODNIGHT FED 4H BATTERY

Determination of Reporting Requirements	
Answer all questions that apply. The Reason(s) statements are calculated based on your answers and may provide additional guidance.	
Was this vent or flare caused by an emergency or malfunction	Yes
Did this vent or flare last eight hours or more cumulatively within any 24-hour period from a single event	No
Is this considered a submission for a vent or flare event	Yes, minor venting and/or flaring of natural gas.
An operator shall file a form C-141 instead of a form C-129 for a release that, includes liquid during venting and/or flaring that is or may be a major or minor release under 19.15.29.7 NMAC.	
Was there at least 50 MCF of natural gas vented and/or flared during this event	Yes
Did this vent or flare result in the release of ANY liquids (not fully and/or completely flared) that reached (or has a chance of reaching) the ground, a surface, a watercourse, or otherwise, with reasonable probability, endanger public health, the environment or fresh water	No
Was the vent or flare within an incorporated municipal boundary or withing 300 feet from an occupied permanent residence, school, hospital, institution or church in existence	No

Equipment Involved	
Primary Equipment Involved	Other (Specify)
Additional details for Equipment Involved. Please specify	Vent > Downstream Activity Issue > ETC > Harroun Booster Station> Compression Equipment Issues

Representative Compositional Analysis of Vented or Flared Natural Gas	
Please provide the mole percent for the percentage questions in this group.	
Methane (CH4) percentage	71
Nitrogen (N2) percentage, if greater than one percent	2
Hydrogen Sulfide (H2S) PPM, rounded up	0
Carbon Dioxide (CO2) percentage, if greater than one percent	1
Oxygen (O2) percentage, if greater than one percent	0
If you are venting and/or flaring because of Pipeline Specification, please provide the required specifications for each gas.	
Methane (CH4) percentage quality requirement	Not answered.
Nitrogen (N2) percentage quality requirement	Not answered.
Hydrogen Sulfide (H2S) PPM quality requirement	Not answered.
Carbon Dioxide (CO2) percentage quality requirement	Not answered.
Oxygen (O2) percentage quality requirement	Not answered.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 2

Action 107446

QUESTIONS (continued)

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 107446
	Action Type: [C-129] Venting and/or Flaring (C-129)

QUESTIONS

Date(s) and Time(s)	
Date vent or flare was discovered or commenced	05/07/2022
Time vent or flare was discovered or commenced	03:00 PM
Time vent or flare was terminated	04:55 PM
Cumulative hours during this event	2

Measured or Estimated Volume of Vented or Flared Natural Gas	
Natural Gas Vented (Mcf) Details	Cause: Other Other (Specify) Natural Gas Vented Released: 71 Mcf Recovered: 0 Mcf Lost: 71 Mcf]
Natural Gas Flared (Mcf) Details	Not answered.
Other Released Details	Not answered.
Additional details for Measured or Estimated Volume(s). Please specify	Vent Gas Meter
Is this a gas only submission (i.e. only significant Mcf values reported)	Yes, according to supplied volumes this appears to be a "gas only" report.

Venting or Flaring Resulting from Downstream Activity	
Was this vent or flare a result of downstream activity	Yes
Was notification of downstream activity received by this operator	No
Downstream OGRID that should have notified this operator	[267255] ENERGY TRANSFER PARTNERS, LP
Date notified of downstream activity requiring this vent or flare	Not answered.
Time notified of downstream activity requiring this vent or flare	Not answered.

Steps and Actions to Prevent Waste	
For this event, this operator could not have reasonably anticipated the current event and it was beyond this operator's control.	True
Please explain reason for why this event was beyond this operator's control	The emissions event was caused by the unforeseen, unexpected, sudden, and unavoidable interruption, restriction or complete shut-in of a gas pipeline by a third-party pipeline operator, which impacted Oxy's ability to send gas to a third-party operator's gas pipeline. In this case, ETC's downstream facility, Harroun Booster Station, had several facility emergency shutdowns due to issues with their compression equipment failing as a result of severe hot weather conditions affecting the area as temperatures reached and exceeded 103 degrees. ETC's Harroun Booster Station compression equipment was repeatedly failing, which in turn, triggered a venting event at Oxy's upstream facility. Until ETC was able to resolve their downstream facility and/or compression equipment issues, Oxy was unable to push its gas into their gas sales service pipeline as there were restrictions and a shut-in of the gas sales service pipeline to Oxy when the Harroun Booster Station had sudden and unexpected facility shutdowns, and thusly, the gas began to vent at Oxy's facility. To minimize emissions, Oxy production techs began to shut in their wells until ETC was back to normal working service and they were able to handle the volume of sales gas sent to them. No advance warning of any kind was provided to Oxy personnel from ETC personnel regarding issues with their sales gas service pipeline system or issues with their downstream facility, Harroun Booster Station. Oxy vented minimal emissions as Oxy production techs worked swiftly and diligently to shut in the wells. It was noted during communication with ETC personnel, during this venting event, when cause of the third-party operator gas sales serve pipeline restriction/shut in was known, that ETC had multiple issues with their equipment across the New Mexico area because of the severe hot weather conditions.
Steps taken to limit the duration and magnitude of vent or flare	The steps take to limit the duration and magnitude of venting during this event was for Oxy production techs to immediately begin to shut in the wells until ETC was back to normal working service and they were able to handle the volume of sales gas sent to them. No advance warning of any kind was provided to Oxy personnel from ETC personnel regarding issues with their sales gas service pipeline system or issues with their downstream facility, Harroun Booster Station. Oxy vented minimal emissions as Oxy production techs worked swiftly and diligently to shut in the wells. It was noted during communication with ETC personnel, during this venting event, when cause of the third-party operator gas sales serve pipeline restriction/shut in was known, that ETC had multiple issues with their equipment across the New Mexico area because of the severe hot weather conditions.
Corrective actions taken to eliminate the cause and reoccurrence of vent or flare	Oxy is limited in its corrective actions to eliminate the cause and potential reoccurrence of an ETC gas flow pipeline restriction or shut in, as this control issue is downstream of Oxy's custody transfer point and out of Oxy's control to avoid or prevent from happening or reoccurring. ETC's downstream facility issues will re-occur from time to time, which in turn, directly impacts Oxy's ability to send gas to them. When ETC downstream facility and/or its facility equipment has issues or greatly struggles to handle the volume of gas being sent to them by Oxy, ETC then restricts or cuts off Oxy's ability to send gas, which then prompts Oxy to route its stranded gas not pushed into the ETC gas pipeline, to suddenly and unexpectedly vent. OXY makes every effort to control and minimize emissions as much as possible during these circumstances. The limited actions that Oxy can do in this circumstance is to shut in its wells in a swift and diligent manner, to cease venting, while keeping constant communication with ETC personnel until they resolved their facility and/or equipment issues.

District I

1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 107446

ACKNOWLEDGMENTS

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 107446
	Action Type: [C-129] Venting and/or Flaring (C-129)

ACKNOWLEDGMENTS

☒	I acknowledge that I am authorized to submit a <i>Venting and/or Flaring</i> (C-129) report on behalf of this operator and understand that this report can be a complete C-129 submission per 19.15.27.8 and 19.15.28.8 NMAC.
☒	I acknowledge that upon submitting this application, I will be creating a new incident file (assigned to this operator) to track any C-129 forms, pursuant to 19.15.27.7 and 19.15.28.8 NMAC and understand that this submission meets the notification requirements of Paragraph (1) of Subsection G and F respectively.
☒	I hereby certify the statements in this report are true and correct to the best of my knowledge and acknowledge that any false statement may be subject to civil and criminal penalties under the Oil and Gas Act.
☒	I acknowledge that the acceptance of any C-129 forms by the OCD does not relieve this operator of liability should their operations have failed to adequately investigate, report, and remediate contamination that poses a threat to groundwater, surface water, human health, or the environment.
☒	I acknowledge that OCD acceptance of any C-129 forms does not relieve this operator of responsibility for compliance with any other applicable federal, state, or local laws and/or regulations.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 107446

CONDITIONS

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 107446
	Action Type: [C-129] Venting and/or Flaring (C-129)

CONDITIONS

Created By	Condition	Condition Date
marialuna2	If the information provided in this report requires an amendment, submit a [C-129] Amend Venting and/or Flaring Incident (C-129A), utilizing your incident number from this event.	5/17/2022