

Form 3160-3  
(June 2015)FORM APPROVED  
OMB No. 1004-0137  
Expires: January 31, 2018

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT  
**APPLICATION FOR PERMIT TO DRILL OR REENTER**

|                                                                                                                                                                                                                                                                                                                                                                |  |                                                                                                                                                                                                                       |  |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
| 1a. Type of work: <input type="checkbox"/> DRILL <input type="checkbox"/> REENTER<br>1b. Type of Well: <input type="checkbox"/> Oil Well <input type="checkbox"/> Gas Well <input type="checkbox"/> Other<br>1c. Type of Completion: <input type="checkbox"/> Hydraulic Fracturing <input type="checkbox"/> Single Zone <input type="checkbox"/> Multiple Zone |  | 5. Lease Serial No.<br><br>6. If Indian, Allottee or Tribe Name<br><br>7. If Unit or CA Agreement, Name and No.<br><br>8. Lease Name and Well No.                                                                     |  |
| 2. Name of Operator                                                                                                                                                                                                                                                                                                                                            |  | 9. API Well No.<br><div style="color: red; font-weight: bold;">30-043-21536</div>                                                                                                                                     |  |
| 3a. Address                                                                                                                                                                                                                                                                                                                                                    |  | 3b. Phone No. (include area code)<br><br>10. Field and Pool, or Exploratory                                                                                                                                           |  |
| 4. Location of Well (Report location clearly and in accordance with any State requirements. *)<br>At surface<br>At proposed prod. zone                                                                                                                                                                                                                         |  | 11. Sec., T. R. M. or Blk. and Survey or Area                                                                                                                                                                         |  |
| 14. Distance in miles and direction from nearest town or post office*                                                                                                                                                                                                                                                                                          |  | 12. County or Parish<br>13. State                                                                                                                                                                                     |  |
| 15. Distance from proposed* location to nearest property or lease line, ft. (Also to nearest drig. unit line, if any)                                                                                                                                                                                                                                          |  | 16. No of acres in lease                                                                                                                                                                                              |  |
| 18. Distance from proposed location* to nearest well, drilling, completed, applied for, on this lease, ft.                                                                                                                                                                                                                                                     |  | 17. Spacing Unit dedicated to this well                                                                                                                                                                               |  |
| 19. Proposed Depth                                                                                                                                                                                                                                                                                                                                             |  | 20. BLM/BIA Bond No. in file                                                                                                                                                                                          |  |
| 21. Elevations (Show whether DF, KDB, RT, GL, etc.)                                                                                                                                                                                                                                                                                                            |  | 22. Approximate date work will start*                                                                                                                                                                                 |  |
| 23. Estimated duration                                                                                                                                                                                                                                                                                                                                         |  | 24. Attachments                                                                                                                                                                                                       |  |
| The following, completed in accordance with the requirements of Onshore Oil and Gas Order No. 1, and the Hydraulic Fracturing rule per 43 CFR 3162.3-3 (as applicable)                                                                                                                                                                                         |  |                                                                                                                                                                                                                       |  |
| 1. Well plat certified by a registered surveyor.<br>2. A Drilling Plan.<br>3. A Surface Use Plan (if the location is on National Forest System Lands, the SUPO must be filed with the appropriate Forest Service Office).                                                                                                                                      |  | 4. Bond to cover the operations unless covered by an existing bond on file (see Item 20 above).<br>5. Operator certification.<br>6. Such other site specific information and/or plans as may be requested by the BLM. |  |
| 25. Signature                                                                                                                                                                                                                                                                                                                                                  |  | Name (Printed/Typed)                                                                                                                                                                                                  |  |
| Title                                                                                                                                                                                                                                                                                                                                                          |  | Date                                                                                                                                                                                                                  |  |
| Approved by (Signature)                                                                                                                                                                                                                                                                                                                                        |  | Name (Printed/Typed)                                                                                                                                                                                                  |  |
| Title                                                                                                                                                                                                                                                                                                                                                          |  | Date                                                                                                                                                                                                                  |  |
| Office                                                                                                                                                                                                                                                                                                                                                         |  | Date                                                                                                                                                                                                                  |  |
| Application approval does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.<br>Conditions of approval, if any, are attached.                                                                                                      |  |                                                                                                                                                                                                                       |  |
| Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.                                                                     |  |                                                                                                                                                                                                                       |  |

(Continued on page 2)

\*(Instructions on page 2)



Approval Date: 07/25/2025

## Additional Operator Remarks

### Location of Well

0. SHL: SWSW / 969 FSL / 373 FWL / TWSP: 23N / RANGE: 7W / SECTION: 24 / LAT: 36.206913 / LONG: -107.534652 ( TVD: 0 feet, MD: 0 feet )

PPP: NWNW / 531 FNL / 250 FWL / TWSP: 23N / RANGE: 7W / SECTION: 25 / LAT: 36.202798 / LONG: -107.534994 ( TVD: 5326 feet, MD: 5745 feet )

BHL: SESE / 330 FSL / 741 FEL / TWSP: 23N / RANGE: 7W / SECTION: 25 / LAT: 36.190827 / LONG: -107.520405 ( TVD: 5328 feet, MD: 11923 feet )

### BLM Point of Contact

Name: CHRISTOPHER P WENMAN

Title: Natural Resource Specialist

Phone: (505) 564-7727

Email: cwenman@blm.gov

CONFIDENTIAL

|                                                             |                                                                                                            |                      |                                                                                                                                         |
|-------------------------------------------------------------|------------------------------------------------------------------------------------------------------------|----------------------|-----------------------------------------------------------------------------------------------------------------------------------------|
| <b>C-102</b><br>Submit Electronically<br>Via OCD Permitting | State of New Mexico<br>Energy, Minerals & Natural Resources Department<br><b>OIL CONSERVATION DIVISION</b> | Revised July 9, 2024 |                                                                                                                                         |
|                                                             |                                                                                                            | Submittal Type:      | <input checked="" type="checkbox"/> Initial Submittal<br><input type="checkbox"/> Amended Report<br><input type="checkbox"/> As Drilled |

## WELL LOCATION INFORMATION

|                                                                                                                                                        |                                            |                                                                                                                                                                   |
|--------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| API Number<br><b>30-043-21536</b>                                                                                                                      | Pool Code<br><b>98174</b>                  | Pool Name<br><b>ALAMITO N; MANCOS (OIL)</b>                                                                                                                       |
| Property Code<br><b>325267</b>                                                                                                                         | Property Name<br><b>NORTH ALAMITO UNIT</b> | Well Number<br><b>540H</b>                                                                                                                                        |
| OGRID No.<br><b>371838</b>                                                                                                                             | Operator Name<br><b>DJR OPERATING, LLC</b> | Ground Level Elevation<br><b>7121'</b>                                                                                                                            |
| Surface Owner: <input type="checkbox"/> State <input type="checkbox"/> Fee <input type="checkbox"/> Tribal <input checked="" type="checkbox"/> Federal |                                            | Mineral Owner: <input type="checkbox"/> State <input type="checkbox"/> Fee <input checked="" type="checkbox"/> Tribal <input checked="" type="checkbox"/> Federal |

## Surface Location (SHL)

| UL | Section | Township | Range | Lot | Ft from the N/S | Ft from the E/W | Latitude     | Longitude     | County   |
|----|---------|----------|-------|-----|-----------------|-----------------|--------------|---------------|----------|
| M  | 24      | 23N      | 7W    |     | 969' SOUTH      | 373' WEST       | 36.206913° N | 107.534652° W | SANDOVAL |

## Bottom Hole Location (BHL)

| UL | Section | Township | Range | Lot | Ft from the N/S | Ft from the E/W | Latitude     | Longitude     | County   |
|----|---------|----------|-------|-----|-----------------|-----------------|--------------|---------------|----------|
| P  | 25      | 23N      | 7W    |     | 330' SOUTH      | 741' EAST       | 36.190827° N | 107.520405° W | SANDOVAL |

|                                                                  |                                    |                                                                                                               |                                     |                                   |
|------------------------------------------------------------------|------------------------------------|---------------------------------------------------------------------------------------------------------------|-------------------------------------|-----------------------------------|
| Dedicated Acres<br>SEC 25: NW/4, SW/NE, NE/SW & SE/4 = 400 ACRES | PENETRATED SPACING UNIT:<br>INFILL | Defining Well API                                                                                             | Overlapping Spacing Unit (Y/N)<br>N | Consolidation Code<br>UNITIZATION |
| Order Numbers: R-14081 R-14081A                                  |                                    | Well Setbacks are under Common Ownership: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No |                                     |                                   |

## Kick Off Point (KOP)

| UL | Section | Township | Range | Lot | Ft from the N/S | Ft from the E/W | Latitude     | Longitude     | County   |
|----|---------|----------|-------|-----|-----------------|-----------------|--------------|---------------|----------|
| D  | 25      | 23N      | 7W    |     | 531' NORTH      | 250' WEST       | 36.202798° N | 107.534994° W | SANDOVAL |

## First Take Point (FTP)

| UL | Section | Township | Range | Lot | Ft from the N/S | Ft from the E/W | Latitude     | Longitude     | County   |
|----|---------|----------|-------|-----|-----------------|-----------------|--------------|---------------|----------|
| D  | 25      | 23N      | 7W    |     | 531' NORTH      | 250' WEST       | 36.202798° N | 107.534994° W | SANDOVAL |

## Last Take Point (LTP)

| UL | Section | Township | Range | Lot | Ft from the N/S | Ft from the E/W | Latitude     | Longitude     | County   |
|----|---------|----------|-------|-----|-----------------|-----------------|--------------|---------------|----------|
| P  | 25      | 23N      | 7W    |     | 330' SOUTH      | 741' EAST       | 36.190827° N | 107.520405° W | SANDOVAL |

|                                                                   |                                                                                                    |                        |
|-------------------------------------------------------------------|----------------------------------------------------------------------------------------------------|------------------------|
| Unitized Area or Area of Uniform Interest<br><b>NORTH ALAMITO</b> | Spacing Unit Type <input checked="" type="checkbox"/> Horizontal <input type="checkbox"/> Vertical | Ground Floor Elevation |
|-------------------------------------------------------------------|----------------------------------------------------------------------------------------------------|------------------------|

## OPERATOR CERTIFICATIONS

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and, if the well is a vertical or directional well, that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of a working interest or unleased mineral interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

If this well is a horizontal well, I further certify that this organization has received the consent of at least one lessee or owner of a working interest or unleased mineral interest in each tract (in the target pool or formation) in which any part of the well's completed interval will be located or obtained a compulsory pooling order from the division.

*Shaw-Marie Ford*  
Signature


8/13/2025  
Date

Shaw-Marie Ford  
Printed Name

sford@enduringresources.com  
E-mail Address

## SURVEYOR CERTIFICATIONS

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.



Signature and Seal of Professional Surveyor:

Certificate Number


11393

Date of Survey

APRIL 14, 2023

Note: No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

© FND 1.5" AC  
2010




SURFACE LOCATION (SHL)  
969' FSL 373' FWL  
SEC. 24, T23N, R7W  
LAT. 36.206913° N (NAD83)  
LONG. 107.534652° W (NAD83)

**KICK OFF POINT (KOP)**  
531' FNL 250' FWL  
SEC. 25, T23N, R7W  
LAT. 36.202798° N (NAD83)  
LONG. 107.534994° W (NAD83)

**FIRST TAKE POINT (FTP)**  
531' FNL 250' FWL  
SEC. 25, T23N, R7W  
LAT. 36.202798° N (NAD83)  
LONG. 107.534994° W (NAD83)

LAST TAKE POINT (LTP)   
330' FSL 741' FEL  
SEC. 25, T23N, R7W  
LAT. 36.190827° N (NAD83)  
LONG. 107.520405° W (NAD83)

BOTTOM HOLE LOCATION (BHL)  
330' FSL 741' FEL  
SEC. 25, T23N, R7W  
LAT. 36.190827° N (NAD83)  
LONG. 107.520405° W (NAD83)



State of New Mexico  
Energy, Minerals and Natural Resources Department

Submit Electronically  
Via E-permitting

Oil Conservation Division  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

## NATURAL GAS MANAGEMENT PLAN

This Natural Gas Management Plan must be submitted with each Application for Permit to Drill (APD) for a new or recompleted well.

### Section 1 – Plan Description

Effective May 25, 2021

**I. Operator:** DJR Operating, LLC **OGRID:** 371838 **Date:** 08 / 14 / 2025

**II. Type:** ☒ Original ☐ Amendment due to ☐ 19.15.27.9.D(6)(a) NMAC ☐ 19.15.27.9.D(6)(b) NMAC ☐ Other.

If Other, please describe: \_\_\_\_\_

**III. Well(s):** Provide the following information for each new or recompleted well or set of wells proposed to be drilled or proposed to be recompleted from a single well pad or connected to a central delivery point.

| Well Name            | API | ULSTR       | Footages           | Anticipated Oil BBL/D | Anticipated Gas MCF/D | Anticipated Produced Water BBL/D |
|----------------------|-----|-------------|--------------------|-----------------------|-----------------------|----------------------------------|
| N. Alamito Unit 201H | TBD | M-24-23N-7W | 954 FSL x 386 FWL  | 434                   | 1278                  | 173                              |
| N. Alamito Unit 203H | TBD | M-24-23N-7W | 1013 FSL x 334 FWL | 374                   | 675                   | 150                              |
| N. Alamito Unit 205H | TBD | M-24-23N-7W | 984 FSL x 358 FWL  | 268                   | 1331                  | 107                              |
| N. Alamito Unit 540H | TBD | M-24-23N-7W | 969 FSL x 373 FWL  | 459                   | 540                   | 184                              |
| N. Alamito Unit 550H | TBD | M-24-23N-7W | 998 FSL x 347 FWL  | 417                   | 945                   | 167                              |
|                      |     |             |                    | 3-yr Decline          | 3-yr Decline          | 3-yr Decline                     |
| N. Alamito Unit 201H | TBD | M-24-23N-7W |                    | 98                    | 392                   | 39                               |
| N. Alamito Unit 203H | TBD | M-24-23N-7W |                    | 85                    | 338                   | 34                               |
| N. Alamito Unit 205H | TBD | M-24-23N-7W |                    | 61                    | 242                   | 24                               |
| N. Alamito Unit 540H | TBD | M-24-23N-7W |                    | 104                   | 415                   | 41                               |
| N. Alamito Unit 550H | TBD | M-24-23N-7W |                    | 94                    | 377                   | 38                               |

**IV. Central Delivery Point Name:** Chaco Processing Plant [See 19.15.27.9(D)(1) NMAC]

**V. Anticipated Schedule:** Provide the following information for each new or recompleted well or set of wells proposed to be drilled or proposed to be recompleted from a single well pad or connected to a central delivery point.

| Well Name            | API | Spud Date | TD Reached Date | Completion Start Date | Initial Flow Back Date | First Production Date |
|----------------------|-----|-----------|-----------------|-----------------------|------------------------|-----------------------|
| N. Alamito Unit 201H | TBD | 4/26/2026 | 5/6/2026        | 6/11/2026             | 6/21/2026              | 6/24/2026             |
| N. Alamito Unit 203H | TBD | 4/30/2026 | 5/10/2026       | 6/11/2026             | 6/21/2026              | 6/24/2026             |
| N. Alamito Unit 205H | TBD | 5/3/2026  | 5/13/2026       | 6/11/2026             | 6/21/2026              | 6/24/2026             |
| N. Alamito Unit 540H | TBD | 5/7/2026  | 5/17/2026       | 6/11/2026             | 6/21/2026              | 6/24/2026             |
| N. Alamito Unit 550H | TBD | 5/10/2026 | 5/20/2026       | 6/11/2026             | 6/21/2026              | 6/24/2026             |

**VI. Separation Equipment:** ☒ Attach a complete description of how Operator will size separation equipment to optimize gas capture.

**VII. Operational Practices:** ☒ Attach a complete description of the actions Operator will take to comply with the requirements of Subsection A through F of 19.15.27.8 NMAC.

**VIII. Best Management Practices:** ☒ Attach a complete description of Operator's best management practices to minimize venting during active and planned maintenance.

**Section 2 – Enhanced Plan****EFFECTIVE APRIL 1, 2022**

Beginning April 1, 2022, an operator that is not in compliance with its statewide natural gas capture requirement for the applicable reporting area must complete this section.

☐ Operator certifies that it is not required to complete this section because Operator is in compliance with its statewide natural gas capture requirement for the applicable reporting area.

**IX. Anticipated Natural Gas Production:**

| Well | API | Anticipated Average Natural Gas Rate MCF/D | Anticipated Volume of Natural Gas for the First Year MCF |
|------|-----|--------------------------------------------|----------------------------------------------------------|
|      |     |                                            |                                                          |
|      |     |                                            |                                                          |

**X. Natural Gas Gathering System (NGGS):**

| Operator | System | ULSTR of Tie-in | Anticipated Gathering Start Date | Available Maximum Daily Capacity of System Segment Tie-in |
|----------|--------|-----------------|----------------------------------|-----------------------------------------------------------|
|          |        |                 |                                  |                                                           |
|          |        |                 |                                  |                                                           |

**XI. Map.** ☐ Attach an accurate and legible map depicting the location of the well(s), the anticipated pipeline route(s) connecting the production operations to the existing or planned interconnect of the natural gas gathering system(s), and the maximum daily capacity of the segment or portion of the natural gas gathering system(s) to which the well(s) will be connected.

**XII. Line Capacity.** The natural gas gathering system ☐ will ☐ will not have capacity to gather 100% of the anticipated natural gas production volume from the well prior to the date of first production.

**XIII. Line Pressure.** Operator ☐ does ☐ does not anticipate that its existing well(s) connected to the same segment, or portion, of the natural gas gathering system(s) described above will continue to meet anticipated increases in line pressure caused by the new well(s).

☐ Attach Operator's plan to manage production in response to the increased line pressure.

**XIV. Confidentiality:** ☐ Operator asserts confidentiality pursuant to Section 71-2-8 NMSA 1978 for the information provided in Section 2 as provided in Paragraph (2) of Subsection D of 19.15.27.9 NMAC, and attaches a full description of the specific information for which confidentiality is asserted and the basis for such assertion.

### **Section 3 - Certifications**

**Effective May 25, 2021**

Operator certifies that, after reasonable inquiry and based on the available information at the time of submittal:

☒ Operator will be able to connect the well(s) to a natural gas gathering system in the general area with sufficient capacity to transport one hundred percent of the anticipated volume of natural gas produced from the well(s) commencing on the date of first production, taking into account the current and anticipated volumes of produced natural gas from other wells connected to the pipeline gathering system; or

☐ Operator will not be able to connect to a natural gas gathering system in the general area with sufficient capacity to transport one hundred percent of the anticipated volume of natural gas produced from the well(s) commencing on the date of first production, taking into account the current and anticipated volumes of produced natural gas from other wells connected to the pipeline gathering system.

***If Operator checks this box, Operator will select one of the following:***

**Well Shut-In.** ☐ Operator will shut-in and not produce the well until it submits the certification required by Paragraph (4) of Subsection D of 19.15.27.9 NMAC; or

**Venting and Flaring Plan.** ☐ Operator has attached a venting and flaring plan that evaluates and selects one or more of the potential alternative beneficial uses for the natural gas until a natural gas gathering system is available, including:

- (a) power generation on lease;
- (b) power generation for grid;
- (c) compression on lease;
- (d) liquids removal on lease;
- (e) reinjection for underground storage;
- (f) reinjection for temporary storage;
- (g) reinjection for enhanced oil recovery;
- (h) fuel cell production; and
- (i) other alternative beneficial uses approved by the division.

### **Section 4 - Notices**

1. If, at any time after Operator submits this Natural Gas Management Plan and before the well is spud:

(a) Operator becomes aware that the natural gas gathering system it planned to connect the well(s) to has become unavailable or will not have capacity to transport one hundred percent of the production from the well(s), no later than 20 days after becoming aware of such information, Operator shall submit for OCD's approval a new or revised venting and flaring plan containing the information specified in Paragraph (5) of Subsection D of 19.15.27.9 NMAC; or

(b) Operator becomes aware that it has, cumulatively for the year, become out of compliance with its baseline natural gas capture rate or natural gas capture requirement, no later than 20 days after becoming aware of such information, Operator shall submit for OCD's approval a new or revised Natural Gas Management Plan for each well it plans to spud during the next 90 days containing the information specified in Paragraph (2) of Subsection D of 19.15.27.9 NMAC, and shall file an update for each Natural Gas Management Plan until Operator is back in compliance with its baseline natural gas capture rate or natural gas capture requirement.

2. OCD may deny or conditionally approve an APD if Operator does not make a certification, fails to submit an adequate venting and flaring plan which includes alternative beneficial uses for the anticipated volume of natural gas produced, or if OCD determines that Operator will not have adequate natural gas takeaway capacity at the time a well will be spud.

I certify that, after reasonable inquiry, the statements in and attached to this Natural Gas Management Plan are true and correct to the best of my knowledge and acknowledge that a false statement may be subject to civil and criminal penalties under the Oil and Gas Act.

|                                                                                                  |
|--------------------------------------------------------------------------------------------------|
| Signature:<br><i>Shaw-Marie Ford</i>                                                             |
| Printed Name: Shaw-Marie Ford                                                                    |
| Title: Regulatory Specialist                                                                     |
| E-mail Address: sford@djrlc.com                                                                  |
| Date: 8/14/2025                                                                                  |
| Phone: 505-716-3297                                                                              |
| <b>OIL CONSERVATION DIVISION</b><br><b>(Only applicable when submitted as a standalone form)</b> |
| Approved By:                                                                                     |
| Title:                                                                                           |
| Approval Date:                                                                                   |
| Conditions of Approval:                                                                          |



DJR Operating LLC.  
OGRID No: 371838  
NATURAL GAS MANAGEMENT PLAN  
N. Alamito Unit 201H 203H 205H 540H 550H

### SEPARATION EQUIPMENT

DJR Operating LLC (DJR) has pulled representative pressurized samples from wells in the same producing formation. DJR has utilized these samples in process simulations to determine the amount of gas anticipated in each stage of the process and utilized this information with a safety factor to size the equipment listed below:

Separation equipment will be set as follows:

- Individual 3 phase separator will be set for the individual well.
- The separator will be sized based on the anticipated volume of the well and the pressure of the lines utilized for oil, gas, and water takeaway.
- The 3 phase production separator will be equipped with a 0.75 MMBtu/hr indirect fired heater.

Heater treaters will be set as follows:

- Individual heater treaters will be set for the individual well.
- The heater treaters are sized based on the anticipated combined volume of oil and produced water predicted to come from the initial 3 phase separator.
- Oil will be separated from the produced water and the oil/produced water will be sent to its respective tanks.
- The combined oil and natural gas stream is routed to the Vapor Recovery Tower.

Vapor Recovery Equipment will be set as follows:

- The Vapor Recovery Tower has been sized, based on the anticipated volume of gas from the heater treater and oil and water tanks.
- The Vapor Recovery Unit has been sized, based on the anticipated volume of gas from the heater treater and oil and water tanks. The Vapor Recovery Unit is utilized to push the recovered gas into the sales pipeline.

Production storage tanks will be set as follows:

- The oil and produced water tanks utilize a closed vent capture system to ensure all breathing, working, and flashing losses are routed to the Vapor Recovery Tower and Vapor Recovery Unit.
- Each of the production storage tanks will be equipped with a 0.5 MMBtu/hr indirect heater.



DJR Operating LLC.  
OGRID No: 371838  
NATURAL GAS MANAGEMENT PLAN  
N. Alamito Unit 201H 203H 205H 540H 550H

### **VENTING and FLARING**

DJR has a natural gas system available prior to startup of completion operations. DJR utilizes a Vapor Recovery Unit System and sells all natural gas except during periods of startup, shutdown, maintenance, or malfunction for the gas capturing equipment, including the vapor recovery tower, vapor recovery unit, storage tanks, and pipelines.

Currently, DJR utilizes the following from list A-I of Section 3 for its operations to minimize flaring:

- a) DJR utilizes natural gas-powered generators to power its leases where grid power isn't available.
- b) When electrical grid power is unavailable, natural gas generators will be used for major equipment onsite.
- c) DJR's in service compression will be natural gas powered.
- d) Should liquids removal, such as dehydration be required, units will be powered by natural gas.

DJR will only flare gas during the following times:

- Scheduled maintenance for gas capturing equipment including:
  - Vapor Recovery Tower
  - Vapor Recovery Unit
  - Storage tanks
  - Pipelines
  - Emergency flaring



DJR Operating LLC.  
OGRID No: 371838  
NATURAL GAS MANAGEMENT PLAN  
N. Alamito Unit 201H 203H 205H 540H 550H

## **OPERATIONAL PRACTICES**

### **19.15.27.8 A. Venting and Flaring of Natural Gas**

DJR understands the requirements of NMAC 19.15.27.8 which states that the venting and flaring of natural gas during drilling, completion or production that constitutes waste as defined in 19.15.2 are prohibited.

### **19.15.27.8 B. Venting and flaring during drilling operations**

- DJR shall capture or combust natural gas if technically feasible during drilling operations using best industry practices.
- A flare stack with a 100% capacity for expected volumes will be set on location of the facility at least 100 feet from the nearest surface hole location, well heads, and storage tanks.
- In the event of an emergency, DJR will vent natural gas in order to avoid substantial impact. DJR shall report the vented or flared gas to the NMOCD.

### **19.15.27.8 E. Venting and flaring during completion or recompletion operations**

During Completion Operations, DJR utilizes the following:

- DJR facilities are built and ready from day 1 of Flowback.
- Individual well test separators will be set to properly separate gas and liquids. Temporary test separator will be utilized initially to process volumes. In addition, separators will be tied into flowback tanks which will be tied into the gas processing equipment for sales down a pipeline. See Separation Equipment for details.
- Should the facility not yet be capable of processing gas, or the gas does not meet quality standards, then storage tanks will be set that are tied into gas busters or temporary flare to manage natural gas. This flare would meet the following requirements:
  - 1) An appropriately sized flare stack with an automatic igniter.
  - 2) DJR analyzes the natural gas samples twice per week.
  - 3) DJR routes the natural gas into a gathering pipeline as soon as the pipeline specifications are met.
  - 4) DJR provides the NMOCD with pipeline specifications and natural gas data.



DJR Operating LLC.

OGRID No: 371838

NATURAL GAS MANAGEMENT PLAN

N. Alamito Unit 201H 203H 205H 540H 550H

**19.15.27.8 D. Venting and flaring during production operations**

During Production Operations DJR will not vent or flare natural gas except under the following circumstances:

1. During an emergency or malfunction
2. To unload or clean-up liquid holdup in a well to atmospheric pressure, provided:
  - a. DJR does not vent after the well achieves a stabilized rate and pressure.
  - b. DJR will remain present on-site during liquids unloading by manual purging and take all reasonable actions to achieve a stabilized rate and pressure at the earliest practical time.
  - c. DJR will optimize the system to minimize natural gas venting on any well equipped with a plunger lift or auto control system.
  - d. Best Management Practices will be used during downhole well maintenance.
3. During the first year of production from an exploratory well provided:
  - a. DJR receives approval from the NMOCD.
  - b. DJR remains in compliance with the NM gas capture requirements.
  - c. DJR submits an updated C-129 form to the NMOCD.
4. During the following activities unless prohibited:
  - a. Gauging or sampling a storage tank or low-pressure production vessel.
  - b. Loading out liquids from a storage tank.
  - c. Repair and maintenance.
  - d. Normal operation of gas activated pneumatic controller or pump.
  - e. Normal operation of a storage tank but not including venting from a thief hatch.
  - f. Normal operation of dehydration units.
  - g. Normal operations of compressors, compressor engines, turbines, valves, flanges, and connectors.
  - h. During a bradenhead, packer leakage test, or production test lasting less than 24-hours.
  - i. When natural gas does not meet the gathering pipeline specifications.
  - j. Commissioning of pipelines, equipment, or facilities only for as long as necessary to purge introduced impurities.

**19.15.27.8 E. Performance standards**

1. DJR has utilized process simulations with a safety factor to design all separation and storage equipment. The equipment is routed to a Vapor Recovery System and utilizes a flare as back up for periods of startup, shutdown, maintenance, or malfunction of the VRU System.
2. DJR will install a flare that designed to handle the full volume of vapors from the facility in case of the VRU failure and it is designed with an auto ignition system.
3. Flare stacks will appropriately sized and designed to ensure proper combustion efficiency.
  - a. Flare stacks installed or replaced will be equipped with an automatic ignitor or continuous pilot.



DJR Operating LLC.

OGRID No: 371838

**NATURAL GAS MANAGEMENT PLAN**

N. Alamito Unit 201H 203H 205H 540H 550H

- b. Previously installed flare stacks will be retrofitted with an automatic ignitor, continuous pilot, or technology that alerts DJR of flare malfunction within 18 months after May 25, 2021.
  - c. Flare stacks replaced after May 25, 2021, will be equipped with an automatic ignitor or continuous pilot if located at a well or facility with average daily production of 60,000 cubic feet of natural gas or less.
  - d. Flare stacks will be located at least 100 feet from the well and storage tanks and securely anchored.
4. DJR will conduct an AVO inspection on all components for leaks and defects on a weekly basis.
5. DJR will make and keep records of AVO inspections which will be available to the NMOCD for at least 5 years.
6. DJR may use a remote or automated monitoring technology to detect leaks and releases in lieu of AVO inspections with prior NMOCD approval.
7. Facilities will be designed to minimize waste.
8. DJR will resolve emergencies as promptly as possible.

**19.15.27.8 F. Measurement or estimation of vented and flared natural gas**

1. DJR will have meters on both the low- and high-pressure sides of the flares and the volumes will be recorded in DJR's SCADA system.
2. DJR will install equipment to measure the volume of flared natural gas that has an average daily production of 60,000 cubic feet or greater of natural gas.
3. DJR's measuring equipment will conform to the industry standards.
4. The measurement system is designed such that it cannot be bypassed except for inspections and servicing meters.
5. DJR will estimate the volume of vented or flared natural gas using a methodology that can be independently verified if metering is not practicable due to low flow rate or pressure.
6. DJR will estimate the volume of flared and vented natural gas based on the results of an annual GOR test for wells that do not require measuring equipment reported on Form C-116.
7. DJR will install measuring equipment whenever the NMOCD determines that metering is necessary.



DJR Operating LLC.  
OGRID No: 371838  
NATURAL GAS MANAGEMENT PLAN  
N. Alamito Unit 201H 203H 205H 540H 550H

### **BEST MANAGEMENT PRACTICES**

DJR utilizes the following Best Management Practices to minimize venting during active and planned maintenance.

DJR has a closed vent capture system to route emissions from the heater treater, tanks, and vapor recovery to the vapor recovery unit with an enclosed combustion device (ECD) for backup. The system is designed such that if the vapor recovery unit is taken out of service for any reason, the vapors will be routed to the ECD for combustion.

DJR will isolate and attempt to route all vapors to the vapor recovery unit or ECD prior to opening any lines for maintenance to minimize venting from the equipment.

DJR shall notify the NMOCD of venting or flaring that exceeds 50 MCF but less than 500 MCF in volume that either resulted from an emergency or malfunction, or an event lasting over eight hours or more cumulatively within any 24-hour period from a single event by filing a form C-129 no later than 15 days following the discovery or commencement of venting or flaring.

DJR shall notify the NMOCD verbally or by e-mail within 24-hours following discovery or commencement of venting or flaring that exceeds 500 MCF in volume or otherwise qualifies as a major release as defined in 19.15.29.7 NMAC from a single event and provide the information required in form C-129 to the NMOCD no later than 15 days that verifies, updates, or corrects the verbal or e-mail notification.

DJR will install measuring equipment to conform to industry standards such as American Petroleum Institute (API) Manual of Petroleum Measurement Standards (MPMS) Chapter 14.10 Measurement of Flow to Flares.

DJR's measuring equipment shall not be designed or equipped with a manifold that allows the diversion of natural gas around the metering element except for the sole purpose of inspecting and servicing the measurement equipment.

DJR shall report the volume of vented and flared natural gas for each well or facility at which venting or flaring occurred on a monthly basis.

Rev 1



## DRILLING PLAN

### North Alamito Unit #540H

### Sandoval County, New Mexico

**Surface Location**

373-ft FWL & 969-ft FSL  
 Sec 24 T23N R7W  
 Graded Elevation 7121' MSL  
 RKB Elevation 7135' (14' KB)

**SHL Geographical Coordinates (NAD-83)**

Latitude 36.2069130° N  
 Longitude 107.5346520° W

**Kick Off Point for Horizontal Build Curve**

4995-ft MD  
 4854-ft TVD

**Local Coordinates (from SHL)**

1028-ft South  
 401-ft West

**Heel Location (Pay zone entry)**

250-ft FWL & 531-ft FNL  
 Sec 25 T23N R7W

**Heel Geographical Coordinates (NAD-83)**

Latitude 36.2027978° N  
 Longitude 107.53499391° W

**Bottom Hole Location (TD)**

741-ft FEL & 330-ft FSL  
 Sec 25 T23N R7W

**BHL Geographical Coordinates (NAD-83)**

Latitude 36.190827° N  
 Longitude 107.5204050° W

**Well objectives**

This well is planned as a 6130-ft lateral in the Gallup B sand.

**Bottom Hole temperature and pressure**

The temperature in the Gallup B horizontal objective is 141°F. Bottom hole pressure in the Gallup B is forecast to be 1985 psi.

**Formation Tops** (Sd = Sand; Sh = Shale; Siltstone = Slt, Coal = C; W = water; O = oil; G = gas; NP = no penetration)

| Name            | MD (ft) | TVD (ft) | Lithology | Pore fluid | Expected Pore Pressure (ppg) | Planned Mud Weight (ppg) |
|-----------------|---------|----------|-----------|------------|------------------------------|--------------------------|
| Ojo Alamo       | 1348    | 1331     | Sd        | W          | 8.3                          | 8.4 – 8.8                |
| Kirtland        | 1529    | 1506     | Sh        | -          | 8.3                          | 8.4 – 8.8                |
| Fruitland       | 1740    | 1710     | C         | G          | 8.3                          | 9.0 - 9.5                |
| Pictured Cliffs | 1989    | 1950     | Sd        | W          | 8.3                          | 9.0 - 9.5                |
| Lewis           | 2106    | 2063     | Sh        | -          |                              | 9.0 - 9.5                |
| Chacra          | 2858    | 2790     | Sd        | -          | 8.3                          | 9.0 - 9.5                |
| Menefee         | 3564    | 3472     | Sd, C     | G          | 8.3                          | 9.0 - 9.5                |
| Point Lookout   | 4398    | 4278     | Sd        | -          | 8.3                          | 9.0 - 9.5                |
| Mancos          | 4549    | 4423     | Sh        | -          |                              | 9.0 - 9.5                |
| Mancos Silt     | 4931    | 4792     | Slt       | O/G        | 6.6                          | 9.0 - 9.5                |
| Gallup A        | 5565    | 5282     | Slt       | O/G        | 6.6                          | 9.0 - 9.5                |
| Gallup B        | 5688    | 5318     | Sd        | O/G        | 6.6                          | 8.8 -9.0                 |
| Gallup C        | NP      | NP       | Sd        | O/G        | 6.6                          | 8.8 -9.0                 |
| Target          | 5797    | 5328     | Sd        | O/G        | 6.6                          | 8.8 -9.0                 |

**Casing Program**

| Casing OD | Hole Size | Weight (#/ft) | Grade | Coupling | MD Top | MD Bottom | TVD Top | TVD Bottom | Top of Cement |
|-----------|-----------|---------------|-------|----------|--------|-----------|---------|------------|---------------|
| 9-5/8"    | 12-1/4"   | 36            | K-55  | STC      | surf   | 350       | surf    | 350        | surface       |
| 7"        | 8-3/4"    | 26            | K-55  | LTC      | surf   | 5745      | surf    | 5326       | surface       |
| 4-1/2"    | 6-1/8"    | 11.6          | P-110 | BTC      | 5499   | 11923     | 5252    | 5293       | 5499          |

Note: all casing will be new

Rev 1



## Casing Design Load Cases

|             |                                              | Casing String  |                 |                         |
|-------------|----------------------------------------------|----------------|-----------------|-------------------------|
| Description |                                              | 9-5/8" Surface | 7" Intermediate | 4-1/2" Production Liner |
| Collapse    | Full internal evacuation <sup>1</sup>        | ✓              | ✓               | ✓                       |
|             | Cementing                                    | ✓              | ✓               | ✓                       |
| Burst       | Pressure test                                | ✓ <sup>2</sup> | ✓ <sup>2</sup>  | ✓                       |
|             | Gas kick                                     |                | ✓ <sup>3</sup>  |                         |
|             | Fracture at shoe, 1/3 BHP at surface         |                | ✓ <sup>4</sup>  |                         |
|             | Injection down casing                        |                |                 | ✓ <sup>5</sup>          |
| Axial       | Dynamic load on casing coupling <sup>6</sup> | ✓              | ✓               | ✓                       |
| Axial       | Overpull <sup>7</sup>                        | ✓              | ✓               | ✓                       |

## Note #

- 1 Fluid level at shoe, air column to surface, pore pressure outside
- 2 Tested to 80% of minimum internal yield with freshwater inside, pore pressure outside
- 3 50 bbl kick at TD, 0.50 ppg intensity, 4" drill pipe, 9.0 ppg mud, fracture gradient at shoe
- 4 2060 psi BHP, 687 psi surface pressure, 12.5 ppg EMW shoe integrity
- 5 Surface stimulation pressure of 8000 psi on 8.3 ppg fluid column. Stimulation will be down frac string, so load does not apply to 7" intermediate casing.
- 6 Shock load from abrupt pipe deceleration, evaluated against coupling rating
- 7 Overpull values as follows: Surface casing 20,000 lbs, Intermediate & Production 100,000 lbs

## Casing Design Factors

|                  |           | Design Factors |          |       |          |
|------------------|-----------|----------------|----------|-------|----------|
| Casing string    | Casing OD | Burst          | Collapse | Axial | Triaxial |
| Surface          | 9-5/8"    | 1.25           | 13.38    | 8.16  | 1.56     |
| Intermediate     | 7"        | 1.25           | 1.50     | 1.68  | 1.34     |
| Production liner | 4-1/2"    | 1.37           | 3.68     | 1.88  | 1.69     |

## Cement Design

9-5/8" Surface Casing

|                    | <u>Lead</u> |
|--------------------|-------------|
| Name               | Redi-Mix    |
| Type               | I-II        |
| Planned top        | Surface     |
| Density (ppg)      | 14.50       |
| Yield (cf/sx)      | 1.61        |
| Mix water (gal/sx) | 7.41        |
| Volume (sx)        | 114         |
| Volume (bbls)      | 33          |
| Volume (cu. ft.)   | 185         |
| Excess %           | 50          |

7" Intermediate Casing

|                    | <u>Lead</u> | <u>Tail</u> |
|--------------------|-------------|-------------|
| Type               | American    | American    |
| Planned top        | I/II        | Poz/G       |
| Density (ppg)      | Surface     | 4549-ft     |
| Yield (cf/sx)      | 12.30       | 13.50       |
| Mix water (gal/sx) | 2.34        | 1.51        |
| Volume (sx)        | 13.22       | 7.13        |
| Volume (bbls)      | 505         | 125         |
| Volume (cu.ft.)    | 211         | 34          |
| Excess %           | 1182        | 189         |
|                    | 78          | 0           |



Rev 1

4-1/2" Production Liner

|                    |          |
|--------------------|----------|
| Type               | American |
| Planned top        | Poz/G    |
| Density (ppg)      | 5499-ft  |
| Yield (cf/sx)      | 13.3     |
| Mix water (gal/sx) | 1.52     |
| Volume (sx)        | 7.52     |
| Volume (bbls)      | 555      |
| Volume (cu.ft)     | 150      |
| Excess %           | 844      |
|                    | 40       |

**Wellhead & Pressure Control**

The well head will be an 11" 5M multi-bowl system. A 3M BOPE conforming to Onshore Order #2 will be installed on the surface casing. The BOP and accumulator will meet API 16D and 16E respectively.

A PVT mud monitoring system and a trip tank will be rigged up and operational for all hole intervals. An electronic geolograph will be employed to monitor and record drilling data (ROP, WOB, SPM, Pressure, RPM and torque).

**Mud Program**

Surface hole will be drilled with a fresh water, native mud system. In intermediate hole, a low weight 7% KCl LSND drilling fluid will be used, with KCl providing chemical stability for the young shales and clays present in the interval. In production hole a LSND system with polymer and lubricant additives is programmed. Sufficient drill water and mud additives will be on hand to maintain adequate pit volumes and maintain well control.

| Hole Section | Fluid type                       | Interval (MD) | Density (ppg) | Funnel Viscosity | Yield Point | Fluid Loss (cc/30 min) |
|--------------|----------------------------------|---------------|---------------|------------------|-------------|------------------------|
| Surface      | Fresh water spud mud             | 0 – 350       | 8.4 – 8.8     | 32 – 44          | 2 – 12      | NC                     |
| Intermediate | 7% KCl Low solids, non-dispersed | 350 – 5745    | 9.0 – 9.5     | 38 – 45          | 8 – 14      | <20                    |
| Production   | Low solids, non-dispersed        | 5745 – 11923  | 8.8 – 9.2     | 34 – 38          | 6 – 8       | 6 – 8                  |

**Cores, tests and logs**

Wellbore surveying: Drift (inclination only) surveys will be obtained in surface hole. MWD directional surveys will be taken in intermediate and production hole.

Logging while drilling: None in surface hole. MWD GR in intermediate and production hole.

Mud logging: a two-person mud logging unit with C1 – C4 gas analysis will be operational in intermediate and production hole.

Electric logging: No open hole electric logs are programmed. A cased hole GR/CCL will be run during completions for perforating depth control.

**Cuttings and drilling fluids management**


A closed loop, steel tank-based circulating system will be used. In addition to the rig solids control equipment, a dewatering centrifuge and chemical flocculation system will be operational to strip solids from the whole mud. All solids will be collected in 3-sided bins and will then be put into transports with a bucket loader. Drying agents will be used if necessary. The solids will be taken to a licensed commercial disposal facility. Whole mud will be dewatered back to drill water and used as make up for subsequent wells or hauled off for disposal. A diagram of the closed loop system is included.

**Completion**

It is envisioned that this well will be completed with a multi-stage sand frac, using the plug and perf technique. After drilling out the plugs, the current plan is to install a 2-7/8" plunger-assisted gas lift tubing string. The stimulation and completion plan will be sundried at a later date.




# Proposed BOP stack 11" 3M RRA





Choke Manifold

Actual system to conform with Onshore Order 2





Company: DJR Operating  
Project: North Alamito Unit  
Site: M24 2307 Pad  
Well: # 540H  
Wellbore: Original Drilling  
Design: APD Rev 1

PROJECT DETAILS: North Alamito Unit

Geodetic System: US State Plane 1983  
Datum: North American Datum 1983  
Ellipsoid: GRS 1980  
Zone: New Mexico Western Zone  
System Datum: Mean Sea Level  
Local North: True



WELL DETAILS: # 540H

GL 7121' & RKB 14' @ 7135ft

| +N/-S | +E/-W | North      | East       | Lat         | Long          |   |
|-------|-------|------------|------------|-------------|---------------|---|
| 0     | 0     | 1894749.58 | 2811206.60 | 36.20691300 | -107.53465200 | 2 |

Plan: APD Rev 1 (# 540H/Original Drilling)

Created By: Janie Collins Date: 14:10, September 01 2023

DESIGN TARGET DETAILS

| Name          | TVD  | +N/-S | +E/-W | North      | East       | Lat         | Long          |
|---------------|------|-------|-------|------------|------------|-------------|---------------|
| 540H Heel     | 5328 | -1498 | -101  | 1893251.25 | 2811110.34 | 36.20279780 | -107.53499391 |
| 540H Toe Rev1 | 5293 | -5855 | 4204  | 1888907.19 | 2815428.55 | 36.19082700 | -107.52040500 |

SECTION DETAILS

| MD    | Inc   | Azi    | TVD  | +N/-S | +E/-W | Dleg  | TFace  | Vsect |
|-------|-------|--------|------|-------|-------|-------|--------|-------|
| 0     | 0.00  | 0.00   | 0    | 0     | 0     | 0.00  | 0.00   | 0     |
| 350   | 0.00  | 0.00   | 350  | 0     | 0     | 0.00  | 0.00   | 0     |
| 1098  | 14.97 | 201.33 | 1090 | -91   | -35   | 2.00  | 201.33 | 53    |
| 4994  | 14.97 | 201.33 | 4854 | -1028 | -401  | 0.00  | 0.00   | 601   |
| 5797  | 90.33 | 135.35 | 5328 | -1498 | -101  | 10.50 | -66.64 | 1158  |
| 11922 | 90.33 | 135.35 | 5293 | -5855 | 4204  | 0.00  | 0.00   | 7208  |




Azimuths to True North  
Magnetic North: 10.5°  
Magnetic Field  
Strength: 51242.5 nT  
Dip Angle: 63.8°  
Date: 12/31/2004  
Model: IGRF2000

CASING DETAILS

| TVD  | MD   | Name         |
|------|------|--------------|
| 350  | 350  | Surface      |
| 5326 | 5745 | Intermediate |

FORMATION DETAILS

| TVDPath | MDPath | Formation       |
|---------|--------|-----------------|
| 1331    | 1348   | Ojo Alamo       |
| 1506    | 1529   | Kirtland        |
| 1710    | 1740   | Fruitland       |
| 1950    | 1989   | Pictured Cliffs |
| 2063    | 2106   | Lewis           |
| 2790    | 2858   | Chacra          |
| 3472    | 3564   | Menefee         |
| 4278    | 4398   | Point Lookout   |
| 4423    | 4549   | Mancos          |
| 4792    | 4931   | Mancos Silt     |
| 5282    | 5565   | Gallup A        |
| 5318    | 5688   | Gallup B        |





## **DJR Operating**

**North Alamito Unit**

**M24 2307 Pad**

**# 540H - Slot 2**

**Original Drilling**

**Plan: APD Rev 1**

## **Standard Planning Report**

**01 September, 2023**





**Lonestar Consulting, LLC**  
Planning Report



|                  |                    |                                     |                             |
|------------------|--------------------|-------------------------------------|-----------------------------|
| <b>Database:</b> | Grand Junction     | <b>Local Co-ordinate Reference:</b> | Well # 540H - Slot 2        |
| <b>Company:</b>  | DJR Operating      | <b>TVD Reference:</b>               | GL 7121' & RKB 14' @ 7135ft |
| <b>Project:</b>  | North Alamito Unit | <b>MD Reference:</b>                | GL 7121' & RKB 14' @ 7135ft |
| <b>Site:</b>     | M24 2307 Pad       | <b>North Reference:</b>             | True                        |
| <b>Well:</b>     | # 540H             | <b>Survey Calculation Method:</b>   | Minimum Curvature           |
| <b>Wellbore:</b> | Original Drilling  |                                     |                             |
| <b>Design:</b>   | APD Rev 1          |                                     |                             |

|                    |                           |                      |                |
|--------------------|---------------------------|----------------------|----------------|
| <b>Project</b>     | North Alamito Unit        |                      |                |
| <b>Map System:</b> | US State Plane 1983       | <b>System Datum:</b> | Mean Sea Level |
| <b>Geo Datum:</b>  | North American Datum 1983 |                      |                |
| <b>Map Zone:</b>   | New Mexico Western Zone   |                      |                |

| Site                  |          | M24 2307 Pad |              |              |            |               |
|-----------------------|----------|--------------|--------------|--------------|------------|---------------|
| Site Position:        |          | Northing:    | 1,894,734.70 | usft         | Latitude:  | 36.20687200   |
| From:                 | Lat/Long | Easting:     | 2,811,219.92 | usft         | Longitude: | -107.53460700 |
| Position Uncertainty: |          | 0            | ft           | Slot Radius: | 13.20      | in            |

| Well                 | # 540H - Slot 2 |        |                     |                   |               |               |
|----------------------|-----------------|--------|---------------------|-------------------|---------------|---------------|
| Well Position        | +N/-S           | 0 ft   | Northing:           | 1,894,749.59 usft | Latitude:     | 36.20691300   |
|                      | +E/-W           | 0 ft   | Easting:            | 2,811,206.60 usft | Longitude:    | -107.53465200 |
| Position Uncertainty |                 | 0 ft   | Wellhead Elevation: | ft                | Ground Level: | 7121 ft       |
| Grid Convergence:    |                 | 0.18 ° |                     |                   |               |               |

|                  |                   |                    |                            |                          |                                |
|------------------|-------------------|--------------------|----------------------------|--------------------------|--------------------------------|
| <b>Wellbore</b>  | Original Drilling |                    |                            |                          |                                |
| <b>Magnetics</b> | <b>Model Name</b> | <b>Sample Date</b> | <b>Declination<br/>(°)</b> | <b>Dip Angle<br/>(°)</b> | <b>Field Strength<br/>(nT)</b> |
|                  | IGRF2000          | 12/31/2004         | 10.76                      | 63.26                    | 51,242.34086816                |

|                          |                                  |                       |                       |                          |
|--------------------------|----------------------------------|-----------------------|-----------------------|--------------------------|
| <b>Design</b>            | APD Rev 1                        |                       |                       |                          |
| <b>Audit Notes:</b>      |                                  |                       |                       |                          |
| <b>Version:</b>          | <b>Phase:</b>                    | PLAN                  | <b>Tie On Depth:</b>  | 0                        |
| <b>Vertical Section:</b> | <b>Depth From (TVD)<br/>(ft)</b> | <b>+N/-S<br/>(ft)</b> | <b>+E/-W<br/>(ft)</b> | <b>Direction<br/>(°)</b> |
|                          | 0                                | 0                     | 0                     | 144.32                   |

|                                 |                          |                                      |                        |                |
|---------------------------------|--------------------------|--------------------------------------|------------------------|----------------|
| <b>Plan Survey Tool Program</b> | <b>Date</b>              | 9/1/2023                             |                        |                |
| <b>Depth From<br/>(ft)</b>      | <b>Depth To<br/>(ft)</b> | <b>Survey (Wellbore)</b>             | <b>Tool Name</b>       | <b>Remarks</b> |
| 1                               | 0                        | 11,922 APD Rev 1 (Original Drilling) | MWD+IGRF               |                |
|                                 |                          |                                      | OWSG MWD + IGRF or WMM |                |

|                                    |                            |                        |                                    |                       |                       |                                        |                                       |                                      |                    |               |
|------------------------------------|----------------------------|------------------------|------------------------------------|-----------------------|-----------------------|----------------------------------------|---------------------------------------|--------------------------------------|--------------------|---------------|
| <b>Plan Sections</b>               |                            |                        |                                    |                       |                       |                                        |                                       |                                      |                    |               |
| <b>Measured<br/>Depth<br/>(ft)</b> | <b>Inclination<br/>(°)</b> | <b>Azimuth<br/>(°)</b> | <b>Vertical<br/>Depth<br/>(ft)</b> | <b>+N/-S<br/>(ft)</b> | <b>+E/-W<br/>(ft)</b> | <b>Dogleg<br/>Rate<br/>(°/100usft)</b> | <b>Build<br/>Rate<br/>(°/100usft)</b> | <b>Turn<br/>Rate<br/>(°/100usft)</b> | <b>TFO<br/>(°)</b> | <b>Target</b> |
| 0                                  | 0.00                       | 0.00                   | 0                                  | 0                     | 0                     | 0.00                                   | 0.00                                  | 0.00                                 | 0.00               |               |
| 350                                | 0.00                       | 0.00                   | 350                                | 0                     | 0                     | 0.00                                   | 0.00                                  | 0.00                                 | 0.00               |               |
| 1098                               | 14.97                      | 201.33                 | 1090                               | -91                   | -35                   | 2.00                                   | 2.00                                  | 0.00                                 | 201.33             |               |
| 4994                               | 14.97                      | 201.33                 | 4854                               | -1028                 | -401                  | 0.00                                   | 0.00                                  | 0.00                                 | 0.00               |               |
| 5797                               | 90.33                      | 135.35                 | 5328                               | -1498                 | -101                  | 10.50                                  | 9.39                                  | -8.22                                | -66.64             | 540H Heel     |
| 11,922                             | 90.33                      | 135.35                 | 5293                               | -5855                 | 4204                  | 0.00                                   | 0.00                                  | 0.00                                 | 0.00               | 540H Toe Rev1 |



## Lonestar Consulting, LLC

## Planning Report



|                  |                    |                                     |                             |
|------------------|--------------------|-------------------------------------|-----------------------------|
| <b>Database:</b> | Grand Junction     | <b>Local Co-ordinate Reference:</b> | Well # 540H - Slot 2        |
| <b>Company:</b>  | DJR Operating      | <b>TVD Reference:</b>               | GL 7121' & RKB 14' @ 7135ft |
| <b>Project:</b>  | North Alamito Unit | <b>MD Reference:</b>                | GL 7121' & RKB 14' @ 7135ft |
| <b>Site:</b>     | M24 2307 Pad       | <b>North Reference:</b>             | True                        |
| <b>Well:</b>     | # 540H             | <b>Survey Calculation Method:</b>   | Minimum Curvature           |
| <b>Wellbore:</b> | Original Drilling  |                                     |                             |
| <b>Design:</b>   | APD Rev 1          |                                     |                             |

| Planned Survey      |                 |             |                     |            |            |                       |                         |                        |                       |
|---------------------|-----------------|-------------|---------------------|------------|------------|-----------------------|-------------------------|------------------------|-----------------------|
| Measured Depth (ft) | Inclination (°) | Azimuth (°) | Vertical Depth (ft) | +N/-S (ft) | +E/-W (ft) | Vertical Section (ft) | Dogleg Rate (°/100usft) | Build Rate (°/100usft) | Turn Rate (°/100usft) |
| 0                   | 0.00            | 0.00        | 0                   | 0          | 0          | 0                     | 0.00                    | 0.00                   | 0.00                  |
| 100                 | 0.00            | 0.00        | 100                 | 0          | 0          | 0                     | 0.00                    | 0.00                   | 0.00                  |
| 200                 | 0.00            | 0.00        | 200                 | 0          | 0          | 0                     | 0.00                    | 0.00                   | 0.00                  |
| 300                 | 0.00            | 0.00        | 300                 | 0          | 0          | 0                     | 0.00                    | 0.00                   | 0.00                  |
| 350                 | 0.00            | 0.00        | 350                 | 0          | 0          | 0                     | 0.00                    | 0.00                   | 0.00                  |
| 400                 | 1.00            | 201.33      | 400                 | 0          | 0          | 0                     | 2.00                    | 2.00                   | 0.00                  |
| 500                 | 3.00            | 201.33      | 500                 | -4         | -1         | 2                     | 2.00                    | 2.00                   | 0.00                  |
| 600                 | 5.00            | 201.33      | 600                 | -10        | -4         | 6                     | 2.00                    | 2.00                   | 0.00                  |
| 700                 | 7.00            | 201.33      | 699                 | -20        | -8         | 12                    | 2.00                    | 2.00                   | 0.00                  |
| 800                 | 9.00            | 201.33      | 798                 | -33        | -13        | 19                    | 2.00                    | 2.00                   | 0.00                  |
| 900                 | 11.00           | 201.33      | 897                 | -49        | -19        | 29                    | 2.00                    | 2.00                   | 0.00                  |
| 1000                | 13.00           | 201.33      | 994                 | -68        | -27        | 40                    | 2.00                    | 2.00                   | 0.00                  |
| 1098                | 14.97           | 201.33      | 1090                | -91        | -35        | 53                    | 2.00                    | 2.00                   | 0.00                  |
| 1100                | 14.97           | 201.33      | 1091                | -91        | -36        | 53                    | 0.00                    | 0.00                   | 0.00                  |
| 1200                | 14.97           | 201.33      | 1188                | -115       | -45        | 67                    | 0.00                    | 0.00                   | 0.00                  |
| 1300                | 14.97           | 201.33      | 1285                | -139       | -54        | 81                    | 0.00                    | 0.00                   | 0.00                  |
| 1400                | 14.97           | 201.33      | 1381                | -163       | -64        | 95                    | 0.00                    | 0.00                   | 0.00                  |
| 1500                | 14.97           | 201.33      | 1478                | -187       | -73        | 109                   | 0.00                    | 0.00                   | 0.00                  |
| 1600                | 14.97           | 201.33      | 1574                | -211       | -83        | 123                   | 0.00                    | 0.00                   | 0.00                  |
| 1700                | 14.97           | 201.33      | 1671                | -235       | -92        | 138                   | 0.00                    | 0.00                   | 0.00                  |
| 1800                | 14.97           | 201.33      | 1768                | -259       | -101       | 152                   | 0.00                    | 0.00                   | 0.00                  |
| 1900                | 14.97           | 201.33      | 1864                | -283       | -111       | 166                   | 0.00                    | 0.00                   | 0.00                  |
| 2000                | 14.97           | 201.33      | 1961                | -307       | -120       | 180                   | 0.00                    | 0.00                   | 0.00                  |
| 2100                | 14.97           | 201.33      | 2058                | -332       | -129       | 194                   | 0.00                    | 0.00                   | 0.00                  |
| 2200                | 14.97           | 201.33      | 2154                | -356       | -139       | 208                   | 0.00                    | 0.00                   | 0.00                  |
| 2300                | 14.97           | 201.33      | 2251                | -380       | -148       | 222                   | 0.00                    | 0.00                   | 0.00                  |
| 2400                | 14.97           | 201.33      | 2347                | -404       | -158       | 236                   | 0.00                    | 0.00                   | 0.00                  |
| 2500                | 14.97           | 201.33      | 2444                | -428       | -167       | 250                   | 0.00                    | 0.00                   | 0.00                  |
| 2600                | 14.97           | 201.33      | 2541                | -452       | -176       | 264                   | 0.00                    | 0.00                   | 0.00                  |
| 2700                | 14.97           | 201.33      | 2637                | -476       | -186       | 278                   | 0.00                    | 0.00                   | 0.00                  |
| 2800                | 14.97           | 201.33      | 2734                | -500       | -195       | 292                   | 0.00                    | 0.00                   | 0.00                  |
| 2900                | 14.97           | 201.33      | 2830                | -524       | -205       | 306                   | 0.00                    | 0.00                   | 0.00                  |
| 3000                | 14.97           | 201.33      | 2927                | -548       | -214       | 320                   | 0.00                    | 0.00                   | 0.00                  |
| 3100                | 14.97           | 201.33      | 3024                | -572       | -223       | 334                   | 0.00                    | 0.00                   | 0.00                  |
| 3200                | 14.97           | 201.33      | 3120                | -596       | -233       | 348                   | 0.00                    | 0.00                   | 0.00                  |
| 3300                | 14.97           | 201.33      | 3217                | -620       | -242       | 363                   | 0.00                    | 0.00                   | 0.00                  |
| 3400                | 14.97           | 201.33      | 3313                | -644       | -252       | 377                   | 0.00                    | 0.00                   | 0.00                  |
| 3500                | 14.97           | 201.33      | 3410                | -668       | -261       | 391                   | 0.00                    | 0.00                   | 0.00                  |
| 3600                | 14.97           | 201.33      | 3507                | -692       | -270       | 405                   | 0.00                    | 0.00                   | 0.00                  |
| 3700                | 14.97           | 201.33      | 3603                | -717       | -280       | 419                   | 0.00                    | 0.00                   | 0.00                  |
| 3800                | 14.97           | 201.33      | 3700                | -741       | -289       | 433                   | 0.00                    | 0.00                   | 0.00                  |
| 3900                | 14.97           | 201.33      | 3796                | -765       | -299       | 447                   | 0.00                    | 0.00                   | 0.00                  |
| 4000                | 14.97           | 201.33      | 3893                | -789       | -308       | 461                   | 0.00                    | 0.00                   | 0.00                  |
| 4100                | 14.97           | 201.33      | 3990                | -813       | -317       | 475                   | 0.00                    | 0.00                   | 0.00                  |
| 4200                | 14.97           | 201.33      | 4086                | -837       | -327       | 489                   | 0.00                    | 0.00                   | 0.00                  |
| 4300                | 14.97           | 201.33      | 4183                | -861       | -336       | 503                   | 0.00                    | 0.00                   | 0.00                  |
| 4400                | 14.97           | 201.33      | 4279                | -885       | -346       | 517                   | 0.00                    | 0.00                   | 0.00                  |
| 4500                | 14.97           | 201.33      | 4376                | -909       | -355       | 531                   | 0.00                    | 0.00                   | 0.00                  |
| 4600                | 14.97           | 201.33      | 4473                | -933       | -364       | 545                   | 0.00                    | 0.00                   | 0.00                  |
| 4700                | 14.97           | 201.33      | 4569                | -957       | -374       | 559                   | 0.00                    | 0.00                   | 0.00                  |
| 4800                | 14.97           | 201.33      | 4666                | -981       | -383       | 574                   | 0.00                    | 0.00                   | 0.00                  |
| 4900                | 14.97           | 201.33      | 4763                | -1005      | -393       | 588                   | 0.00                    | 0.00                   | 0.00                  |
| 4994                | 14.97           | 201.33      | 4854                | -1028      | -401       | 601                   | 0.00                    | 0.00                   | 0.00                  |
| 5000                | 15.21           | 199.31      | 4859                | -1029      | -402       | 602                   | 10.50                   | 4.33                   | -36.75                |



## Lonestar Consulting, LLC

## Planning Report



|                  |                    |                                     |                             |
|------------------|--------------------|-------------------------------------|-----------------------------|
| <b>Database:</b> | Grand Junction     | <b>Local Co-ordinate Reference:</b> | Well # 540H - Slot 2        |
| <b>Company:</b>  | DJR Operating      | <b>TVD Reference:</b>               | GL 7121' & RKB 14' @ 7135ft |
| <b>Project:</b>  | North Alamito Unit | <b>MD Reference:</b>                | GL 7121' & RKB 14' @ 7135ft |
| <b>Site:</b>     | M24 2307 Pad       | <b>North Reference:</b>             | True                        |
| <b>Well:</b>     | # 540H             | <b>Survey Calculation Method:</b>   | Minimum Curvature           |
| <b>Wellbore:</b> | Original Drilling  |                                     |                             |
| <b>Design:</b>   | APD Rev 1          |                                     |                             |

| Planned Survey      |                 |             |                     |            |            |                       |                         |                        |                       |  |
|---------------------|-----------------|-------------|---------------------|------------|------------|-----------------------|-------------------------|------------------------|-----------------------|--|
| Measured Depth (ft) | Inclination (°) | Azimuth (°) | Vertical Depth (ft) | +N/-S (ft) | +E/-W (ft) | Vertical Section (ft) | Dogleg Rate (°/100usft) | Build Rate (°/100usft) | Turn Rate (°/100usft) |  |
| 5100                | 21.82           | 173.00      | 4954                | -1060      | -404       | 626                   | 10.50                   | 6.61                   | -26.31                |  |
| 5200                | 30.61           | 159.80      | 5044                | -1103      | -393       | 667                   | 10.50                   | 8.79                   | -13.20                |  |
| 5300                | 40.17           | 152.24      | 5125                | -1155      | -369       | 723                   | 10.50                   | 9.56                   | -7.56                 |  |
| 5400                | 50.05           | 147.22      | 5196                | -1216      | -333       | 794                   | 10.50                   | 9.89                   | -5.01                 |  |
| 5500                | 60.10           | 143.49      | 5253                | -1283      | -287       | 875                   | 10.50                   | 10.05                  | -3.73                 |  |
| 5600                | 70.24           | 140.46      | 5295                | -1355      | -231       | 966                   | 10.50                   | 10.13                  | -3.04                 |  |
| 5700                | 80.42           | 137.79      | 5320                | -1428      | -167       | 1062                  | 10.50                   | 10.18                  | -2.67                 |  |
| 5797                | 90.33           | 135.35      | 5328                | -1498      | -101       | 1158                  | 10.50                   | 10.20                  | -2.51                 |  |
| 5800                | 90.33           | 135.35      | 5328                | -1500      | -99        | 1161                  | 0.00                    | 0.00                   | 0.00                  |  |
| 5900                | 90.33           | 135.35      | 5327                | -1571      | -29        | 1260                  | 0.00                    | 0.00                   | 0.00                  |  |
| 6000                | 90.33           | 135.35      | 5327                | -1642      | 42         | 1358                  | 0.00                    | 0.00                   | 0.00                  |  |
| 6100                | 90.33           | 135.35      | 5326                | -1713      | 112        | 1457                  | 0.00                    | 0.00                   | 0.00                  |  |
| 6200                | 90.33           | 135.35      | 5326                | -1785      | 182        | 1556                  | 0.00                    | 0.00                   | 0.00                  |  |
| 6300                | 90.33           | 135.35      | 5325                | -1856      | 252        | 1655                  | 0.00                    | 0.00                   | 0.00                  |  |
| 6400                | 90.33           | 135.35      | 5325                | -1927      | 323        | 1753                  | 0.00                    | 0.00                   | 0.00                  |  |
| 6500                | 90.33           | 135.35      | 5324                | -1998      | 393        | 1852                  | 0.00                    | 0.00                   | 0.00                  |  |
| 6600                | 90.33           | 135.35      | 5323                | -2069      | 463        | 1951                  | 0.00                    | 0.00                   | 0.00                  |  |
| 6700                | 90.33           | 135.35      | 5323                | -2140      | 534        | 2050                  | 0.00                    | 0.00                   | 0.00                  |  |
| 6800                | 90.33           | 135.35      | 5322                | -2211      | 604        | 2149                  | 0.00                    | 0.00                   | 0.00                  |  |
| 6900                | 90.33           | 135.35      | 5322                | -2283      | 674        | 2247                  | 0.00                    | 0.00                   | 0.00                  |  |
| 7000                | 90.33           | 135.35      | 5321                | -2354      | 744        | 2346                  | 0.00                    | 0.00                   | 0.00                  |  |
| 7100                | 90.33           | 135.35      | 5321                | -2425      | 815        | 2445                  | 0.00                    | 0.00                   | 0.00                  |  |
| 7200                | 90.33           | 135.35      | 5320                | -2496      | 885        | 2544                  | 0.00                    | 0.00                   | 0.00                  |  |
| 7300                | 90.33           | 135.35      | 5319                | -2567      | 955        | 2642                  | 0.00                    | 0.00                   | 0.00                  |  |
| 7400                | 90.33           | 135.35      | 5319                | -2638      | 1026       | 2741                  | 0.00                    | 0.00                   | 0.00                  |  |
| 7500                | 90.33           | 135.35      | 5318                | -2709      | 1096       | 2840                  | 0.00                    | 0.00                   | 0.00                  |  |
| 7600                | 90.33           | 135.35      | 5318                | -2780      | 1166       | 2939                  | 0.00                    | 0.00                   | 0.00                  |  |
| 7700                | 90.33           | 135.35      | 5317                | -2852      | 1236       | 3038                  | 0.00                    | 0.00                   | 0.00                  |  |
| 7800                | 90.33           | 135.35      | 5317                | -2923      | 1307       | 3136                  | 0.00                    | 0.00                   | 0.00                  |  |
| 7900                | 90.33           | 135.35      | 5316                | -2994      | 1377       | 3235                  | 0.00                    | 0.00                   | 0.00                  |  |
| 8000                | 90.33           | 135.35      | 5315                | -3065      | 1447       | 3334                  | 0.00                    | 0.00                   | 0.00                  |  |
| 8100                | 90.33           | 135.35      | 5315                | -3136      | 1518       | 3433                  | 0.00                    | 0.00                   | 0.00                  |  |
| 8200                | 90.33           | 135.35      | 5314                | -3207      | 1588       | 3531                  | 0.00                    | 0.00                   | 0.00                  |  |
| 8300                | 90.33           | 135.35      | 5314                | -3278      | 1658       | 3630                  | 0.00                    | 0.00                   | 0.00                  |  |
| 8400                | 90.33           | 135.35      | 5313                | -3350      | 1728       | 3729                  | 0.00                    | 0.00                   | 0.00                  |  |
| 8500                | 90.33           | 135.35      | 5313                | -3421      | 1799       | 3828                  | 0.00                    | 0.00                   | 0.00                  |  |
| 8600                | 90.33           | 135.35      | 5312                | -3492      | 1869       | 3926                  | 0.00                    | 0.00                   | 0.00                  |  |
| 8700                | 90.33           | 135.35      | 5311                | -3563      | 1939       | 4025                  | 0.00                    | 0.00                   | 0.00                  |  |
| 8800                | 90.33           | 135.35      | 5311                | -3634      | 2009       | 4124                  | 0.00                    | 0.00                   | 0.00                  |  |
| 8900                | 90.33           | 135.35      | 5310                | -3705      | 2080       | 4223                  | 0.00                    | 0.00                   | 0.00                  |  |
| 9000                | 90.33           | 135.35      | 5310                | -3776      | 2150       | 4322                  | 0.00                    | 0.00                   | 0.00                  |  |
| 9100                | 90.33           | 135.35      | 5309                | -3848      | 2220       | 4420                  | 0.00                    | 0.00                   | 0.00                  |  |
| 9200                | 90.33           | 135.35      | 5309                | -3919      | 2291       | 4519                  | 0.00                    | 0.00                   | 0.00                  |  |
| 9300                | 90.33           | 135.35      | 5308                | -3990      | 2361       | 4618                  | 0.00                    | 0.00                   | 0.00                  |  |
| 9400                | 90.33           | 135.35      | 5307                | -4061      | 2431       | 4717                  | 0.00                    | 0.00                   | 0.00                  |  |
| 9500                | 90.33           | 135.35      | 5307                | -4132      | 2501       | 4815                  | 0.00                    | 0.00                   | 0.00                  |  |
| 9600                | 90.33           | 135.35      | 5306                | -4203      | 2572       | 4914                  | 0.00                    | 0.00                   | 0.00                  |  |
| 9700                | 90.33           | 135.35      | 5306                | -4274      | 2642       | 5013                  | 0.00                    | 0.00                   | 0.00                  |  |
| 9800                | 90.33           | 135.35      | 5305                | -4346      | 2712       | 5112                  | 0.00                    | 0.00                   | 0.00                  |  |
| 9900                | 90.33           | 135.35      | 5305                | -4417      | 2783       | 5211                  | 0.00                    | 0.00                   | 0.00                  |  |
| 10,000              | 90.33           | 135.35      | 5304                | -4488      | 2853       | 5309                  | 0.00                    | 0.00                   | 0.00                  |  |
| 10,100              | 90.33           | 135.35      | 5303                | -4559      | 2923       | 5408                  | 0.00                    | 0.00                   | 0.00                  |  |
| 10,200              | 90.33           | 135.35      | 5303                | -4630      | 2993       | 5507                  | 0.00                    | 0.00                   | 0.00                  |  |
| 10,300              | 90.33           | 135.35      | 5302                | -4701      | 3064       | 5606                  | 0.00                    | 0.00                   | 0.00                  |  |



**Lonestar Consulting, LLC**  
Planning Report



|                  |                    |                                     |                             |
|------------------|--------------------|-------------------------------------|-----------------------------|
| <b>Database:</b> | Grand Junction     | <b>Local Co-ordinate Reference:</b> | Well # 540H - Slot 2        |
| <b>Company:</b>  | DJR Operating      | <b>TVD Reference:</b>               | GL 7121' & RKB 14' @ 7135ft |
| <b>Project:</b>  | North Alamito Unit | <b>MD Reference:</b>                | GL 7121' & RKB 14' @ 7135ft |
| <b>Site:</b>     | M24 2307 Pad       | <b>North Reference:</b>             | True                        |
| <b>Well:</b>     | # 540H             | <b>Survey Calculation Method:</b>   | Minimum Curvature           |
| <b>Wellbore:</b> | Original Drilling  |                                     |                             |
| <b>Design:</b>   | APD Rev 1          |                                     |                             |

| Planned Survey      |                 |             |                     |            |            |                       |                         |                        |                       |  |
|---------------------|-----------------|-------------|---------------------|------------|------------|-----------------------|-------------------------|------------------------|-----------------------|--|
| Measured Depth (ft) | Inclination (°) | Azimuth (°) | Vertical Depth (ft) | +N/-S (ft) | +E/-W (ft) | Vertical Section (ft) | Dogleg Rate (°/100usft) | Build Rate (°/100usft) | Turn Rate (°/100usft) |  |
| 10,400              | 90.33           | 135.35      | 5302                | -4772      | 3134       | 5704                  | 0.00                    | 0.00                   | 0.00                  |  |
| 10,500              | 90.33           | 135.35      | 5301                | -4843      | 3204       | 5803                  | 0.00                    | 0.00                   | 0.00                  |  |
| 10,600              | 90.33           | 135.35      | 5301                | -4915      | 3275       | 5902                  | 0.00                    | 0.00                   | 0.00                  |  |
| 10,700              | 90.33           | 135.35      | 5300                | -4986      | 3345       | 6001                  | 0.00                    | 0.00                   | 0.00                  |  |
| 10,800              | 90.33           | 135.35      | 5299                | -5057      | 3415       | 6100                  | 0.00                    | 0.00                   | 0.00                  |  |
| 10,900              | 90.33           | 135.35      | 5299                | -5128      | 3485       | 6198                  | 0.00                    | 0.00                   | 0.00                  |  |
| 11,000              | 90.33           | 135.35      | 5298                | -5199      | 3556       | 6297                  | 0.00                    | 0.00                   | 0.00                  |  |
| 11,100              | 90.33           | 135.35      | 5298                | -5270      | 3626       | 6396                  | 0.00                    | 0.00                   | 0.00                  |  |
| 11,200              | 90.33           | 135.35      | 5297                | -5341      | 3696       | 6495                  | 0.00                    | 0.00                   | 0.00                  |  |
| 11,300              | 90.33           | 135.35      | 5297                | -5413      | 3766       | 6593                  | 0.00                    | 0.00                   | 0.00                  |  |
| 11,400              | 90.33           | 135.35      | 5296                | -5484      | 3837       | 6692                  | 0.00                    | 0.00                   | 0.00                  |  |
| 11,500              | 90.33           | 135.35      | 5295                | -5555      | 3907       | 6791                  | 0.00                    | 0.00                   | 0.00                  |  |
| 11,600              | 90.33           | 135.35      | 5295                | -5626      | 3977       | 6890                  | 0.00                    | 0.00                   | 0.00                  |  |
| 11,700              | 90.33           | 135.35      | 5294                | -5697      | 4048       | 6988                  | 0.00                    | 0.00                   | 0.00                  |  |
| 11,800              | 90.33           | 135.35      | 5294                | -5768      | 4118       | 7087                  | 0.00                    | 0.00                   | 0.00                  |  |
| 11,900              | 90.33           | 135.35      | 5293                | -5839      | 4188       | 7186                  | 0.00                    | 0.00                   | 0.00                  |  |
| 11,922              | 90.33           | 135.35      | 5293                | -5855      | 4204       | 7208                  | 0.00                    | 0.00                   | 0.00                  |  |

| Design Targets            |               |              |          |            |            |                 |                |             |  |               |
|---------------------------|---------------|--------------|----------|------------|------------|-----------------|----------------|-------------|--|---------------|
| Target Name               | Dip Angle (°) | Dip Dir. (°) | TVD (ft) | +N/-S (ft) | +E/-W (ft) | Northing (usft) | Easting (usft) | Latitude    |  | Longitude     |
| 540H Toe Rev1             | 0.00          | 0.00         | 5293     | -5855      | 4204       | 1,888,907.19    | 2,815,428.55   | 36.19082700 |  | -107.52040500 |
| - hit/miss target         |               |              |          |            |            |                 |                |             |  |               |
| - Shape                   |               |              |          |            |            |                 |                |             |  |               |
| - plan hits target center |               |              |          |            |            |                 |                |             |  |               |
| - Circle (radius 100)     |               |              |          |            |            |                 |                |             |  |               |
| 540H Heel                 | 0.00          | 0.00         | 5328     | -1498      | -101       | 1,893,251.25    | 2,811,110.34   | 36.20279780 |  | -107.53499391 |
| - plan hits target center |               |              |          |            |            |                 |                |             |  |               |
| - Circle (radius 50)      |               |              |          |            |            |                 |                |             |  |               |

| Casing Points       |                     |              |  |  |  | Casing Diameter (in) | Hole Diameter (in) |
|---------------------|---------------------|--------------|--|--|--|----------------------|--------------------|
| Measured Depth (ft) | Vertical Depth (ft) | Name         |  |  |  |                      |                    |
| 350                 | 350                 | Surface      |  |  |  | 9.63                 | 12.25              |
| 5745                | 5326                | Intermediate |  |  |  | 7.00                 | 8.75               |



|                  |                    |                                     |                             |
|------------------|--------------------|-------------------------------------|-----------------------------|
| <b>Database:</b> | Grand Junction     | <b>Local Co-ordinate Reference:</b> | Well # 540H - Slot 2        |
| <b>Company:</b>  | DJR Operating      | <b>TVD Reference:</b>               | GL 7121' & RKB 14' @ 7135ft |
| <b>Project:</b>  | North Alamito Unit | <b>MD Reference:</b>                | GL 7121' & RKB 14' @ 7135ft |
| <b>Site:</b>     | M24 2307 Pad       | <b>North Reference:</b>             | True                        |
| <b>Well:</b>     | # 540H             | <b>Survey Calculation Method:</b>   | Minimum Curvature           |
| <b>Wellbore:</b> | Original Drilling  |                                     |                             |
| <b>Design:</b>   | APD Rev 1          |                                     |                             |

| Formations          |                     |                 |           |         |                   |  |
|---------------------|---------------------|-----------------|-----------|---------|-------------------|--|
| Measured Depth (ft) | Vertical Depth (ft) | Name            | Lithology | Dip (°) | Dip Direction (°) |  |
| 1348                | 1331                | Ojo Alamo       |           | 0.00    | 0.00              |  |
| 1529                | 1506                | Kirtland        |           | 0.00    | 0.00              |  |
| 1740                | 1710                | Fruitland       |           | 0.00    | 0.00              |  |
| 1989                | 1950                | Pictured Cliffs |           | 0.00    | 0.00              |  |
| 2106                | 2063                | Lewis           |           | 0.00    | 0.00              |  |
| 2858                | 2790                | Chacra          |           | 0.00    | 0.00              |  |
| 3564                | 3472                | Menefee         |           | 0.00    | 0.00              |  |
| 4398                | 4278                | Point Lookout   |           | 0.00    | 0.00              |  |
| 4549                | 4423                | Mancos          |           | 0.00    | 0.00              |  |
| 4931                | 4792                | Mancos Silt     |           | 0.00    | 0.00              |  |
| 5565                | 5282                | Gallup A        |           | 0.00    | 0.00              |  |
| 5688                | 5318                | Gallup B        |           | 0.00    | 0.00              |  |



## **DJR Operating**

**North Alamito Unit**

**M24 2307 Pad**

**# 540H**

**Original Drilling**

**APD Rev 1**

## **Anticollision Report**

**01 September, 2023**





# Lonestar Consulting, LLC

## Anticollision Report



|                           |                    |                                     |                             |
|---------------------------|--------------------|-------------------------------------|-----------------------------|
| <b>Company:</b>           | DJR Operating      | <b>Local Co-ordinate Reference:</b> | Well # 540H - Slot 2        |
| <b>Project:</b>           | North Alamito Unit | <b>TVD Reference:</b>               | GL 7121' & RKB 14' @ 7135ft |
| <b>Reference Site:</b>    | M24 2307 Pad       | <b>MD Reference:</b>                | GL 7121' & RKB 14' @ 7135ft |
| <b>Site Error:</b>        | 0 ft               | <b>North Reference:</b>             | True                        |
| <b>Reference Well:</b>    | # 540H             | <b>Survey Calculation Method:</b>   | Minimum Curvature           |
| <b>Well Error:</b>        | 0 ft               | <b>Output errors are at</b>         | 2.00 sigma                  |
| <b>Reference Wellbore</b> | Original Drilling  | <b>Database:</b>                    | Grand Junction              |
| <b>Reference Design:</b>  | APD Rev 1          | <b>Offset TVD Reference:</b>        | Offset Datum                |

|                                     |                                                                     |                       |                     |
|-------------------------------------|---------------------------------------------------------------------|-----------------------|---------------------|
| <b>Reference</b>                    | APD Rev 1                                                           |                       |                     |
| <b>Filter type:</b>                 | NO GLOBAL FILTER: Using user defined selection & filtering criteria |                       |                     |
| <b>Interpolation Method:</b>        | Stations                                                            | <b>Error Model:</b>   | ISCWSA              |
| <b>Depth Range:</b>                 | Unlimited                                                           | <b>Scan Method:</b>   | Closest Approach 3D |
| <b>Results Limited by:</b>          | Maximum centre distance of 15,000ft                                 | <b>Error Surface:</b> | Pedal Curve         |
| <b>Warning Levels Evaluated at:</b> | 2.00 Sigma                                                          | <b>Casing Method:</b> | Not applied         |

|                            |                |                               |                  |                        |
|----------------------------|----------------|-------------------------------|------------------|------------------------|
| <b>Survey Tool Program</b> | <b>Date</b>    | 9/1/2023                      |                  |                        |
| <b>From (ft)</b>           | <b>To (ft)</b> | <b>Survey (Wellbore)</b>      | <b>Tool Name</b> | <b>Description</b>     |
| 0                          | 11,922         | APD Rev 1 (Original Drilling) | MWD+IGRF         | OWSG MWD + IGRF or WMM |

|                                        |                                      |                                   |                                      |                                       |                          |                |
|----------------------------------------|--------------------------------------|-----------------------------------|--------------------------------------|---------------------------------------|--------------------------|----------------|
| <b>Summary</b>                         |                                      |                                   |                                      |                                       |                          |                |
| <b>Site Name</b>                       | <b>Reference Measured Depth (ft)</b> | <b>Offset Measured Depth (ft)</b> | <b>Distance Between Centres (ft)</b> | <b>Distance Between Ellipses (ft)</b> | <b>Separation Factor</b> | <b>Warning</b> |
| <b>Offset Well - Wellbore - Design</b> |                                      |                                   |                                      |                                       |                          |                |
| M24 2307 Pad                           |                                      |                                   |                                      |                                       |                          |                |
| # 201H - Original Drilling - APD Rev 1 | 350                                  | 350                               | 20                                   | 18                                    | 8.859                    | CC             |
| # 201H - Original Drilling - APD Rev 1 | 400                                  | 400                               | 20                                   | 18                                    | 7.770                    | ES             |
| # 201H - Original Drilling - APD Rev 1 | 11,804                               | 11,584                            | 680                                  | 361                                   | 2.129                    | SF             |
| # 203H - Original Drilling - APD Rev 1 | 350                                  | 350                               | 60                                   | 58                                    | 24.876                   | CC, ES         |
| # 203H - Original Drilling - APD Rev 1 | 600                                  | 594                               | 76                                   | 72                                    | 18.404                   | SF             |
| # 205H - Original Drilling - APD Rev 1 | 350                                  | 350                               | 22                                   | 19                                    | 8.973                    | CC             |
| # 205H - Original Drilling - APD Rev 1 | 700                                  | 701                               | 23                                   | 18                                    | 4.701                    | ES             |
| # 205H - Original Drilling - APD Rev 1 | 4994                                 | 4995                              | 104                                  | 54                                    | 2.070                    | SF             |
| # 550H - Original Drilling - APD Rev 1 | 350                                  | 350                               | 40                                   | 38                                    | 16.584                   | CC             |
| # 550H - Original Drilling - APD Rev 1 | 500                                  | 501                               | 40                                   | 37                                    | 11.796                   | ES             |
| # 550H - Original Drilling - APD Rev 1 | 900                                  | 901                               | 49                                   | 43                                    | 7.696                    | SF             |
| Ballymaloe 2 - OH - OH                 | 9267                                 | 5394                              | 515                                  | 245                                   | 1.906                    | CC             |
| Ballymaloe 2 - OH - OH                 | 9300                                 | 5394                              | 516                                  | 244                                   | 1.899                    | ES, SF         |

|                            |                                                       |                   |                        |                    |                    |                               |                   |                             |                              |                        |                           |      |
|----------------------------|-------------------------------------------------------|-------------------|------------------------|--------------------|--------------------|-------------------------------|-------------------|-----------------------------|------------------------------|------------------------|---------------------------|------|
| <b>Offset Design:</b>      | M24 2307 Pad - # 201H - Original Drilling - APD Rev 1 |                   |                        |                    |                    |                               |                   |                             |                              |                        | <b>Offset Site Error:</b> | 0 ft |
| <b>Survey Program:</b>     | 0-MWD+IGRF                                            |                   |                        |                    |                    |                               |                   |                             |                              |                        | <b>Offset Well Error:</b> | 0 ft |
| <b>Reference</b>           | <b>Vertical</b>                                       | <b>Offset</b>     | <b>Semi Major Axis</b> | <b>Offset</b>      | <b>Highside</b>    | <b>Offset Wellbore Centre</b> | <b>Distance</b>   | <b>Rule Assigned:</b>       | <b>Minimum</b>               | <b>Separation</b>      | <b>Warning</b>            |      |
| <b>Measured Depth (ft)</b> | <b>Depth (ft)</b>                                     | <b>Depth (ft)</b> | <b>Reference (ft)</b>  | <b>Offset (ft)</b> | <b>Tooface (°)</b> | <b>+N/-S (ft)</b>             | <b>+E/-W (ft)</b> | <b>Between Centres (ft)</b> | <b>Between Ellipses (ft)</b> | <b>Separation (ft)</b> |                           |      |
| 0                          | 0                                                     | 0                 | 0                      | 0                  | 138.35             | -15                           | 13                | 20                          |                              |                        |                           |      |
| 100                        | 100                                                   | 100               | 0                      | 0                  | 138.35             | -15                           | 13                | 20                          | 20                           | 0.46                   | 43.192                    |      |
| 200                        | 200                                                   | 200               | 1                      | 1                  | 138.35             | -15                           | 13                | 20                          | 19                           | 1.18                   | 16.936                    |      |
| 300                        | 300                                                   | 300               | 1                      | 1                  | 138.35             | -15                           | 13                | 20                          | 18                           | 1.90                   | 10.533                    |      |
| 350                        | 350                                                   | 350               | 1                      | 1                  | 138.35             | -15                           | 13                | 20                          | 18                           | 2.25                   | 8.859                     | CC   |
| 400                        | 400                                                   | 400               | 1                      | 1                  | -63.54             | -15                           | 13                | 20                          | 18                           | 2.60                   | 7.770                     | ES   |
| 500                        | 500                                                   | 499               | 2                      | 2                  | -67.64             | -19                           | 14                | 22                          | 19                           | 3.26                   | 6.674                     |      |
| 600                        | 600                                                   | 598               | 2                      | 2                  | -74.16             | -25                           | 16                | 25                          | 21                           | 3.95                   | 6.385                     |      |
| 700                        | 699                                                   | 697               | 2                      | 2                  | -81.03             | -35                           | 19                | 31                          | 26                           | 4.68                   | 6.603                     |      |
| 800                        | 798                                                   | 796               | 3                      | 3                  | -86.93             | -48                           | 23                | 39                          | 33                           | 5.45                   | 7.130                     |      |
| 900                        | 897                                                   | 895               | 3                      | 3                  | -91.51             | -65                           | 27                | 49                          | 43                           | 6.28                   | 7.828                     |      |
| 1000                       | 994                                                   | 993               | 4                      | 4                  | -95.33             | -84                           | 33                | 62                          | 54                           | 7.19                   | 8.561                     |      |
| 1098                       | 1090                                                  | 1091              | 4                      | 4                  | -100.12            | -103                          | 38                | 75                          | 66                           | 8.15                   | 9.155                     |      |
| 1100                       | 1091                                                  | 1092              | 4                      | 4                  | -100.21            | -103                          | 38                | 75                          | 67                           | 8.16                   | 9.163                     |      |
| 1200                       | 1188                                                  | 1191              | 5                      | 5                  | -104.85            | -123                          | 43                | 89                          | 80                           | 9.18                   | 9.691                     |      |

CC - Min centre to center distance or convergent point, SF - min separation factor, ES - min ellipse separation



# Lonestar Consulting, LLC

## Anticollision Report



|                           |                    |                                     |                             |
|---------------------------|--------------------|-------------------------------------|-----------------------------|
| <b>Company:</b>           | DJR Operating      | <b>Local Co-ordinate Reference:</b> | Well # 540H - Slot 2        |
| <b>Project:</b>           | North Alamito Unit | <b>TVD Reference:</b>               | GL 7121' & RKB 14' @ 7135ft |
| <b>Reference Site:</b>    | M24 2307 Pad       | <b>MD Reference:</b>                | GL 7121' & RKB 14' @ 7135ft |
| <b>Site Error:</b>        | 0 ft               | <b>North Reference:</b>             | True                        |
| <b>Reference Well:</b>    | # 540H             | <b>Survey Calculation Method:</b>   | Minimum Curvature           |
| <b>Well Error:</b>        | 0 ft               | <b>Output errors are at</b>         | 2.00 sigma                  |
| <b>Reference Wellbore</b> | Original Drilling  | <b>Database:</b>                    | Grand Junction              |
| <b>Reference Design:</b>  | APD Rev 1          | <b>Offset TVD Reference:</b>        | Offset Datum                |

|                                                                             |                            |                            |                            |                       |                    |                              |                   |                   |                             |                              |                                |                          |                           |      |
|-----------------------------------------------------------------------------|----------------------------|----------------------------|----------------------------|-----------------------|--------------------|------------------------------|-------------------|-------------------|-----------------------------|------------------------------|--------------------------------|--------------------------|---------------------------|------|
| <b>Offset Design:</b> M24 2307 Pad - # 201H - Original Drilling - APD Rev 1 |                            |                            |                            |                       |                    |                              |                   |                   |                             |                              |                                |                          | <b>Offset Site Error:</b> | 0 ft |
| <b>Survey Program:</b> 0-MWD+IGRF                                           |                            |                            |                            |                       |                    |                              |                   |                   |                             |                              |                                |                          | <b>Offset Well Error:</b> | 0 ft |
| <b>Reference</b>                                                            | <b>Offset</b>              | <b>Semi Major Axis</b>     |                            | <b>Distance</b>       |                    | <b>Rule Assigned:</b>        |                   | <b>Warning</b>    |                             |                              |                                |                          |                           |      |
| <b>Measured Depth (ft)</b>                                                  | <b>Vertical Depth (ft)</b> | <b>Measured Depth (ft)</b> | <b>Vertical Depth (ft)</b> | <b>Reference (ft)</b> | <b>Offset (ft)</b> | <b>Highside Toolface (°)</b> | <b>+N/-S (ft)</b> | <b>+E/-W (ft)</b> | <b>Between Centres (ft)</b> | <b>Between Ellipses (ft)</b> | <b>Minimum Separation (ft)</b> | <b>Separation Factor</b> |                           |      |
| 1300                                                                        | 1285                       | 1290                       | 1278                       | 5                     | 5                  | -108.20                      | -142              | 49                | 103                         | 93                           | 10.20                          | 10.144                   |                           |      |
| 1400                                                                        | 1381                       | 1389                       | 1375                       | 6                     | 6                  | -110.73                      | -161              | 54                | 118                         | 107                          | 11.22                          | 10.531                   |                           |      |
| 1500                                                                        | 1478                       | 1487                       | 1472                       | 6                     | 6                  | -112.69                      | -181              | 60                | 133                         | 121                          | 12.26                          | 10.863                   |                           |      |
| 1600                                                                        | 1574                       | 1586                       | 1568                       | 7                     | 7                  | -114.26                      | -200              | 65                | 148                         | 135                          | 13.30                          | 11.149                   |                           |      |
| 1700                                                                        | 1671                       | 1685                       | 1665                       | 8                     | 7                  | -115.53                      | -220              | 71                | 163                         | 149                          | 14.34                          | 11.398                   |                           |      |
| 1800                                                                        | 1768                       | 1784                       | 1762                       | 8                     | 8                  | -116.59                      | -239              | 76                | 179                         | 163                          | 15.38                          | 11.615                   |                           |      |
| 1900                                                                        | 1864                       | 1883                       | 1858                       | 9                     | 8                  | -117.49                      | -259              | 82                | 194                         | 177                          | 16.43                          | 11.806                   |                           |      |
| 2000                                                                        | 1961                       | 1981                       | 1955                       | 9                     | 9                  | -118.25                      | -278              | 87                | 209                         | 192                          | 17.47                          | 11.976                   |                           |      |
| 2100                                                                        | 2058                       | 2080                       | 2052                       | 10                    | 9                  | -118.91                      | -297              | 92                | 225                         | 206                          | 18.52                          | 12.127                   |                           |      |
| 2200                                                                        | 2154                       | 2179                       | 2149                       | 11                    | 10                 | -119.48                      | -317              | 98                | 240                         | 220                          | 19.57                          | 12.262                   |                           |      |
| 2300                                                                        | 2251                       | 2278                       | 2245                       | 11                    | 10                 | -119.99                      | -336              | 103               | 255                         | 235                          | 20.62                          | 12.384                   |                           |      |
| 2400                                                                        | 2347                       | 2376                       | 2342                       | 12                    | 11                 | -120.43                      | -356              | 109               | 271                         | 249                          | 21.67                          | 12.495                   |                           |      |
| 2500                                                                        | 2444                       | 2475                       | 2439                       | 12                    | 11                 | -120.83                      | -375              | 114               | 286                         | 263                          | 22.72                          | 12.595                   |                           |      |
| 2600                                                                        | 2541                       | 2574                       | 2535                       | 13                    | 12                 | -121.19                      | -394              | 120               | 302                         | 278                          | 23.78                          | 12.687                   |                           |      |
| 2700                                                                        | 2637                       | 2673                       | 2632                       | 14                    | 12                 | -121.51                      | -414              | 125               | 317                         | 292                          | 24.83                          | 12.771                   |                           |      |
| 2800                                                                        | 2734                       | 2772                       | 2729                       | 14                    | 13                 | -121.81                      | -433              | 131               | 333                         | 307                          | 25.88                          | 12.849                   |                           |      |
| 2900                                                                        | 2830                       | 2870                       | 2826                       | 15                    | 13                 | -122.07                      | -453              | 136               | 348                         | 321                          | 26.94                          | 12.920                   |                           |      |
| 3000                                                                        | 2927                       | 2969                       | 2922                       | 15                    | 14                 | -122.32                      | -472              | 141               | 364                         | 336                          | 27.99                          | 12.986                   |                           |      |
| 3100                                                                        | 3024                       | 3068                       | 3019                       | 16                    | 14                 | -122.54                      | -492              | 147               | 379                         | 350                          | 29.05                          | 13.048                   |                           |      |
| 3200                                                                        | 3120                       | 3167                       | 3116                       | 17                    | 15                 | -122.75                      | -511              | 152               | 394                         | 364                          | 30.10                          | 13.105                   |                           |      |
| 3300                                                                        | 3217                       | 3265                       | 3212                       | 17                    | 15                 | -122.94                      | -530              | 158               | 410                         | 379                          | 31.16                          | 13.158                   |                           |      |
| 3400                                                                        | 3313                       | 3364                       | 3309                       | 18                    | 16                 | -123.12                      | -550              | 163               | 425                         | 393                          | 32.21                          | 13.208                   |                           |      |
| 3500                                                                        | 3410                       | 3463                       | 3406                       | 18                    | 16                 | -123.28                      | -569              | 169               | 441                         | 408                          | 33.27                          | 13.254                   |                           |      |
| 3600                                                                        | 3507                       | 3562                       | 3502                       | 19                    | 17                 | -123.44                      | -589              | 174               | 456                         | 422                          | 34.33                          | 13.298                   |                           |      |
| 3700                                                                        | 3603                       | 3661                       | 3599                       | 20                    | 17                 | -123.58                      | -608              | 179               | 472                         | 437                          | 35.38                          | 13.339                   |                           |      |
| 3800                                                                        | 3700                       | 3759                       | 3696                       | 20                    | 18                 | -123.72                      | -628              | 185               | 487                         | 451                          | 36.44                          | 13.378                   |                           |      |
| 3900                                                                        | 3796                       | 3858                       | 3793                       | 21                    | 18                 | -123.84                      | -647              | 190               | 503                         | 465                          | 37.50                          | 13.414                   |                           |      |
| 4000                                                                        | 3893                       | 3957                       | 3889                       | 21                    | 19                 | -123.96                      | -666              | 196               | 519                         | 480                          | 38.55                          | 13.449                   |                           |      |
| 4100                                                                        | 3990                       | 4056                       | 3986                       | 22                    | 20                 | -124.07                      | -686              | 201               | 534                         | 494                          | 39.61                          | 13.482                   |                           |      |
| 4200                                                                        | 4086                       | 4155                       | 4083                       | 23                    | 20                 | -124.18                      | -705              | 207               | 550                         | 509                          | 40.67                          | 13.513                   |                           |      |
| 4300                                                                        | 4183                       | 4253                       | 4179                       | 23                    | 21                 | -124.28                      | -725              | 212               | 565                         | 523                          | 41.73                          | 13.542                   |                           |      |
| 4400                                                                        | 4279                       | 4352                       | 4276                       | 24                    | 21                 | -124.37                      | -744              | 218               | 581                         | 538                          | 42.78                          | 13.570                   |                           |      |
| 4500                                                                        | 4376                       | 4451                       | 4373                       | 25                    | 22                 | -124.46                      | -764              | 223               | 596                         | 552                          | 43.84                          | 13.597                   |                           |      |
| 4600                                                                        | 4473                       | 4550                       | 4469                       | 25                    | 22                 | -124.55                      | -783              | 228               | 612                         | 567                          | 44.90                          | 13.622                   |                           |      |
| 4700                                                                        | 4569                       | 4648                       | 4566                       | 26                    | 23                 | -124.63                      | -802              | 234               | 627                         | 581                          | 45.96                          | 13.646                   |                           |      |
| 4800                                                                        | 4666                       | 4747                       | 4663                       | 26                    | 23                 | -124.70                      | -822              | 239               | 643                         | 596                          | 47.02                          | 13.669                   |                           |      |
| 4900                                                                        | 4763                       | 4846                       | 4760                       | 27                    | 24                 | -124.78                      | -841              | 245               | 658                         | 610                          | 48.07                          | 13.691                   |                           |      |
| 4994                                                                        | 4854                       | 4939                       | 4851                       | 28                    | 24                 | -124.84                      | -860              | 250               | 673                         | 624                          | 49.07                          | 13.711                   |                           |      |
| 5000                                                                        | 4859                       | 4945                       | 4856                       | 28                    | 24                 | -122.82                      | -861              | 250               | 674                         | 625                          | 49.13                          | 13.712                   |                           |      |
| 5050                                                                        | 4907                       | 4994                       | 4905                       | 28                    | 24                 | -107.66                      | -870              | 253               | 680                         | 630                          | 49.66                          | 13.693                   |                           |      |
| 5100                                                                        | 4954                       | 5044                       | 4953                       | 28                    | 25                 | -97.66                       | -880              | 256               | 684                         | 634                          | 50.19                          | 13.626                   |                           |      |
| 5150                                                                        | 5000                       | 5093                       | 5001                       | 29                    | 25                 | -91.38                       | -890              | 258               | 686                         | 635                          | 50.71                          | 13.518                   |                           |      |
| 5200                                                                        | 5044                       | 5140                       | 5048                       | 29                    | 25                 | -87.67                       | -899              | 261               | 685                         | 634                          | 51.21                          | 13.375                   |                           |      |
| 5250                                                                        | 5086                       | 5187                       | 5093                       | 29                    | 25                 | -85.75                       | -908              | 264               | 683                         | 631                          | 51.68                          | 13.206                   |                           |      |
| 5300                                                                        | 5125                       | 5218                       | 5124                       | 30                    | 26                 | -84.56                       | -915              | 266               | 679                         | 627                          | 51.98                          | 13.060                   |                           |      |
| 5350                                                                        | 5162                       | 5250                       | 5154                       | 30                    | 26                 | -84.14                       | -923              | 269               | 675                         | 623                          | 52.27                          | 12.910                   |                           |      |
| 5400                                                                        | 5196                       | 5278                       | 5181                       | 31                    | 26                 | -84.16                       | -931              | 273               | 671                         | 618                          | 52.51                          | 12.769                   |                           |      |
| 5450                                                                        | 5226                       | 5308                       | 5209                       | 31                    | 26                 | -84.71                       | -940              | 279               | 666                         | 613                          | 52.79                          | 12.620                   |                           |      |
| 5500                                                                        | 5253                       | 5339                       | 5237                       | 31                    | 27                 | -85.63                       | -951              | 286               | 662                         | 609                          | 53.08                          | 12.469                   |                           |      |
| 5550                                                                        | 5276                       | 5370                       | 5265                       | 32                    | 27                 | -86.85                       | -963              | 294               | 658                         | 604                          | 53.40                          | 12.317                   |                           |      |
| 5600                                                                        | 5295                       | 5400                       | 5290                       | 32                    | 27                 | -88.21                       | -976              | 302               | 654                         | 600                          | 53.70                          | 12.182                   |                           |      |
| 5650                                                                        | 5310                       | 5435                       | 5319                       | 33                    | 27                 | -90.01                       | -992              | 314               | 651                         | 597                          | 54.16                          | 12.020                   |                           |      |

CC - Min centre to center distance or convergent point, SF - min separation factor, ES - min ellipse separation



# Lonestar Consulting, LLC

## Anticollision Report



|                           |                    |                                     |                             |
|---------------------------|--------------------|-------------------------------------|-----------------------------|
| <b>Company:</b>           | DJR Operating      | <b>Local Co-ordinate Reference:</b> | Well # 540H - Slot 2        |
| <b>Project:</b>           | North Alamito Unit | <b>TVD Reference:</b>               | GL 7121' & RKB 14' @ 7135ft |
| <b>Reference Site:</b>    | M24 2307 Pad       | <b>MD Reference:</b>                | GL 7121' & RKB 14' @ 7135ft |
| <b>Site Error:</b>        | 0 ft               | <b>North Reference:</b>             | True                        |
| <b>Reference Well:</b>    | # 540H             | <b>Survey Calculation Method:</b>   | Minimum Curvature           |
| <b>Well Error:</b>        | 0 ft               | <b>Output errors are at</b>         | 2.00 sigma                  |
| <b>Reference Wellbore</b> | Original Drilling  | <b>Database:</b>                    | Grand Junction              |
| <b>Reference Design:</b>  | APD Rev 1          | <b>Offset TVD Reference:</b>        | Offset Datum                |

| Offset Design: M24 2307 Pad - # 201H - Original Drilling - APD Rev 1 |            |            |            |                 |             |                       |                        |                |                      |                       |                         |                   | Offset Site Error: | 0 ft |
|----------------------------------------------------------------------|------------|------------|------------|-----------------|-------------|-----------------------|------------------------|----------------|----------------------|-----------------------|-------------------------|-------------------|--------------------|------|
| Survey Program:                                                      |            | 0-MWD+IGRF |            |                 |             |                       |                        | Rule Assigned: |                      |                       |                         |                   | Offset Well Error: | 0 ft |
| Measured Depth                                                       | Vertical   | Measured   | Vertical   | Semi Major Axis |             |                       | Offset Wellbore Centre |                | Distance             |                       |                         |                   | Warning            |      |
| Depth (ft)                                                           | Depth (ft) | Depth (ft) | Depth (ft) | Reference (ft)  | Offset (ft) | Highside Toolface (°) | +N/-S (ft)             | +E/-W (ft)     | Between Centres (ft) | Between Ellipses (ft) | Minimum Separation (ft) | Separation Factor |                    |      |
| 5700                                                                 | 5320       | 5468       | 5345       | 33              | 28          | -91.87                | -1008                  | 326            | 649                  | 594                   | 54.60                   | 11.881            |                    |      |
| 5750                                                                 | 5326       | 5502       | 5371       | 34              | 28          | -93.88                | -1026                  | 340            | 647                  | 592                   | 55.08                   | 11.752            |                    |      |
| 5783                                                                 | 5328       | 5526       | 5387       | 34              | 28          | -95.28                | -1038                  | 351            | 647                  | 592                   | 55.43                   | 11.671            |                    |      |
| 5797                                                                 | 5328       | 5536       | 5395       | 35              | 28          | -95.90                | -1044                  | 355            | 647                  | 591                   | 55.57                   | 11.643            |                    |      |
| 5798                                                                 | 5328       | 5536       | 5395       | 35              | 28          | -95.92                | -1044                  | 355            | 647                  | 591                   | 55.57                   | 11.642            |                    |      |
| 5800                                                                 | 5328       | 5538       | 5396       | 35              | 29          | -96.02                | -1045                  | 356            | 647                  | 591                   | 55.60                   | 11.637            |                    |      |
| 5804                                                                 | 5328       | 5541       | 5398       | 35              | 29          | -96.22                | -1047                  | 358            | 647                  | 591                   | 55.69                   | 11.619            |                    |      |
| 5900                                                                 | 5327       | 5620       | 5448       | 36              | 30          | -100.66               | -1094                  | 397            | 651                  | 594                   | 57.01                   | 11.414            |                    |      |
| 5904                                                                 | 5327       | 5625       | 5450       | 36              | 30          | -100.87               | -1097                  | 400            | 651                  | 594                   | 57.09                   | 11.404            |                    |      |
| 6000                                                                 | 5327       | 5725       | 5499       | 37              | 31          | -105.16               | -1163                  | 458            | 658                  | 599                   | 59.37                   | 11.083            |                    |      |
| 6004                                                                 | 5327       | 5730       | 5501       | 37              | 31          | -105.34               | -1166                  | 461            | 658                  | 599                   | 59.50                   | 11.064            |                    |      |
| 6100                                                                 | 5326       | 5851       | 5536       | 39              | 33          | -108.39               | -1251                  | 540            | 664                  | 601                   | 63.06                   | 10.535            |                    |      |
| 6104                                                                 | 5326       | 5857       | 5537       | 39              | 33          | -108.48               | -1255                  | 544            | 665                  | 601                   | 63.26                   | 10.505            |                    |      |
| 6200                                                                 | 5326       | 5980       | 5545       | 40              | 35          | -109.20               | -1342                  | 630            | 666                  | 599                   | 67.65                   | 9.847             |                    |      |
| 6204                                                                 | 5326       | 5984       | 5545       | 40              | 35          | -109.20               | -1345                  | 633            | 666                  | 598                   | 67.81                   | 9.825             |                    |      |
| 6300                                                                 | 5325       | 6080       | 5544       | 42              | 37          | -109.19               | -1413                  | 700            | 666                  | 595                   | 71.29                   | 9.348             |                    |      |
| 6304                                                                 | 5325       | 6084       | 5544       | 42              | 37          | -109.19               | -1416                  | 703            | 666                  | 595                   | 71.46                   | 9.327             |                    |      |
| 6400                                                                 | 5325       | 6180       | 5544       | 44              | 39          | -109.18               | -1484                  | 770            | 667                  | 592                   | 75.05                   | 8.884             |                    |      |
| 6404                                                                 | 5325       | 6184       | 5544       | 44              | 39          | -109.18               | -1487                  | 774            | 667                  | 592                   | 75.22                   | 8.864             |                    |      |
| 6500                                                                 | 5324       | 6280       | 5543       | 45              | 41          | -109.17               | -1555                  | 841            | 667                  | 588                   | 78.91                   | 8.452             |                    |      |
| 6504                                                                 | 5324       | 6284       | 5543       | 46              | 41          | -109.17               | -1558                  | 844            | 667                  | 588                   | 79.08                   | 8.434             |                    |      |
| 6600                                                                 | 5323       | 6380       | 5542       | 47              | 43          | -109.16               | -1626                  | 911            | 667                  | 584                   | 82.86                   | 8.052             |                    |      |
| 6604                                                                 | 5323       | 6384       | 5542       | 47              | 43          | -109.16               | -1629                  | 915            | 667                  | 584                   | 83.04                   | 8.035             |                    |      |
| 6700                                                                 | 5323       | 6480       | 5542       | 49              | 45          | -109.15               | -1697                  | 982            | 667                  | 581                   | 86.89                   | 7.682             |                    |      |
| 6704                                                                 | 5323       | 6484       | 5542       | 49              | 45          | -109.15               | -1700                  | 985            | 667                  | 580                   | 87.07                   | 7.666             |                    |      |
| 6800                                                                 | 5322       | 6580       | 5541       | 51              | 47          | -109.14               | -1768                  | 1052           | 668                  | 577                   | 90.98                   | 7.339             |                    |      |
| 6804                                                                 | 5322       | 6584       | 5541       | 51              | 47          | -109.13               | -1771                  | 1055           | 668                  | 577                   | 91.16                   | 7.324             |                    |      |
| 6900                                                                 | 5322       | 6680       | 5541       | 53              | 49          | -109.12               | -1839                  | 1123           | 668                  | 573                   | 95.13                   | 7.021             |                    |      |
| 6904                                                                 | 5322       | 6684       | 5540       | 53              | 49          | -109.12               | -1842                  | 1126           | 668                  | 573                   | 95.32                   | 7.008             |                    |      |
| 7000                                                                 | 5321       | 6780       | 5540       | 55              | 51          | -109.11               | -1910                  | 1193           | 668                  | 569                   | 99.33                   | 6.727             |                    |      |
| 7004                                                                 | 5321       | 6784       | 5540       | 56              | 51          | -109.11               | -1913                  | 1196           | 668                  | 569                   | 99.52                   | 6.714             |                    |      |
| 7100                                                                 | 5321       | 6880       | 5539       | 58              | 53          | -109.10               | -1981                  | 1264           | 668                  | 565                   | 103.58                  | 6.453             |                    |      |
| 7104                                                                 | 5321       | 6884       | 5539       | 58              | 53          | -109.10               | -1984                  | 1267           | 668                  | 565                   | 103.77                  | 6.442             |                    |      |
| 7200                                                                 | 5320       | 6980       | 5539       | 60              | 56          | -109.09               | -2052                  | 1334           | 669                  | 561                   | 107.87                  | 6.199             |                    |      |
| 7204                                                                 | 5320       | 6984       | 5539       | 60              | 56          | -109.09               | -2055                  | 1337           | 669                  | 561                   | 108.06                  | 6.188             |                    |      |
| 7300                                                                 | 5319       | 7080       | 5538       | 62              | 58          | -109.08               | -2123                  | 1405           | 669                  | 557                   | 112.19                  | 5.962             |                    |      |
| 7304                                                                 | 5319       | 7084       | 5538       | 62              | 58          | -109.08               | -2126                  | 1408           | 669                  | 557                   | 112.38                  | 5.952             |                    |      |
| 7400                                                                 | 5319       | 7180       | 5537       | 64              | 60          | -109.07               | -2193                  | 1475           | 669                  | 553                   | 116.54                  | 5.742             |                    |      |
| 7404                                                                 | 5319       | 7184       | 5537       | 64              | 60          | -109.07               | -2197                  | 1478           | 669                  | 552                   | 116.74                  | 5.732             |                    |      |
| 7500                                                                 | 5318       | 7280       | 5537       | 66              | 62          | -109.05               | -2264                  | 1546           | 669                  | 548                   | 120.93                  | 5.536             |                    |      |
| 7504                                                                 | 5318       | 7284       | 5537       | 66              | 62          | -109.05               | -2268                  | 1549           | 669                  | 548                   | 121.12                  | 5.527             |                    |      |
| 7600                                                                 | 5318       | 7380       | 5536       | 69              | 65          | -109.04               | -2335                  | 1616           | 670                  | 544                   | 125.33                  | 5.343             |                    |      |
| 7604                                                                 | 5318       | 7384       | 5536       | 69              | 65          | -109.04               | -2338                  | 1619           | 670                  | 544                   | 125.53                  | 5.335             |                    |      |
| 7700                                                                 | 5317       | 7480       | 5536       | 71              | 67          | -109.03               | -2406                  | 1687           | 670                  | 540                   | 129.76                  | 5.163             |                    |      |
| 7704                                                                 | 5317       | 7484       | 5536       | 71              | 67          | -109.03               | -2409                  | 1690           | 670                  | 540                   | 129.96                  | 5.155             |                    |      |
| 7800                                                                 | 5317       | 7580       | 5535       | 73              | 69          | -109.02               | -2477                  | 1757           | 670                  | 536                   | 134.21                  | 4.993             |                    |      |
| 7804                                                                 | 5317       | 7584       | 5535       | 73              | 69          | -109.02               | -2480                  | 1760           | 670                  | 536                   | 134.41                  | 4.986             |                    |      |
| 7900                                                                 | 5316       | 7680       | 5534       | 75              | 71          | -109.01               | -2548                  | 1828           | 670                  | 532                   | 138.68                  | 4.834             |                    |      |
| 7904                                                                 | 5316       | 7684       | 5534       | 75              | 72          | -109.01               | -2551                  | 1831           | 670                  | 532                   | 138.88                  | 4.827             |                    |      |
| 8000                                                                 | 5315       | 7780       | 5534       | 78              | 74          | -109.00               | -2619                  | 1898           | 671                  | 527                   | 143.16                  | 4.684             |                    |      |
| 8004                                                                 | 5315       | 7784       | 5534       | 78              | 74          | -109.00               | -2622                  | 1901           | 671                  | 527                   | 143.36                  | 4.678             |                    |      |
| 8100                                                                 | 5315       | 7880       | 5533       | 80              | 76          | -108.99               | -2690                  | 1969           | 671                  | 523                   | 147.67                  | 4.543             |                    |      |

CC - Min centre to center distance or convergent point, SF - min separation factor, ES - min ellipse separation



# Lonestar Consulting, LLC

## Anticollision Report



|                           |                    |                                     |                             |
|---------------------------|--------------------|-------------------------------------|-----------------------------|
| <b>Company:</b>           | DJR Operating      | <b>Local Co-ordinate Reference:</b> | Well # 540H - Slot 2        |
| <b>Project:</b>           | North Alamito Unit | <b>TVD Reference:</b>               | GL 7121' & RKB 14' @ 7135ft |
| <b>Reference Site:</b>    | M24 2307 Pad       | <b>MD Reference:</b>                | GL 7121' & RKB 14' @ 7135ft |
| <b>Site Error:</b>        | 0 ft               | <b>North Reference:</b>             | True                        |
| <b>Reference Well:</b>    | # 540H             | <b>Survey Calculation Method:</b>   | Minimum Curvature           |
| <b>Well Error:</b>        | 0 ft               | <b>Output errors are at</b>         | 2.00 sigma                  |
| <b>Reference Wellbore</b> | Original Drilling  | <b>Database:</b>                    | Grand Junction              |
| <b>Reference Design:</b>  | APD Rev 1          | <b>Offset TVD Reference:</b>        | Offset Datum                |

|                                                                             |                                |                                |                                |                           |                        |                                  |                               |                       |                                 |                                  |                                    |                           |                |
|-----------------------------------------------------------------------------|--------------------------------|--------------------------------|--------------------------------|---------------------------|------------------------|----------------------------------|-------------------------------|-----------------------|---------------------------------|----------------------------------|------------------------------------|---------------------------|----------------|
| <b>Offset Design:</b> M24 2307 Pad - # 201H - Original Drilling - APD Rev 1 |                                |                                |                                |                           |                        |                                  |                               |                       |                                 |                                  |                                    | <b>Offset Site Error:</b> | 0 ft           |
| <b>Survey Program:</b> 0-MWD+IGRF                                           |                                |                                |                                |                           |                        |                                  |                               |                       |                                 |                                  |                                    | <b>Offset Well Error:</b> | 0 ft           |
| <b>Reference</b>                                                            |                                | <b>Offset</b>                  |                                | <b>Semi Major Axis</b>    |                        | <b>Highside Toolface<br/>(°)</b> | <b>Offset Wellbore Centre</b> |                       | <b>Distance</b>                 |                                  | <b>Minimum Separation<br/>(ft)</b> | <b>Separation Factor</b>  | <b>Warning</b> |
| <b>Measured Depth<br/>(ft)</b>                                              | <b>Vertical Depth<br/>(ft)</b> | <b>Measured Depth<br/>(ft)</b> | <b>Vertical Depth<br/>(ft)</b> | <b>Reference<br/>(ft)</b> | <b>Offset<br/>(ft)</b> |                                  | <b>+N/-S<br/>(ft)</b>         | <b>+E/-W<br/>(ft)</b> | <b>Between Centres<br/>(ft)</b> | <b>Between Ellipses<br/>(ft)</b> |                                    |                           |                |
| 8104                                                                        | 5315                           | 7884                           | 5533                           | 80                        | 76                     | -108.99                          | -2693                         | 1972                  | 671                             | 523                              | 147.87                             | 4.537                     |                |
| 8200                                                                        | 5314                           | 7980                           | 5532                           | 82                        | 78                     | -108.97                          | -2761                         | 2039                  | 671                             | 519                              | 152.18                             | 4.410                     |                |
| 8204                                                                        | 5314                           | 7984                           | 5532                           | 82                        | 79                     | -108.97                          | -2764                         | 2042                  | 671                             | 519                              | 152.38                             | 4.404                     |                |
| 8300                                                                        | 5314                           | 8080                           | 5532                           | 85                        | 81                     | -108.96                          | -2832                         | 2109                  | 671                             | 515                              | 156.71                             | 4.284                     |                |
| 8304                                                                        | 5314                           | 8084                           | 5532                           | 85                        | 81                     | -108.96                          | -2835                         | 2113                  | 671                             | 514                              | 156.91                             | 4.279                     |                |
| 8400                                                                        | 5313                           | 8180                           | 5531                           | 87                        | 83                     | -108.95                          | -2903                         | 2180                  | 672                             | 510                              | 161.25                             | 4.165                     |                |
| 8404                                                                        | 5313                           | 8184                           | 5531                           | 87                        | 83                     | -108.95                          | -2906                         | 2183                  | 672                             | 510                              | 161.45                             | 4.160                     |                |
| 8500                                                                        | 5313                           | 8280                           | 5531                           | 89                        | 86                     | -108.94                          | -2974                         | 2250                  | 672                             | 506                              | 165.80                             | 4.052                     |                |
| 8504                                                                        | 5313                           | 8284                           | 5531                           | 89                        | 86                     | -108.94                          | -2977                         | 2254                  | 672                             | 506                              | 166.00                             | 4.047                     |                |
| 8600                                                                        | 5312                           | 8380                           | 5530                           | 92                        | 88                     | -108.93                          | -3045                         | 2321                  | 672                             | 502                              | 170.36                             | 3.945                     |                |
| 8604                                                                        | 5312                           | 8384                           | 5530                           | 92                        | 88                     | -108.93                          | -3048                         | 2324                  | 672                             | 502                              | 170.56                             | 3.941                     |                |
| 8700                                                                        | 5311                           | 8480                           | 5529                           | 94                        | 90                     | -108.92                          | -3116                         | 2391                  | 672                             | 497                              | 174.93                             | 3.844                     |                |
| 8704                                                                        | 5311                           | 8484                           | 5529                           | 94                        | 90                     | -108.92                          | -3119                         | 2395                  | 672                             | 497                              | 175.13                             | 3.839                     |                |
| 8800                                                                        | 5311                           | 8580                           | 5529                           | 96                        | 93                     | -108.91                          | -3187                         | 2462                  | 673                             | 493                              | 179.50                             | 3.747                     |                |
| 8804                                                                        | 5311                           | 8584                           | 5529                           | 96                        | 93                     | -108.91                          | -3190                         | 2465                  | 673                             | 493                              | 179.71                             | 3.743                     |                |
| 8900                                                                        | 5310                           | 8680                           | 5528                           | 99                        | 95                     | -108.90                          | -3258                         | 2532                  | 673                             | 489                              | 184.09                             | 3.655                     |                |
| 8904                                                                        | 5310                           | 8684                           | 5528                           | 99                        | 95                     | -108.90                          | -3261                         | 2535                  | 673                             | 489                              | 184.30                             | 3.651                     |                |
| 9000                                                                        | 5310                           | 8780                           | 5528                           | 101                       | 98                     | -108.88                          | -3329                         | 2603                  | 673                             | 484                              | 188.68                             | 3.567                     |                |
| 9004                                                                        | 5310                           | 8784                           | 5528                           | 101                       | 98                     | -108.88                          | -3332                         | 2606                  | 673                             | 484                              | 188.89                             | 3.563                     |                |
| 9100                                                                        | 5309                           | 8880                           | 5527                           | 104                       | 100                    | -108.87                          | -3399                         | 2673                  | 673                             | 480                              | 193.29                             | 3.484                     |                |
| 9104                                                                        | 5309                           | 8884                           | 5527                           | 104                       | 100                    | -108.87                          | -3403                         | 2676                  | 673                             | 480                              | 193.49                             | 3.480                     |                |
| 9200                                                                        | 5309                           | 8980                           | 5526                           | 106                       | 102                    | -108.86                          | -3470                         | 2744                  | 674                             | 476                              | 197.89                             | 3.404                     |                |
| 9204                                                                        | 5309                           | 8984                           | 5526                           | 106                       | 102                    | -108.86                          | -3474                         | 2747                  | 674                             | 475                              | 198.10                             | 3.400                     |                |
| 9300                                                                        | 5308                           | 9080                           | 5526                           | 108                       | 105                    | -108.85                          | -3541                         | 2814                  | 674                             | 471                              | 202.51                             | 3.327                     |                |
| 9304                                                                        | 5308                           | 9084                           | 5526                           | 108                       | 105                    | -108.85                          | -3545                         | 2817                  | 674                             | 471                              | 202.71                             | 3.324                     |                |
| 9400                                                                        | 5307                           | 9180                           | 5525                           | 111                       | 107                    | -108.84                          | -3612                         | 2885                  | 674                             | 467                              | 207.13                             | 3.254                     |                |
| 9404                                                                        | 5307                           | 9184                           | 5525                           | 111                       | 107                    | -108.84                          | -3615                         | 2888                  | 674                             | 467                              | 207.33                             | 3.251                     |                |
| 9500                                                                        | 5307                           | 9280                           | 5524                           | 113                       | 110                    | -108.83                          | -3683                         | 2955                  | 674                             | 463                              | 211.75                             | 3.184                     |                |
| 9504                                                                        | 5307                           | 9284                           | 5524                           | 113                       | 110                    | -108.83                          | -3686                         | 2958                  | 674                             | 462                              | 211.96                             | 3.181                     |                |
| 9600                                                                        | 5306                           | 9380                           | 5524                           | 115                       | 112                    | -108.82                          | -3754                         | 3026                  | 675                             | 458                              | 216.38                             | 3.117                     |                |
| 9604                                                                        | 5306                           | 9384                           | 5524                           | 116                       | 112                    | -108.82                          | -3757                         | 3029                  | 675                             | 458                              | 216.59                             | 3.115                     |                |
| 9700                                                                        | 5306                           | 9480                           | 5523                           | 118                       | 114                    | -108.81                          | -3825                         | 3096                  | 675                             | 454                              | 221.02                             | 3.053                     |                |
| 9704                                                                        | 5306                           | 9484                           | 5523                           | 118                       | 115                    | -108.80                          | -3828                         | 3099                  | 675                             | 454                              | 221.22                             | 3.050                     |                |
| 9800                                                                        | 5305                           | 9580                           | 5523                           | 120                       | 117                    | -108.79                          | -3896                         | 3167                  | 675                             | 449                              | 225.65                             | 2.991                     |                |
| 9804                                                                        | 5305                           | 9584                           | 5523                           | 120                       | 117                    | -108.79                          | -3899                         | 3170                  | 675                             | 449                              | 225.86                             | 2.989                     |                |
| 9900                                                                        | 5305                           | 9680                           | 5522                           | 123                       | 119                    | -108.78                          | -3967                         | 3237                  | 675                             | 445                              | 230.30                             | 2.932                     |                |
| 9904                                                                        | 5305                           | 9684                           | 5522                           | 123                       | 119                    | -108.78                          | -3970                         | 3240                  | 675                             | 445                              | 230.51                             | 2.930                     |                |
| 10,000                                                                      | 5304                           | 9780                           | 5521                           | 125                       | 122                    | -108.77                          | -4038                         | 3308                  | 676                             | 441                              | 234.95                             | 2.875                     |                |
| 10,004                                                                      | 5304                           | 9784                           | 5521                           | 125                       | 122                    | -108.77                          | -4041                         | 3311                  | 676                             | 440                              | 235.15                             | 2.873                     |                |
| 10,100                                                                      | 5303                           | 9880                           | 5521                           | 128                       | 124                    | -108.76                          | -4109                         | 3378                  | 676                             | 436                              | 239.60                             | 2.820                     |                |
| 10,104                                                                      | 5303                           | 9884                           | 5521                           | 128                       | 124                    | -108.76                          | -4112                         | 3381                  | 676                             | 436                              | 239.80                             | 2.818                     |                |
| 10,200                                                                      | 5303                           | 9980                           | 5520                           | 130                       | 127                    | -108.75                          | -4180                         | 3448                  | 676                             | 432                              | 244.25                             | 2.768                     |                |
| 10,204                                                                      | 5303                           | 9984                           | 5520                           | 130                       | 127                    | -108.75                          | -4183                         | 3452                  | 676                             | 432                              | 244.46                             | 2.765                     |                |
| 10,300                                                                      | 5302                           | 10,080                         | 5520                           | 132                       | 129                    | -108.74                          | -4251                         | 3519                  | 676                             | 427                              | 248.91                             | 2.717                     |                |
| 10,304                                                                      | 5302                           | 10,084                         | 5519                           | 132                       | 129                    | -108.74                          | -4254                         | 3522                  | 676                             | 427                              | 249.12                             | 2.715                     |                |
| 10,400                                                                      | 5302                           | 10,180                         | 5519                           | 135                       | 131                    | -108.73                          | -4322                         | 3589                  | 677                             | 423                              | 253.57                             | 2.668                     |                |
| 10,404                                                                      | 5302                           | 10,184                         | 5519                           | 135                       | 132                    | -108.73                          | -4325                         | 3593                  | 677                             | 423                              | 253.78                             | 2.666                     |                |
| 10,500                                                                      | 5301                           | 10,280                         | 5518                           | 137                       | 134                    | -108.72                          | -4393                         | 3660                  | 677                             | 419                              | 258.24                             | 2.621                     |                |
| 10,504                                                                      | 5301                           | 10,284                         | 5518                           | 137                       | 134                    | -108.72                          | -4396                         | 3663                  | 677                             | 418                              | 258.45                             | 2.619                     |                |
| 10,600                                                                      | 5301                           | 10,380                         | 5518                           | 140                       | 136                    | -108.70                          | -4464                         | 3730                  | 677                             | 414                              | 262.91                             | 2.575                     |                |
| 10,604                                                                      | 5301                           | 10,384                         | 5518                           | 140                       | 136                    | -108.70                          | -4467                         | 3734                  | 677                             | 414                              | 263.12                             | 2.573                     |                |
| 10,700                                                                      | 5300                           | 10,480                         | 5517                           | 142                       | 139                    | -108.69                          | -4535                         | 3801                  | 677                             | 410                              | 267.58                             | 2.531                     |                |

CC - Min centre to center distance or convergent point, SF - min separation factor, ES - min ellipse separation



## Lonestar Consulting, LLC

## Anticollision Report



|                           |                    |                                     |                             |
|---------------------------|--------------------|-------------------------------------|-----------------------------|
| <b>Company:</b>           | DJR Operating      | <b>Local Co-ordinate Reference:</b> | Well # 540H - Slot 2        |
| <b>Project:</b>           | North Alamito Unit | <b>TVD Reference:</b>               | GL 7121' & RKB 14' @ 7135ft |
| <b>Reference Site:</b>    | M24 2307 Pad       | <b>MD Reference:</b>                | GL 7121' & RKB 14' @ 7135ft |
| <b>Site Error:</b>        | 0 ft               | <b>North Reference:</b>             | True                        |
| <b>Reference Well:</b>    | # 540H             | <b>Survey Calculation Method:</b>   | Minimum Curvature           |
| <b>Well Error:</b>        | 0 ft               | <b>Output errors are at</b>         | 2.00 sigma                  |
| <b>Reference Wellbore</b> | Original Drilling  | <b>Database:</b>                    | Grand Junction              |
| <b>Reference Design:</b>  | APD Rev 1          | <b>Offset TVD Reference:</b>        | Offset Datum                |

| <b>Offset Design:</b> M24 2307 Pad - # 201H - Original Drilling - APD Rev 1 |                        |                        |                        |           |                           |                             |                                         |               |                                        |                             |                               | <b>Offset Site Error:</b> | 0 ft    |
|-----------------------------------------------------------------------------|------------------------|------------------------|------------------------|-----------|---------------------------|-----------------------------|-----------------------------------------|---------------|----------------------------------------|-----------------------------|-------------------------------|---------------------------|---------|
| <b>Survey Program:</b> 0-MWD+IGRF                                           |                        |                        |                        |           |                           |                             |                                         |               |                                        |                             |                               | <b>Offset Well Error:</b> | 0 ft    |
| Measured Depth<br>(ft)                                                      | Vertical Depth<br>(ft) | Measured Depth<br>(ft) | Vertical Depth<br>(ft) | Reference | Semi Major Axis<br>Offset | Highside<br>Toolface<br>(°) | Offset Wellbore Centre<br>+N/-S<br>(ft) | +E/-W<br>(ft) | Distance<br>Between<br>Centres<br>(ft) | Between<br>Ellipses<br>(ft) | Minimum<br>Separation<br>(ft) | Separation<br>Factor      | Warning |
| 10,704                                                                      | 5300                   | 10,484                 | 5517                   | 142       | 139                       | -108.69                     | -4538                                   | 3804          | 677                                    | 409                         | 267.79                        | 2.529                     |         |
| 10,800                                                                      | 5299                   | 10,580                 | 5516                   | 145       | 141                       | -108.68                     | -4606                                   | 3871          | 677                                    | 405                         | 272.25                        | 2.488                     |         |
| 10,804                                                                      | 5299                   | 10,584                 | 5516                   | 145       | 141                       | -108.68                     | -4609                                   | 3874          | 678                                    | 405                         | 272.46                        | 2.487                     |         |
| 10,900                                                                      | 5299                   | 10,680                 | 5516                   | 147       | 144                       | -108.67                     | -4676                                   | 3942          | 678                                    | 401                         | 276.93                        | 2.447                     |         |
| 10,904                                                                      | 5299                   | 10,684                 | 5516                   | 147       | 144                       | -108.67                     | -4680                                   | 3945          | 678                                    | 401                         | 277.14                        | 2.446                     |         |
| 11,000                                                                      | 5298                   | 10,780                 | 5515                   | 149       | 146                       | -108.66                     | -4747                                   | 4012          | 678                                    | 396                         | 281.61                        | 2.408                     |         |
| 11,004                                                                      | 5298                   | 10,784                 | 5515                   | 150       | 146                       | -108.66                     | -4751                                   | 4015          | 678                                    | 396                         | 281.82                        | 2.406                     |         |
| 11,100                                                                      | 5298                   | 10,880                 | 5515                   | 152       | 149                       | -108.65                     | -4818                                   | 4083          | 678                                    | 392                         | 286.29                        | 2.369                     |         |
| 11,104                                                                      | 5298                   | 10,884                 | 5515                   | 152       | 149                       | -108.65                     | -4821                                   | 4086          | 678                                    | 392                         | 286.50                        | 2.367                     |         |
| 11,200                                                                      | 5297                   | 10,980                 | 5514                   | 154       | 151                       | -108.64                     | -4889                                   | 4153          | 678                                    | 388                         | 290.98                        | 2.332                     |         |
| 11,204                                                                      | 5297                   | 10,984                 | 5514                   | 154       | 151                       | -108.64                     | -4892                                   | 4156          | 678                                    | 387                         | 291.18                        | 2.330                     |         |
| 11,300                                                                      | 5297                   | 11,080                 | 5513                   | 157       | 153                       | -108.63                     | -4960                                   | 4224          | 679                                    | 383                         | 295.66                        | 2.296                     |         |
| 11,304                                                                      | 5297                   | 11,084                 | 5513                   | 157       | 154                       | -108.63                     | -4963                                   | 4227          | 679                                    | 383                         | 295.87                        | 2.294                     |         |
| 11,400                                                                      | 5296                   | 11,180                 | 5513                   | 159       | 156                       | -108.62                     | -5031                                   | 4294          | 679                                    | 379                         | 300.35                        | 2.261                     |         |
| 11,404                                                                      | 5296                   | 11,184                 | 5513                   | 159       | 156                       | -108.61                     | -5034                                   | 4297          | 679                                    | 378                         | 300.56                        | 2.259                     |         |
| 11,500                                                                      | 5295                   | 11,280                 | 5512                   | 162       | 158                       | -108.60                     | -5102                                   | 4365          | 679                                    | 374                         | 305.04                        | 2.227                     |         |
| 11,504                                                                      | 5295                   | 11,284                 | 5512                   | 162       | 158                       | -108.60                     | -5105                                   | 4368          | 679                                    | 374                         | 305.25                        | 2.225                     |         |
| 11,600                                                                      | 5295                   | 11,380                 | 5511                   | 164       | 161                       | -108.59                     | -5173                                   | 4435          | 679                                    | 370                         | 309.74                        | 2.194                     |         |
| 11,604                                                                      | 5295                   | 11,384                 | 5511                   | 164       | 161                       | -108.59                     | -5176                                   | 4438          | 679                                    | 370                         | 309.94                        | 2.192                     |         |
| 11,700                                                                      | 5294                   | 11,480                 | 5511                   | 166       | 163                       | -108.58                     | -5244                                   | 4506          | 680                                    | 365                         | 314.43                        | 2.162                     |         |
| 11,704                                                                      | 5294                   | 11,484                 | 5511                   | 167       | 163                       | -108.58                     | -5247                                   | 4509          | 680                                    | 365                         | 314.64                        | 2.160                     |         |
| 11,800                                                                      | 5294                   | 11,580                 | 5510                   | 169       | 166                       | -108.57                     | -5315                                   | 4576          | 680                                    | 361                         | 319.13                        | 2.131                     |         |
| 11,804                                                                      | 5294                   | 11,584                 | 5510                   | 169       | 166                       | -108.57                     | -5318                                   | 4579          | 680                                    | 361                         | 319.34                        | 2.129 SF                  |         |
| 11,900                                                                      | 5293                   | 11,621                 | 5510                   | 171       | 167                       | -108.57                     | -5344                                   | 4605          | 683                                    | 363                         | 319.31                        | 2.138                     |         |
| 11,901                                                                      | 5293                   | 11,621                 | 5510                   | 171       | 167                       | -108.57                     | -5344                                   | 4605          | 683                                    | 364                         | 319.26                        | 2.139                     |         |
| 11,922                                                                      | 5293                   | 11,621                 | 5510                   | 172       | 167                       | -108.57                     | -5344                                   | 4605          | 685                                    | 367                         | 318.04                        | 2.154                     |         |

CC - Min centre to center distance or convergent point, SF - min separation factor, ES - min ellipse separation



# Lonestar Consulting, LLC

## Anticollision Report



|                           |                    |                                     |                             |
|---------------------------|--------------------|-------------------------------------|-----------------------------|
| <b>Company:</b>           | DJR Operating      | <b>Local Co-ordinate Reference:</b> | Well # 540H - Slot 2        |
| <b>Project:</b>           | North Alamito Unit | <b>TVD Reference:</b>               | GL 7121' & RKB 14' @ 7135ft |
| <b>Reference Site:</b>    | M24 2307 Pad       | <b>MD Reference:</b>                | GL 7121' & RKB 14' @ 7135ft |
| <b>Site Error:</b>        | 0 ft               | <b>North Reference:</b>             | True                        |
| <b>Reference Well:</b>    | # 540H             | <b>Survey Calculation Method:</b>   | Minimum Curvature           |
| <b>Well Error:</b>        | 0 ft               | <b>Output errors are at</b>         | 2.00 sigma                  |
| <b>Reference Wellbore</b> | Original Drilling  | <b>Database:</b>                    | Grand Junction              |
| <b>Reference Design:</b>  | APD Rev 1          | <b>Offset TVD Reference:</b>        | Offset Datum                |

|                                                                             |                            |                            |                            |                       |                    |                              |                   |                   |                             |                              |                                |                          |                           |      |
|-----------------------------------------------------------------------------|----------------------------|----------------------------|----------------------------|-----------------------|--------------------|------------------------------|-------------------|-------------------|-----------------------------|------------------------------|--------------------------------|--------------------------|---------------------------|------|
| <b>Offset Design:</b> M24 2307 Pad - # 203H - Original Drilling - APD Rev 1 |                            |                            |                            |                       |                    |                              |                   |                   |                             |                              |                                |                          | <b>Offset Site Error:</b> | 0 ft |
| <b>Survey Program:</b> 0-MWD+IGRF                                           |                            |                            |                            |                       |                    |                              |                   |                   |                             |                              |                                |                          | <b>Offset Well Error:</b> | 0 ft |
| <b>Reference</b>                                                            | <b>Offset</b>              | <b>Semi Major Axis</b>     |                            | <b>Distance</b>       |                    | <b>Rule Assigned:</b>        |                   | <b>Warning</b>    |                             |                              |                                |                          |                           |      |
| <b>Measured Depth (ft)</b>                                                  | <b>Vertical Depth (ft)</b> | <b>Measured Depth (ft)</b> | <b>Vertical Depth (ft)</b> | <b>Reference (ft)</b> | <b>Offset (ft)</b> | <b>Highside Toolface (°)</b> | <b>+N/-S (ft)</b> | <b>+E/-W (ft)</b> | <b>Between Centres (ft)</b> | <b>Between Ellipses (ft)</b> | <b>Minimum Separation (ft)</b> | <b>Separation Factor</b> |                           |      |
| 0                                                                           | 0                          | 0                          | 0                          | 0                     | 0                  | -41.65                       | 45                | -40               | 60                          |                              |                                |                          |                           |      |
| 100                                                                         | 100                        | 100                        | 100                        | 0                     | 0                  | -41.65                       | 45                | -40               | 60                          | 59                           | 0.62                           | 97.184                   |                           |      |
| 200                                                                         | 200                        | 200                        | 200                        | 1                     | 1                  | -41.65                       | 45                | -40               | 60                          | 59                           | 1.33                           | 44.936                   |                           |      |
| 300                                                                         | 300                        | 300                        | 300                        | 1                     | 1                  | -41.65                       | 45                | -40               | 60                          | 58                           | 2.05                           | 29.225                   |                           |      |
| 350                                                                         | 350                        | 350                        | 350                        | 1                     | 1                  | -41.65                       | 45                | -40               | 60                          | 58                           | 2.41                           | 24.876 CC, ES            |                           |      |
| 400                                                                         | 400                        | 399                        | 399                        | 1                     | 1                  | 117.40                       | 45                | -40               | 61                          | 58                           | 2.76                           | 21.976                   |                           |      |
| 500                                                                         | 500                        | 497                        | 497                        | 2                     | 2                  | 120.22                       | 48                | -42               | 66                          | 62                           | 3.44                           | 19.074                   |                           |      |
| 600                                                                         | 600                        | 594                        | 593                        | 2                     | 2                  | 124.68                       | 53                | -46               | 76                          | 72                           | 4.14                           | 18.404 SF                |                           |      |
| 700                                                                         | 699                        | 691                        | 690                        | 2                     | 2                  | 129.46                       | 61                | -51               | 92                          | 87                           | 4.85                           | 19.005                   |                           |      |
| 800                                                                         | 798                        | 788                        | 787                        | 3                     | 3                  | 134.03                       | 69                | -57               | 112                         | 106                          | 5.58                           | 19.981                   |                           |      |
| 900                                                                         | 897                        | 885                        | 884                        | 3                     | 3                  | 138.15                       | 77                | -63               | 134                         | 128                          | 6.32                           | 21.186                   |                           |      |
| 1000                                                                        | 994                        | 982                        | 979                        | 4                     | 4                  | 141.78                       | 85                | -69               | 159                         | 152                          | 7.06                           | 22.570                   |                           |      |
| 1098                                                                        | 1090                       | 1075                       | 1073                       | 4                     | 4                  | 144.87                       | 92                | -74               | 188                         | 180                          | 7.80                           | 24.067                   |                           |      |
| 1100                                                                        | 1091                       | 1077                       | 1074                       | 4                     | 4                  | 144.92                       | 92                | -75               | 188                         | 180                          | 7.82                           | 24.074                   |                           |      |
| 1200                                                                        | 1188                       | 1171                       | 1168                       | 5                     | 4                  | 147.74                       | 100               | -80               | 219                         | 210                          | 8.56                           | 25.568                   |                           |      |
| 1300                                                                        | 1285                       | 1266                       | 1262                       | 5                     | 5                  | 149.87                       | 108               | -86               | 250                         | 241                          | 9.31                           | 26.857                   |                           |      |
| 1400                                                                        | 1381                       | 1361                       | 1357                       | 6                     | 5                  | 151.53                       | 116               | -92               | 281                         | 271                          | 10.06                          | 27.973                   |                           |      |
| 1500                                                                        | 1478                       | 1456                       | 1451                       | 6                     | 5                  | 152.85                       | 124               | -97               | 313                         | 302                          | 10.81                          | 28.945                   |                           |      |
| 1600                                                                        | 1574                       | 1550                       | 1545                       | 7                     | 6                  | 153.94                       | 131               | -103              | 344                         | 333                          | 11.56                          | 29.798                   |                           |      |
| 1700                                                                        | 1671                       | 1645                       | 1639                       | 8                     | 6                  | 154.84                       | 139               | -108              | 376                         | 364                          | 12.31                          | 30.551                   |                           |      |
| 1800                                                                        | 1768                       | 1740                       | 1733                       | 8                     | 7                  | 155.60                       | 147               | -114              | 408                         | 395                          | 13.06                          | 31.220                   |                           |      |
| 1900                                                                        | 1864                       | 1834                       | 1828                       | 9                     | 7                  | 156.25                       | 155               | -120              | 440                         | 426                          | 13.82                          | 31.818                   |                           |      |
| 2000                                                                        | 1961                       | 1929                       | 1922                       | 9                     | 7                  | 156.82                       | 162               | -125              | 471                         | 457                          | 14.57                          | 32.354                   |                           |      |
| 2100                                                                        | 2058                       | 2024                       | 2016                       | 10                    | 8                  | 157.31                       | 170               | -131              | 503                         | 488                          | 15.33                          | 32.839                   |                           |      |
| 2200                                                                        | 2154                       | 2118                       | 2110                       | 11                    | 8                  | 157.75                       | 178               | -137              | 535                         | 519                          | 16.08                          | 33.278                   |                           |      |
| 2300                                                                        | 2251                       | 2213                       | 2204                       | 11                    | 8                  | 158.13                       | 186               | -142              | 567                         | 550                          | 16.84                          | 33.677                   |                           |      |
| 2400                                                                        | 2347                       | 2308                       | 2299                       | 12                    | 9                  | 158.48                       | 193               | -148              | 599                         | 582                          | 17.60                          | 34.043                   |                           |      |
| 2500                                                                        | 2444                       | 2402                       | 2393                       | 12                    | 9                  | 158.79                       | 201               | -154              | 631                         | 613                          | 18.36                          | 34.378                   |                           |      |
| 2600                                                                        | 2541                       | 2497                       | 2487                       | 13                    | 10                 | 159.07                       | 209               | -159              | 663                         | 644                          | 19.12                          | 34.686                   |                           |      |
| 2700                                                                        | 2637                       | 2592                       | 2581                       | 14                    | 10                 | 159.32                       | 217               | -165              | 695                         | 675                          | 19.88                          | 34.971                   |                           |      |
| 2800                                                                        | 2734                       | 2687                       | 2676                       | 14                    | 10                 | 159.55                       | 224               | -171              | 727                         | 707                          | 20.64                          | 35.235                   |                           |      |
| 2900                                                                        | 2830                       | 2781                       | 2770                       | 15                    | 11                 | 159.77                       | 232               | -176              | 759                         | 738                          | 21.40                          | 35.480                   |                           |      |
| 3000                                                                        | 2927                       | 2876                       | 2864                       | 15                    | 11                 | 159.96                       | 240               | -182              | 791                         | 769                          | 22.16                          | 35.708                   |                           |      |
| 3100                                                                        | 3024                       | 2971                       | 2958                       | 16                    | 12                 | 160.14                       | 248               | -188              | 823                         | 800                          | 22.92                          | 35.920                   |                           |      |
| 3200                                                                        | 3120                       | 3065                       | 3052                       | 17                    | 12                 | 160.31                       | 256               | -193              | 855                         | 832                          | 23.68                          | 36.119                   |                           |      |
| 3300                                                                        | 3217                       | 3160                       | 3147                       | 17                    | 12                 | 160.46                       | 263               | -199              | 887                         | 863                          | 24.44                          | 36.305                   |                           |      |
| 3400                                                                        | 3313                       | 3255                       | 3241                       | 18                    | 13                 | 160.61                       | 271               | -205              | 919                         | 894                          | 25.20                          | 36.480                   |                           |      |
| 3500                                                                        | 3410                       | 3349                       | 3335                       | 18                    | 13                 | 160.74                       | 279               | -210              | 952                         | 926                          | 25.97                          | 36.645                   |                           |      |
| 3600                                                                        | 3507                       | 3444                       | 3429                       | 19                    | 13                 | 160.87                       | 287               | -216              | 984                         | 957                          | 26.73                          | 36.800                   |                           |      |
| 3700                                                                        | 3603                       | 3539                       | 3523                       | 20                    | 14                 | 160.98                       | 294               | -222              | 1016                        | 988                          | 27.49                          | 36.946                   |                           |      |
| 3800                                                                        | 3700                       | 3634                       | 3618                       | 20                    | 14                 | 161.09                       | 302               | -227              | 1048                        | 1019                         | 28.25                          | 37.084                   |                           |      |
| 3900                                                                        | 3796                       | 3728                       | 3712                       | 21                    | 15                 | 161.20                       | 310               | -233              | 1080                        | 1051                         | 29.02                          | 37.215                   |                           |      |
| 4000                                                                        | 3893                       | 3823                       | 3806                       | 21                    | 15                 | 161.29                       | 318               | -239              | 1112                        | 1082                         | 29.78                          | 37.339                   |                           |      |
| 4100                                                                        | 3990                       | 3918                       | 3900                       | 22                    | 15                 | 161.39                       | 325               | -244              | 1144                        | 1113                         | 30.54                          | 37.456                   |                           |      |
| 4200                                                                        | 4086                       | 4012                       | 3994                       | 23                    | 16                 | 161.47                       | 333               | -250              | 1176                        | 1145                         | 31.31                          | 37.568                   |                           |      |
| 4300                                                                        | 4183                       | 4107                       | 4089                       | 23                    | 16                 | 161.56                       | 341               | -256              | 1208                        | 1176                         | 32.07                          | 37.674                   |                           |      |
| 4400                                                                        | 4279                       | 4202                       | 4183                       | 24                    | 16                 | 161.63                       | 349               | -261              | 1240                        | 1207                         | 32.83                          | 37.776                   |                           |      |
| 4500                                                                        | 4376                       | 4296                       | 4277                       | 25                    | 17                 | 161.71                       | 356               | -267              | 1272                        | 1239                         | 33.60                          | 37.872                   |                           |      |
| 4600                                                                        | 4473                       | 4391                       | 4371                       | 25                    | 17                 | 161.78                       | 364               | -272              | 1304                        | 1270                         | 34.36                          | 37.964                   |                           |      |
| 4700                                                                        | 4569                       | 4486                       | 4465                       | 26                    | 18                 | 161.85                       | 372               | -278              | 1337                        | 1301                         | 35.12                          | 38.052                   |                           |      |
| 4800                                                                        | 4666                       | 4581                       | 4560                       | 26                    | 18                 | 161.91                       | 380               | -284              | 1369                        | 1333                         | 35.89                          | 38.137                   |                           |      |
| 4900                                                                        | 4763                       | 4675                       | 4654                       | 27                    | 18                 | 161.97                       | 388               | -289              | 1401                        | 1364                         | 36.65                          | 38.217                   |                           |      |

CC - Min centre to center distance or convergent point, SF - min separation factor, ES - min ellipse separation



## Lonestar Consulting, LLC

## Anticollision Report



|                           |                    |                                     |                             |
|---------------------------|--------------------|-------------------------------------|-----------------------------|
| <b>Company:</b>           | DJR Operating      | <b>Local Co-ordinate Reference:</b> | Well # 540H - Slot 2        |
| <b>Project:</b>           | North Alamito Unit | <b>TVD Reference:</b>               | GL 7121' & RKB 14' @ 7135ft |
| <b>Reference Site:</b>    | M24 2307 Pad       | <b>MD Reference:</b>                | GL 7121' & RKB 14' @ 7135ft |
| <b>Site Error:</b>        | 0 ft               | <b>North Reference:</b>             | True                        |
| <b>Reference Well:</b>    | # 540H             | <b>Survey Calculation Method:</b>   | Minimum Curvature           |
| <b>Well Error:</b>        | 0 ft               | <b>Output errors are at</b>         | 2.00 sigma                  |
| <b>Reference Wellbore</b> | Original Drilling  | <b>Database:</b>                    | Grand Junction              |
| <b>Reference Design:</b>  | APD Rev 1          | <b>Offset TVD Reference:</b>        | Offset Datum                |

|                                                                             |                            |                            |                            |                  |               |                              |                               |                   |                             |                              |                                |                          |
|-----------------------------------------------------------------------------|----------------------------|----------------------------|----------------------------|------------------|---------------|------------------------------|-------------------------------|-------------------|-----------------------------|------------------------------|--------------------------------|--------------------------|
| <b>Offset Design:</b> M24 2307 Pad - # 203H - Original Drilling - APD Rev 1 |                            |                            |                            |                  |               |                              |                               |                   |                             |                              | <b>Offset Site Error:</b>      | 0 ft                     |
| <b>Survey Program:</b> 0-MWD+IGRF                                           |                            |                            |                            |                  |               |                              |                               |                   |                             |                              | <b>Offset Well Error:</b>      | 0 ft                     |
| <b>Reference</b>                                                            | <b>Offset</b>              | <b>Rule Assigned:</b>      |                            |                  |               |                              |                               |                   |                             |                              |                                |                          |
| <b>Measured Depth (ft)</b>                                                  | <b>Vertical Depth (ft)</b> | <b>Measured Depth (ft)</b> | <b>Vertical Depth (ft)</b> | <b>Reference</b> | <b>Offset</b> | <b>Highside Toolface (°)</b> | <b>Offset Wellbore Centre</b> |                   | <b>Distance</b>             |                              | <b>Minimum Separation (ft)</b> | <b>Separation Factor</b> |
|                                                                             |                            |                            |                            |                  |               |                              | <b>+N/-S (ft)</b>             | <b>+E/-W (ft)</b> | <b>Between Centres (ft)</b> | <b>Between Ellipses (ft)</b> |                                | <b>Warning</b>           |
| 4994                                                                        | 4854                       | 4765                       | 4743                       | 28               | 19            | 162.03                       | 395                           | -295              | 1431                        | 1394                         | 37.38                          | 38.290                   |
| 5000                                                                        | 4859                       | 4770                       | 4748                       | 28               | 19            | 164.13                       | 395                           | -295              | 1433                        | 1395                         | 37.42                          | 38.294                   |
| 5050                                                                        | 4907                       | 4817                       | 4795                       | 28               | 19            | -179.58                      | 399                           | -298              | 1451                        | 1413                         | 37.80                          | 38.382                   |
| 5100                                                                        | 4954                       | 4862                       | 4840                       | 28               | 19            | -167.74                      | 403                           | -301              | 1471                        | 1433                         | 38.16                          | 38.552                   |
| 5150                                                                        | 5000                       | 4906                       | 4883                       | 29               | 19            | -158.93                      | 406                           | -303              | 1494                        | 1456                         | 38.51                          | 38.805                   |
| 5200                                                                        | 5044                       | 4947                       | 4924                       | 29               | 19            | -151.97                      | 410                           | -306              | 1520                        | 1481                         | 38.83                          | 39.138                   |
| 5250                                                                        | 5086                       | 4986                       | 4963                       | 29               | 20            | -146.08                      | 413                           | -308              | 1547                        | 1508                         | 39.13                          | 39.549                   |
| 5300                                                                        | 5125                       | 5022                       | 4999                       | 30               | 20            | -140.77                      | 416                           | -310              | 1577                        | 1538                         | 39.40                          | 40.036                   |
| 5350                                                                        | 5162                       | 5056                       | 5032                       | 30               | 20            | -135.70                      | 419                           | -312              | 1609                        | 1570                         | 39.64                          | 40.595                   |
| 5400                                                                        | 5196                       | 5085                       | 5062                       | 31               | 20            | -130.63                      | 421                           | -314              | 1643                        | 1603                         | 39.85                          | 41.223                   |
| 5450                                                                        | 5226                       | 5102                       | 5078                       | 31               | 20            | -125.06                      | 423                           | -315              | 1678                        | 1638                         | 39.96                          | 41.994                   |
| 5500                                                                        | 5253                       | 5102                       | 5078                       | 31               | 20            | -118.59                      | 423                           | -315              | 1715                        | 1675                         | 39.94                          | 42.943                   |
| 5550                                                                        | 5276                       | 5102                       | 5078                       | 32               | 20            | -111.73                      | 423                           | -315              | 1753                        | 1713                         | 39.91                          | 43.929                   |
| 5600                                                                        | 5295                       | 5122                       | 5098                       | 32               | 20            | -105.56                      | 424                           | -316              | 1792                        | 1752                         | 40.05                          | 44.746                   |
| 5650                                                                        | 5310                       | 5124                       | 5100                       | 33               | 20            | -98.50                       | 425                           | -317              | 1832                        | 1792                         | 40.05                          | 45.732                   |
| 5700                                                                        | 5320                       | 5125                       | 5101                       | 33               | 20            | -91.48                       | 425                           | -317              | 1871                        | 1831                         | 40.05                          | 46.727                   |
| 5750                                                                        | 5326                       | 5125                       | 5101                       | 34               | 20            | -84.74                       | 425                           | -317              | 1911                        | 1871                         | 40.05                          | 47.721                   |
| 5797                                                                        | 5328                       | 5123                       | 5100                       | 35               | 20            | -78.81                       | 425                           | -317              | 1948                        | 1908                         | 40.04                          | 48.647                   |
| 5800                                                                        | 5328                       | 5123                       | 5100                       | 35               | 20            | -78.80                       | 425                           | -316              | 1950                        | 1910                         | 40.04                          | 48.704                   |
| 5900                                                                        | 5327                       | 5102                       | 5078                       | 36               | 20            | -77.83                       | 423                           | -315              | 2029                        | 1990                         | 39.93                          | 50.823                   |
| 6000                                                                        | 5327                       | 5102                       | 5078                       | 37               | 20            | -77.83                       | 423                           | -315              | 2110                        | 2070                         | 40.02                          | 52.719                   |
| 6100                                                                        | 5326                       | 5102                       | 5078                       | 39               | 20            | -77.83                       | 423                           | -315              | 2192                        | 2152                         | 40.14                          | 54.619                   |
| 6200                                                                        | 5326                       | 5102                       | 5078                       | 40               | 20            | -77.83                       | 423                           | -315              | 2276                        | 2236                         | 40.26                          | 56.524                   |
| 6300                                                                        | 5325                       | 5102                       | 5078                       | 42               | 20            | -77.83                       | 423                           | -315              | 2361                        | 2320                         | 40.40                          | 58.434                   |
| 6400                                                                        | 5325                       | 5102                       | 5078                       | 44               | 20            | -77.83                       | 423                           | -315              | 2447                        | 2406                         | 40.54                          | 60.349                   |
| 6500                                                                        | 5324                       | 5102                       | 5078                       | 45               | 20            | -77.83                       | 423                           | -315              | 2534                        | 2493                         | 40.69                          | 62.271                   |
| 6600                                                                        | 5323                       | 5095                       | 5071                       | 47               | 20            | -77.51                       | 422                           | -314              | 2622                        | 2581                         | 40.79                          | 64.274                   |
| 6700                                                                        | 5323                       | 5084                       | 5061                       | 49               | 20            | -77.03                       | 421                           | -314              | 2711                        | 2670                         | 40.87                          | 66.321                   |
| 6800                                                                        | 5322                       | 5074                       | 5050                       | 51               | 20            | -76.55                       | 420                           | -313              | 2800                        | 2759                         | 40.95                          | 68.376                   |
| 6900                                                                        | 5322                       | 5063                       | 5040                       | 53               | 20            | -76.07                       | 419                           | -313              | 2890                        | 2849                         | 41.03                          | 70.437                   |
| 7000                                                                        | 5321                       | 5052                       | 5029                       | 55               | 20            | -75.59                       | 418                           | -312              | 2981                        | 2940                         | 41.11                          | 72.506                   |
| 7100                                                                        | 5321                       | 5042                       | 5019                       | 58               | 20            | -75.12                       | 418                           | -311              | 3072                        | 3031                         | 41.19                          | 74.581                   |
| 7200                                                                        | 5320                       | 5031                       | 5008                       | 60               | 20            | -74.65                       | 417                           | -311              | 3164                        | 3123                         | 41.27                          | 76.662                   |
| 7300                                                                        | 5319                       | 5021                       | 4998                       | 62               | 20            | -74.18                       | 416                           | -310              | 3256                        | 3215                         | 41.35                          | 78.749                   |
| 7400                                                                        | 5319                       | 5010                       | 4987                       | 64               | 20            | -73.71                       | 415                           | -309              | 3349                        | 3307                         | 41.42                          | 80.842                   |
| 7500                                                                        | 5318                       | 4999                       | 4976                       | 66               | 20            | -73.24                       | 414                           | -309              | 3442                        | 3400                         | 41.50                          | 82.940                   |
| 7600                                                                        | 5318                       | 4989                       | 4966                       | 69               | 20            | -72.78                       | 413                           | -308              | 3535                        | 3494                         | 41.57                          | 85.043                   |
| 7700                                                                        | 5317                       | 4978                       | 4955                       | 71               | 20            | -72.32                       | 412                           | -308              | 3629                        | 3587                         | 41.64                          | 87.151                   |
| 7800                                                                        | 5317                       | 4968                       | 4945                       | 73               | 20            | -71.86                       | 411                           | -307              | 3723                        | 3681                         | 41.71                          | 89.263                   |
| 7900                                                                        | 5316                       | 4957                       | 4934                       | 75               | 20            | -71.40                       | 411                           | -306              | 3817                        | 3775                         | 41.77                          | 91.380                   |
| 8000                                                                        | 5315                       | 4946                       | 4924                       | 78               | 19            | -70.95                       | 410                           | -306              | 3912                        | 3870                         | 41.83                          | 93.500                   |
| 8100                                                                        | 5315                       | 4936                       | 4913                       | 80               | 19            | -70.49                       | 409                           | -305              | 4006                        | 3964                         | 41.90                          | 95.624                   |
| 8200                                                                        | 5314                       | 4925                       | 4903                       | 82               | 19            | -70.04                       | 408                           | -304              | 4101                        | 4059                         | 41.96                          | 97.751                   |
| 8300                                                                        | 5314                       | 4915                       | 4892                       | 85               | 19            | -69.60                       | 407                           | -304              | 4196                        | 4154                         | 42.01                          | 99.881                   |
| 8400                                                                        | 5313                       | 4904                       | 4882                       | 87               | 19            | -69.15                       | 406                           | -303              | 4292                        | 4250                         | 42.07                          | 102.013                  |
| 8500                                                                        | 5313                       | 4893                       | 4871                       | 89               | 19            | -68.71                       | 405                           | -302              | 4387                        | 4345                         | 42.13                          | 104.148                  |
| 8600                                                                        | 5312                       | 4883                       | 4861                       | 92               | 19            | -68.27                       | 405                           | -302              | 4483                        | 4441                         | 42.18                          | 106.285                  |
| 8700                                                                        | 5311                       | 4872                       | 4850                       | 94               | 19            | -67.83                       | 404                           | -301              | 4579                        | 4537                         | 42.23                          | 108.424                  |
| 8800                                                                        | 5311                       | 4862                       | 4839                       | 96               | 19            | -67.39                       | 403                           | -301              | 4675                        | 4633                         | 42.28                          | 110.565                  |
| 8900                                                                        | 5310                       | 4851                       | 4829                       | 99               | 19            | -66.96                       | 402                           | -300              | 4771                        | 4729                         | 42.33                          | 112.707                  |
| 9000                                                                        | 5310                       | 4840                       | 4818                       | 101              | 19            | -66.53                       | 401                           | -299              | 4867                        | 4825                         | 42.38                          | 114.850                  |
| 9100                                                                        | 5309                       | 4830                       | 4808                       | 104              | 19            | -66.11                       | 400                           | -299              | 4964                        | 4921                         | 42.43                          | 116.994                  |

CC - Min centre to center distance or convergent point, SF - min separation factor, ES - min ellipse separation



# Lonestar Consulting, LLC

## Anticollision Report



|                           |                    |                                     |                             |
|---------------------------|--------------------|-------------------------------------|-----------------------------|
| <b>Company:</b>           | DJR Operating      | <b>Local Co-ordinate Reference:</b> | Well # 540H - Slot 2        |
| <b>Project:</b>           | North Alamito Unit | <b>TVD Reference:</b>               | GL 7121' & RKB 14' @ 7135ft |
| <b>Reference Site:</b>    | M24 2307 Pad       | <b>MD Reference:</b>                | GL 7121' & RKB 14' @ 7135ft |
| <b>Site Error:</b>        | 0 ft               | <b>North Reference:</b>             | True                        |
| <b>Reference Well:</b>    | # 540H             | <b>Survey Calculation Method:</b>   | Minimum Curvature           |
| <b>Well Error:</b>        | 0 ft               | <b>Output errors are at</b>         | 2.00 sigma                  |
| <b>Reference Wellbore</b> | Original Drilling  | <b>Database:</b>                    | Grand Junction              |
| <b>Reference Design:</b>  | APD Rev 1          | <b>Offset TVD Reference:</b>        | Offset Datum                |

| Offset Design: M24 2307 Pad - # 203H - Original Drilling - APD Rev 1 |                     |                     |                     |                 |             |                        |            |            |                      |                       |                         |                   | Offset Site Error: 0 ft |  |
|----------------------------------------------------------------------|---------------------|---------------------|---------------------|-----------------|-------------|------------------------|------------|------------|----------------------|-----------------------|-------------------------|-------------------|-------------------------|--|
| Survey Program: 0-MWD+IGRF                                           |                     |                     |                     |                 |             |                        |            |            | Rule Assigned:       |                       |                         |                   | Offset Well Error: 0 ft |  |
| Reference                                                            |                     | Offset              |                     | Semi Major Axis |             | Offset Wellbore Centre |            |            | Distance             |                       |                         |                   |                         |  |
| Measured Depth (ft)                                                  | Vertical Depth (ft) | Measured Depth (ft) | Vertical Depth (ft) | Reference (ft)  | Offset (ft) | Highside Toolface (°)  | +N/-S (ft) | +E/-W (ft) | Between Centres (ft) | Between Ellipses (ft) | Minimum Separation (ft) | Separation Factor | Warning                 |  |
| 9200                                                                 | 5309                | 4819                | 4797                | 106             | 19          | -65.68                 | 399        | -298       | 5060                 | 5018                  | 42.47                   | 119.139           |                         |  |
| 9300                                                                 | 5308                | 4809                | 4787                | 108             | 19          | -65.26                 | 398        | -297       | 5157                 | 5115                  | 42.52                   | 121.285           |                         |  |
| 9400                                                                 | 5307                | 4798                | 4776                | 111             | 19          | -64.84                 | 398        | -297       | 5254                 | 5211                  | 42.57                   | 123.430           |                         |  |
| 9500                                                                 | 5307                | 4788                | 4766                | 113             | 19          | -64.42                 | 397        | -296       | 5351                 | 5308                  | 42.61                   | 125.576           |                         |  |
| 9600                                                                 | 5306                | 4777                | 4755                | 115             | 19          | -64.01                 | 396        | -296       | 5448                 | 5405                  | 42.65                   | 127.721           |                         |  |
| 9700                                                                 | 5306                | 4766                | 4745                | 118             | 19          | -63.60                 | 395        | -295       | 5545                 | 5502                  | 42.69                   | 129.867           |                         |  |
| 9800                                                                 | 5305                | 4756                | 4734                | 120             | 19          | -63.19                 | 394        | -294       | 5642                 | 5599                  | 42.74                   | 132.012           |                         |  |
| 9900                                                                 | 5305                | 4745                | 4723                | 123             | 19          | -62.79                 | 393        | -294       | 5739                 | 5696                  | 42.78                   | 134.156           |                         |  |
| 10,000                                                               | 5304                | 4735                | 4713                | 125             | 19          | -62.38                 | 392        | -293       | 5836                 | 5793                  | 42.82                   | 136.299           |                         |  |
| 10,100                                                               | 5303                | 4724                | 4702                | 128             | 19          | -61.99                 | 392        | -292       | 5934                 | 5891                  | 42.86                   | 138.442           |                         |  |
| 10,200                                                               | 5303                | 4713                | 4692                | 130             | 19          | -61.59                 | 391        | -292       | 6031                 | 5988                  | 42.90                   | 140.583           |                         |  |
| 10,300                                                               | 5302                | 4703                | 4681                | 132             | 19          | -61.19                 | 390        | -291       | 6128                 | 6086                  | 42.94                   | 142.722           |                         |  |
| 10,400                                                               | 5302                | 4692                | 4671                | 135             | 18          | -60.80                 | 389        | -290       | 6226                 | 6183                  | 42.98                   | 144.861           |                         |  |
| 10,500                                                               | 5301                | 4682                | 4660                | 137             | 18          | -60.42                 | 388        | -290       | 6324                 | 6281                  | 43.02                   | 146.997           |                         |  |
| 10,600                                                               | 5301                | 4671                | 4650                | 140             | 18          | -60.03                 | 387        | -289       | 6421                 | 6378                  | 43.06                   | 149.132           |                         |  |
| 10,700                                                               | 5300                | 4660                | 4639                | 142             | 18          | -59.65                 | 386        | -289       | 6519                 | 6476                  | 43.10                   | 151.265           |                         |  |
| 10,800                                                               | 5299                | 4650                | 4629                | 145             | 18          | -59.27                 | 385        | -288       | 6617                 | 6574                  | 43.13                   | 153.396           |                         |  |
| 10,900                                                               | 5299                | 4639                | 4618                | 147             | 18          | -58.89                 | 385        | -287       | 6715                 | 6671                  | 43.17                   | 155.525           |                         |  |
| 11,000                                                               | 5298                | 4629                | 4607                | 149             | 18          | -58.52                 | 384        | -287       | 6812                 | 6769                  | 43.21                   | 157.651           |                         |  |
| 11,100                                                               | 5298                | 4618                | 4597                | 152             | 18          | -58.15                 | 383        | -286       | 6910                 | 6867                  | 43.25                   | 159.774           |                         |  |
| 11,200                                                               | 5297                | 4607                | 4586                | 154             | 18          | -57.78                 | 382        | -285       | 7008                 | 6965                  | 43.29                   | 161.895           |                         |  |
| 11,300                                                               | 5297                | 4597                | 4576                | 157             | 18          | -57.41                 | 381        | -285       | 7106                 | 7063                  | 43.33                   | 164.013           |                         |  |
| 11,400                                                               | 5296                | 4586                | 4565                | 159             | 18          | -57.05                 | 380        | -284       | 7204                 | 7161                  | 43.37                   | 166.129           |                         |  |
| 11,500                                                               | 5295                | 4576                | 4555                | 162             | 18          | -56.69                 | 379        | -283       | 7302                 | 7259                  | 43.40                   | 168.241           |                         |  |
| 11,600                                                               | 5295                | 4565                | 4544                | 164             | 18          | -56.34                 | 378        | -283       | 7400                 | 7357                  | 43.44                   | 170.350           |                         |  |
| 11,700                                                               | 5294                | 4554                | 4534                | 166             | 18          | -55.98                 | 378        | -282       | 7499                 | 7455                  | 43.48                   | 172.456           |                         |  |
| 11,800                                                               | 5294                | 4544                | 4523                | 169             | 18          | -55.63                 | 377        | -282       | 7597                 | 7553                  | 43.52                   | 174.558           |                         |  |
| 11,900                                                               | 5293                | 4533                | 4513                | 171             | 18          | -55.28                 | 376        | -281       | 7695                 | 7651                  | 43.56                   | 176.657           |                         |  |
| 11,922                                                               | 5293                | 4531                | 4510                | 172             | 18          | -55.20                 | 376        | -281       | 7717                 | 7673                  | 43.57                   | 177.129           |                         |  |



# Lonestar Consulting, LLC

## Anticollision Report



|                           |                    |                                     |                             |
|---------------------------|--------------------|-------------------------------------|-----------------------------|
| <b>Company:</b>           | DJR Operating      | <b>Local Co-ordinate Reference:</b> | Well # 540H - Slot 2        |
| <b>Project:</b>           | North Alamito Unit | <b>TVD Reference:</b>               | GL 7121' & RKB 14' @ 7135ft |
| <b>Reference Site:</b>    | M24 2307 Pad       | <b>MD Reference:</b>                | GL 7121' & RKB 14' @ 7135ft |
| <b>Site Error:</b>        | 0 ft               | <b>North Reference:</b>             | True                        |
| <b>Reference Well:</b>    | # 540H             | <b>Survey Calculation Method:</b>   | Minimum Curvature           |
| <b>Well Error:</b>        | 0 ft               | <b>Output errors are at</b>         | 2.00 sigma                  |
| <b>Reference Wellbore</b> | Original Drilling  | <b>Database:</b>                    | Grand Junction              |
| <b>Reference Design:</b>  | APD Rev 1          | <b>Offset TVD Reference:</b>        | Offset Datum                |

|                                                                             |                            |                            |                            |                       |                    |                              |                   |                   |                             |                              |                                |                          |                           |      |
|-----------------------------------------------------------------------------|----------------------------|----------------------------|----------------------------|-----------------------|--------------------|------------------------------|-------------------|-------------------|-----------------------------|------------------------------|--------------------------------|--------------------------|---------------------------|------|
| <b>Offset Design:</b> M24 2307 Pad - # 205H - Original Drilling - APD Rev 1 |                            |                            |                            |                       |                    |                              |                   |                   |                             |                              |                                |                          | <b>Offset Site Error:</b> | 0 ft |
| <b>Survey Program:</b> 0-MWD+IGRF                                           |                            |                            |                            |                       |                    |                              |                   |                   |                             |                              |                                |                          | <b>Offset Well Error:</b> | 0 ft |
| <b>Reference</b>                                                            | <b>Offset</b>              | <b>Semi Major Axis</b>     |                            | <b>Distance</b>       |                    | <b>Rule Assigned:</b>        |                   | <b>Warning</b>    |                             |                              |                                |                          |                           |      |
| <b>Measured Depth (ft)</b>                                                  | <b>Vertical Depth (ft)</b> | <b>Measured Depth (ft)</b> | <b>Vertical Depth (ft)</b> | <b>Reference (ft)</b> | <b>Offset (ft)</b> | <b>Highside Toolface (°)</b> | <b>+N/-S (ft)</b> | <b>+E/-W (ft)</b> | <b>Between Centres (ft)</b> | <b>Between Ellipses (ft)</b> | <b>Minimum Separation (ft)</b> | <b>Separation Factor</b> |                           |      |
| 0                                                                           | 0                          | 0                          | 0                          | 0                     | 0                  | -46.33                       | 15                | -16               | 22                          |                              |                                |                          |                           |      |
| 100                                                                         | 100                        | 100                        | 100                        | 0                     | 0                  | -46.33                       | 15                | -16               | 22                          | 21                           | 0.62                           | 35.053                   |                           |      |
| 200                                                                         | 200                        | 200                        | 200                        | 1                     | 1                  | -46.33                       | 15                | -16               | 22                          | 20                           | 1.33                           | 16.208                   |                           |      |
| 300                                                                         | 300                        | 300                        | 300                        | 1                     | 1                  | -46.33                       | 15                | -16               | 22                          | 20                           | 2.05                           | 10.541                   |                           |      |
| 350                                                                         | 350                        | 350                        | 350                        | 1                     | 1                  | -46.33                       | 15                | -16               | 22                          | 19                           | 2.41                           | 8.973 CC                 |                           |      |
| 400                                                                         | 400                        | 400                        | 400                        | 1                     | 1                  | 112.30                       | 15                | -16               | 22                          | 19                           | 2.75                           | 7.866                    |                           |      |
| 500                                                                         | 500                        | 500                        | 500                        | 2                     | 2                  | 112.08                       | 11                | -17               | 22                          | 18                           | 3.42                           | 6.384                    |                           |      |
| 600                                                                         | 600                        | 601                        | 600                        | 2                     | 2                  | 111.65                       | 5                 | -20               | 22                          | 18                           | 4.12                           | 5.396                    |                           |      |
| 700                                                                         | 699                        | 701                        | 700                        | 2                     | 2                  | 111.03                       | -5                | -25               | 23                          | 18                           | 4.86                           | 4.701 ES                 |                           |      |
| 800                                                                         | 798                        | 801                        | 799                        | 3                     | 3                  | 110.25                       | -17               | -31               | 24                          | 18                           | 5.64                           | 4.188                    |                           |      |
| 900                                                                         | 897                        | 901                        | 898                        | 3                     | 3                  | 109.35                       | -33               | -38               | 25                          | 18                           | 6.49                           | 3.797                    |                           |      |
| 1000                                                                        | 994                        | 1002                       | 996                        | 4                     | 4                  | 108.36                       | -52               | -47               | 26                          | 18                           | 7.41                           | 3.488                    |                           |      |
| 1098                                                                        | 1090                       | 1100                       | 1092                       | 4                     | 4                  | 107.85                       | -73               | -57               | 27                          | 19                           | 8.39                           | 3.252                    |                           |      |
| 1100                                                                        | 1091                       | 1102                       | 1093                       | 4                     | 4                  | 107.88                       | -74               | -57               | 27                          | 19                           | 8.41                           | 3.249                    |                           |      |
| 1200                                                                        | 1188                       | 1202                       | 1190                       | 5                     | 5                  | 109.42                       | -96               | -67               | 29                          | 20                           | 9.44                           | 3.089                    |                           |      |
| 1300                                                                        | 1285                       | 1302                       | 1287                       | 5                     | 5                  | 110.77                       | -118              | -77               | 31                          | 21                           | 10.49                          | 2.958                    |                           |      |
| 1400                                                                        | 1381                       | 1402                       | 1384                       | 6                     | 6                  | 111.98                       | -141              | -88               | 33                          | 21                           | 11.55                          | 2.849                    |                           |      |
| 1500                                                                        | 1478                       | 1502                       | 1481                       | 6                     | 6                  | 113.05                       | -163              | -98               | 35                          | 22                           | 12.62                          | 2.758                    |                           |      |
| 1600                                                                        | 1574                       | 1602                       | 1578                       | 7                     | 7                  | 114.01                       | -185              | -108              | 37                          | 23                           | 13.69                          | 2.681                    |                           |      |
| 1700                                                                        | 1671                       | 1702                       | 1675                       | 8                     | 8                  | 114.87                       | -208              | -119              | 39                          | 24                           | 14.77                          | 2.616                    |                           |      |
| 1800                                                                        | 1768                       | 1802                       | 1771                       | 8                     | 8                  | 115.66                       | -230              | -129              | 41                          | 25                           | 15.85                          | 2.559                    |                           |      |
| 1900                                                                        | 1864                       | 1902                       | 1868                       | 9                     | 9                  | 116.37                       | -252              | -139              | 42                          | 26                           | 16.92                          | 2.510                    |                           |      |
| 2000                                                                        | 1961                       | 2001                       | 1965                       | 9                     | 9                  | 117.02                       | -275              | -150              | 44                          | 26                           | 18.00                          | 2.468                    |                           |      |
| 2100                                                                        | 2058                       | 2101                       | 2062                       | 10                    | 10                 | 117.61                       | -297              | -160              | 46                          | 27                           | 19.08                          | 2.430                    |                           |      |
| 2200                                                                        | 2154                       | 2201                       | 2159                       | 11                    | 10                 | 118.16                       | -319              | -170              | 48                          | 28                           | 20.16                          | 2.397                    |                           |      |
| 2300                                                                        | 2251                       | 2301                       | 2256                       | 11                    | 11                 | 118.67                       | -342              | -181              | 50                          | 29                           | 21.23                          | 2.367                    |                           |      |
| 2400                                                                        | 2347                       | 2401                       | 2353                       | 12                    | 12                 | 119.14                       | -364              | -191              | 52                          | 30                           | 22.31                          | 2.341                    |                           |      |
| 2500                                                                        | 2444                       | 2501                       | 2450                       | 12                    | 12                 | 119.57                       | -386              | -201              | 54                          | 31                           | 23.38                          | 2.317                    |                           |      |
| 2600                                                                        | 2541                       | 2601                       | 2547                       | 13                    | 13                 | 119.97                       | -409              | -212              | 56                          | 32                           | 24.46                          | 2.295                    |                           |      |
| 2700                                                                        | 2637                       | 2701                       | 2644                       | 14                    | 13                 | 120.35                       | -431              | -222              | 58                          | 33                           | 25.53                          | 2.276                    |                           |      |
| 2800                                                                        | 2734                       | 2801                       | 2741                       | 14                    | 14                 | 120.70                       | -453              | -232              | 60                          | 33                           | 26.60                          | 2.258                    |                           |      |
| 2900                                                                        | 2830                       | 2901                       | 2837                       | 15                    | 15                 | 121.03                       | -476              | -243              | 62                          | 34                           | 27.67                          | 2.242                    |                           |      |
| 3000                                                                        | 2927                       | 3001                       | 2934                       | 15                    | 15                 | 121.34                       | -498              | -253              | 64                          | 35                           | 28.74                          | 2.227                    |                           |      |
| 3100                                                                        | 3024                       | 3101                       | 3031                       | 16                    | 16                 | 121.63                       | -520              | -263              | 66                          | 36                           | 29.81                          | 2.213                    |                           |      |
| 3200                                                                        | 3120                       | 3201                       | 3128                       | 17                    | 16                 | 121.90                       | -543              | -274              | 68                          | 37                           | 30.88                          | 2.200                    |                           |      |
| 3300                                                                        | 3217                       | 3301                       | 3225                       | 17                    | 17                 | 122.16                       | -565              | -284              | 70                          | 38                           | 31.95                          | 2.188                    |                           |      |
| 3400                                                                        | 3313                       | 3401                       | 3322                       | 18                    | 17                 | 122.41                       | -587              | -295              | 72                          | 39                           | 33.02                          | 2.177                    |                           |      |
| 3500                                                                        | 3410                       | 3501                       | 3419                       | 18                    | 18                 | 122.64                       | -610              | -305              | 74                          | 40                           | 34.09                          | 2.167                    |                           |      |
| 3600                                                                        | 3507                       | 3601                       | 3516                       | 19                    | 19                 | 122.86                       | -632              | -315              | 76                          | 41                           | 35.16                          | 2.157                    |                           |      |
| 3700                                                                        | 3603                       | 3701                       | 3613                       | 20                    | 19                 | 123.06                       | -654              | -326              | 78                          | 42                           | 36.23                          | 2.148                    |                           |      |
| 3800                                                                        | 3700                       | 3801                       | 3710                       | 20                    | 20                 | 123.26                       | -677              | -336              | 80                          | 43                           | 37.29                          | 2.140                    |                           |      |
| 3900                                                                        | 3796                       | 3901                       | 3807                       | 21                    | 20                 | 123.45                       | -699              | -346              | 82                          | 43                           | 38.36                          | 2.132                    |                           |      |
| 4000                                                                        | 3893                       | 4001                       | 3903                       | 21                    | 21                 | 123.63                       | -721              | -357              | 84                          | 44                           | 39.43                          | 2.125                    |                           |      |
| 4100                                                                        | 3990                       | 4101                       | 4000                       | 22                    | 22                 | 123.80                       | -743              | -367              | 86                          | 45                           | 40.49                          | 2.118                    |                           |      |
| 4200                                                                        | 4086                       | 4201                       | 4097                       | 23                    | 22                 | 123.96                       | -766              | -377              | 88                          | 46                           | 41.56                          | 2.111                    |                           |      |
| 4300                                                                        | 4183                       | 4301                       | 4194                       | 23                    | 23                 | 124.12                       | -788              | -388              | 90                          | 47                           | 42.62                          | 2.105                    |                           |      |
| 4400                                                                        | 4279                       | 4401                       | 4291                       | 24                    | 23                 | 124.27                       | -810              | -398              | 92                          | 48                           | 43.69                          | 2.099                    |                           |      |
| 4500                                                                        | 4376                       | 4501                       | 4388                       | 25                    | 24                 | 124.41                       | -833              | -408              | 94                          | 49                           | 44.75                          | 2.094                    |                           |      |
| 4600                                                                        | 4473                       | 4601                       | 4485                       | 25                    | 25                 | 124.55                       | -855              | -419              | 96                          | 50                           | 45.82                          | 2.088                    |                           |      |
| 4700                                                                        | 4569                       | 4701                       | 4582                       | 26                    | 25                 | 124.68                       | -877              | -429              | 98                          | 51                           | 46.88                          | 2.083                    |                           |      |
| 4800                                                                        | 4666                       | 4801                       | 4679                       | 26                    | 26                 | 124.81                       | -900              | -439              | 100                         | 52                           | 47.94                          | 2.079                    |                           |      |
| 4900                                                                        | 4763                       | 4901                       | 4776                       | 27                    | 26                 | 124.93                       | -922              | -450              | 102                         | 53                           | 49.01                          | 2.074                    |                           |      |

CC - Min centre to center distance or convergent point, SF - min separation factor, ES - min ellipse separation



# Lonestar Consulting, LLC

## Anticollision Report



|                           |                    |                                     |                             |
|---------------------------|--------------------|-------------------------------------|-----------------------------|
| <b>Company:</b>           | DJR Operating      | <b>Local Co-ordinate Reference:</b> | Well # 540H - Slot 2        |
| <b>Project:</b>           | North Alamito Unit | <b>TVD Reference:</b>               | GL 7121' & RKB 14' @ 7135ft |
| <b>Reference Site:</b>    | M24 2307 Pad       | <b>MD Reference:</b>                | GL 7121' & RKB 14' @ 7135ft |
| <b>Site Error:</b>        | 0 ft               | <b>North Reference:</b>             | True                        |
| <b>Reference Well:</b>    | # 540H             | <b>Survey Calculation Method:</b>   | Minimum Curvature           |
| <b>Well Error:</b>        | 0 ft               | <b>Output errors are at</b>         | 2.00 sigma                  |
| <b>Reference Wellbore</b> | Original Drilling  | <b>Database:</b>                    | Grand Junction              |
| <b>Reference Design:</b>  | APD Rev 1          | <b>Offset TVD Reference:</b>        | Offset Datum                |

|                                                                             |                            |                            |                            |                  |               |                              |                   |                   |                             |                              |                                |                          |                           |      |
|-----------------------------------------------------------------------------|----------------------------|----------------------------|----------------------------|------------------|---------------|------------------------------|-------------------|-------------------|-----------------------------|------------------------------|--------------------------------|--------------------------|---------------------------|------|
| <b>Offset Design:</b> M24 2307 Pad - # 205H - Original Drilling - APD Rev 1 |                            |                            |                            |                  |               |                              |                   |                   |                             |                              |                                |                          | <b>Offset Site Error:</b> | 0 ft |
| <b>Survey Program:</b> 0-MWD+IGRF                                           |                            |                            |                            |                  |               |                              |                   |                   |                             |                              |                                |                          | <b>Offset Well Error:</b> | 0 ft |
| <b>Reference</b>                                                            | <b>Offset</b>              | <b>Rule Assigned:</b>      |                            |                  |               |                              |                   |                   |                             |                              |                                |                          |                           |      |
| <b>Measured Depth (ft)</b>                                                  | <b>Vertical Depth (ft)</b> | <b>Measured Depth (ft)</b> | <b>Vertical Depth (ft)</b> | <b>Reference</b> | <b>Offset</b> | <b>Highside Toolface (°)</b> | <b>+N/-S (ft)</b> | <b>+E/-W (ft)</b> | <b>Between Centres (ft)</b> | <b>Between Ellipses (ft)</b> | <b>Minimum Separation (ft)</b> | <b>Separation Factor</b> | <b>Warning</b>            |      |
| 4994                                                                        | 4854                       | 4995                       | 4867                       | 28               | 27            | 125.04                       | -943              | -459              | 104                         | 54                           | 50.01                          | 2.070 SF                 |                           |      |
| 5000                                                                        | 4859                       | 5001                       | 4872                       | 28               | 27            | 127.00                       | -944              | -460              | 104                         | 54                           | 50.07                          | 2.070                    |                           |      |
| 5050                                                                        | 4907                       | 5051                       | 4921                       | 28               | 27            | 141.66                       | -956              | -465              | 107                         | 57                           | 50.67                          | 2.119                    |                           |      |
| 5100                                                                        | 4954                       | 5100                       | 4969                       | 28               | 27            | 151.36                       | -967              | -470              | 116                         | 64                           | 51.36                          | 2.250                    |                           |      |
| 5150                                                                        | 5000                       | 5140                       | 5008                       | 29               | 28            | 157.68                       | -975              | -475              | 130                         | 78                           | 51.98                          | 2.493                    |                           |      |
| 5200                                                                        | 5044                       | 5176                       | 5042                       | 29               | 28            | 161.78                       | -980              | -482              | 151                         | 99                           | 52.41                          | 2.881                    |                           |      |
| 5250                                                                        | 5086                       | 5208                       | 5073                       | 29               | 28            | 164.62                       | -984              | -489              | 179                         | 126                          | 52.64                          | 3.401                    |                           |      |
| 5300                                                                        | 5125                       | 5235                       | 5099                       | 30               | 28            | 166.79                       | -986              | -496              | 213                         | 160                          | 52.69                          | 4.037                    |                           |      |
| 5350                                                                        | 5162                       | 5250                       | 5114                       | 30               | 28            | 169.03                       | -987              | -500              | 251                         | 199                          | 52.14                          | 4.821                    |                           |      |
| 5400                                                                        | 5196                       | 5275                       | 5137                       | 31               | 28            | 170.44                       | -988              | -508              | 293                         | 241                          | 52.52                          | 5.587                    |                           |      |
| 5450                                                                        | 5226                       | 5289                       | 5150                       | 31               | 28            | 172.47                       | -988              | -513              | 339                         | 286                          | 52.40                          | 6.461                    |                           |      |
| 5500                                                                        | 5253                       | 5300                       | 5161                       | 31               | 28            | 175.07                       | -988              | -517              | 386                         | 333                          | 52.40                          | 7.363                    |                           |      |
| 5550                                                                        | 5276                       | 5300                       | 5161                       | 32               | 28            | -178.62                      | -988              | -517              | 435                         | 383                          | 52.01                          | 8.356                    |                           |      |
| 5600                                                                        | 5295                       | 5300                       | 5161                       | 32               | 28            | -157.35                      | -988              | -517              | 484                         | 432                          | 51.85                          | 9.339                    |                           |      |
| 5650                                                                        | 5310                       | 5300                       | 5161                       | 33               | 28            | -59.93                       | -988              | -517              | 534                         | 482                          | 51.88                          | 10.297                   |                           |      |
| 5700                                                                        | 5320                       | 5300                       | 5161                       | 33               | 28            | -29.94                       | -988              | -517              | 584                         | 532                          | 52.05                          | 11.220                   |                           |      |
| 5750                                                                        | 5326                       | 5300                       | 5161                       | 34               | 28            | -22.94                       | -988              | -517              | 633                         | 581                          | 52.32                          | 12.105                   |                           |      |
| 5797                                                                        | 5328                       | 5300                       | 5161                       | 35               | 28            | -20.13                       | -988              | -517              | 679                         | 627                          | 52.64                          | 12.902                   |                           |      |
| 5800                                                                        | 5328                       | 5300                       | 5161                       | 35               | 28            | -20.13                       | -988              | -517              | 682                         | 629                          | 52.66                          | 12.949                   |                           |      |
| 5900                                                                        | 5327                       | 5300                       | 5161                       | 36               | 28            | -20.13                       | -988              | -517              | 779                         | 725                          | 53.27                          | 14.618                   |                           |      |
| 6000                                                                        | 5327                       | 5277                       | 5139                       | 37               | 28            | -19.55                       | -988              | -509              | 875                         | 822                          | 53.08                          | 16.493                   |                           |      |
| 6100                                                                        | 5326                       | 5269                       | 5131                       | 39               | 28            | -19.36                       | -988              | -506              | 973                         | 920                          | 53.27                          | 18.264                   |                           |      |
| 6200                                                                        | 5326                       | 5250                       | 5114                       | 40               | 28            | -18.97                       | -987              | -500              | 1071                        | 1018                         | 53.16                          | 20.143                   |                           |      |
| 6300                                                                        | 5325                       | 5250                       | 5114                       | 42               | 28            | -18.97                       | -987              | -500              | 1169                        | 1115                         | 53.45                          | 21.863                   |                           |      |
| 6400                                                                        | 5325                       | 5250                       | 5114                       | 44               | 28            | -18.97                       | -987              | -500              | 1267                        | 1213                         | 53.69                          | 23.595                   |                           |      |
| 6500                                                                        | 5324                       | 5250                       | 5114                       | 45               | 28            | -18.97                       | -987              | -500              | 1365                        | 1311                         | 53.89                          | 25.336                   |                           |      |
| 6600                                                                        | 5323                       | 5250                       | 5114                       | 47               | 28            | -18.97                       | -987              | -500              | 1464                        | 1410                         | 54.05                          | 27.084                   |                           |      |
| 6700                                                                        | 5323                       | 5250                       | 5114                       | 49               | 28            | -18.97                       | -987              | -500              | 1563                        | 1509                         | 54.19                          | 28.837                   |                           |      |
| 6800                                                                        | 5322                       | 5231                       | 5095                       | 51               | 28            | -18.63                       | -986              | -495              | 1661                        | 1607                         | 54.00                          | 30.764                   |                           |      |
| 6900                                                                        | 5322                       | 5227                       | 5092                       | 53               | 28            | -18.57                       | -986              | -494              | 1760                        | 1706                         | 54.06                          | 32.557                   |                           |      |
| 7000                                                                        | 5321                       | 5224                       | 5089                       | 55               | 28            | -18.51                       | -986              | -493              | 1859                        | 1805                         | 54.12                          | 34.351                   |                           |      |
| 7100                                                                        | 5321                       | 5221                       | 5086                       | 58               | 28            | -18.46                       | -985              | -492              | 1958                        | 1904                         | 54.18                          | 36.146                   |                           |      |
| 7200                                                                        | 5320                       | 5200                       | 5066                       | 60               | 28            | -18.14                       | -983              | -487              | 2058                        | 2004                         | 53.96                          | 38.134                   |                           |      |
| 7300                                                                        | 5319                       | 5200                       | 5066                       | 62               | 28            | -18.14                       | -983              | -487              | 2157                        | 2103                         | 54.05                          | 39.904                   |                           |      |
| 7400                                                                        | 5319                       | 5200                       | 5066                       | 64               | 28            | -18.14                       | -983              | -487              | 2256                        | 2202                         | 54.14                          | 41.675                   |                           |      |
| 7500                                                                        | 5318                       | 5200                       | 5066                       | 66               | 28            | -18.14                       | -983              | -487              | 2355                        | 2301                         | 54.21                          | 43.446                   |                           |      |
| 7600                                                                        | 5318                       | 5200                       | 5066                       | 69               | 28            | -18.14                       | -983              | -487              | 2455                        | 2400                         | 54.29                          | 45.218                   |                           |      |
| 7700                                                                        | 5317                       | 5200                       | 5066                       | 71               | 28            | -18.14                       | -983              | -487              | 2554                        | 2500                         | 54.35                          | 46.991                   |                           |      |
| 7800                                                                        | 5317                       | 5200                       | 5066                       | 73               | 28            | -18.14                       | -983              | -487              | 2653                        | 2599                         | 54.42                          | 48.763                   |                           |      |
| 7900                                                                        | 5316                       | 5200                       | 5066                       | 75               | 28            | -18.14                       | -983              | -487              | 2753                        | 2698                         | 54.48                          | 50.534                   |                           |      |
| 8000                                                                        | 5315                       | 5200                       | 5066                       | 78               | 28            | -18.14                       | -983              | -487              | 2852                        | 2798                         | 54.53                          | 52.306                   |                           |      |
| 8100                                                                        | 5315                       | 5200                       | 5066                       | 80               | 28            | -18.14                       | -983              | -487              | 2952                        | 2897                         | 54.59                          | 54.076                   |                           |      |
| 8200                                                                        | 5314                       | 5200                       | 5066                       | 82               | 28            | -18.14                       | -983              | -487              | 3052                        | 2997                         | 54.64                          | 55.845                   |                           |      |
| 8300                                                                        | 5314                       | 5200                       | 5066                       | 85               | 28            | -18.14                       | -983              | -487              | 3151                        | 3096                         | 54.69                          | 57.613                   |                           |      |
| 8400                                                                        | 5313                       | 5200                       | 5066                       | 87               | 28            | -18.14                       | -983              | -487              | 3251                        | 3196                         | 54.74                          | 59.380                   |                           |      |
| 8500                                                                        | 5313                       | 5200                       | 5066                       | 89               | 28            | -18.14                       | -983              | -487              | 3350                        | 3296                         | 54.79                          | 61.146                   |                           |      |
| 8600                                                                        | 5312                       | 5200                       | 5066                       | 92               | 28            | -18.14                       | -983              | -487              | 3450                        | 3395                         | 54.84                          | 62.909                   |                           |      |
| 8700                                                                        | 5311                       | 5200                       | 5066                       | 94               | 28            | -18.14                       | -983              | -487              | 3550                        | 3495                         | 54.89                          | 64.671                   |                           |      |
| 8800                                                                        | 5311                       | 5200                       | 5066                       | 96               | 28            | -18.14                       | -983              | -487              | 3649                        | 3594                         | 54.93                          | 66.432                   |                           |      |
| 8900                                                                        | 5310                       | 5200                       | 5066                       | 99               | 28            | -18.14                       | -983              | -487              | 3749                        | 3694                         | 54.98                          | 68.190                   |                           |      |
| 9000                                                                        | 5310                       | 5200                       | 5066                       | 101              | 28            | -18.14                       | -983              | -487              | 3849                        | 3794                         | 55.03                          | 69.946                   |                           |      |
| 9100                                                                        | 5309                       | 5200                       | 5066                       | 104              | 28            | -18.14                       | -983              | -487              | 3949                        | 3894                         | 55.07                          | 71.700                   |                           |      |

CC - Min centre to center distance or convergent point, SF - min separation factor, ES - min ellipse separation



# Lonestar Consulting, LLC

## Anticollision Report



|                           |                    |                                     |                             |
|---------------------------|--------------------|-------------------------------------|-----------------------------|
| <b>Company:</b>           | DJR Operating      | <b>Local Co-ordinate Reference:</b> | Well # 540H - Slot 2        |
| <b>Project:</b>           | North Alamito Unit | <b>TVD Reference:</b>               | GL 7121' & RKB 14' @ 7135ft |
| <b>Reference Site:</b>    | M24 2307 Pad       | <b>MD Reference:</b>                | GL 7121' & RKB 14' @ 7135ft |
| <b>Site Error:</b>        | 0 ft               | <b>North Reference:</b>             | True                        |
| <b>Reference Well:</b>    | # 540H             | <b>Survey Calculation Method:</b>   | Minimum Curvature           |
| <b>Well Error:</b>        | 0 ft               | <b>Output errors are at</b>         | 2.00 sigma                  |
| <b>Reference Wellbore</b> | Original Drilling  | <b>Database:</b>                    | Grand Junction              |
| <b>Reference Design:</b>  | APD Rev 1          | <b>Offset TVD Reference:</b>        | Offset Datum                |

| Offset Design: M24 2307 Pad - # 205H - Original Drilling - APD Rev 1 |                     |                     |                     |                        |             |                       |                |            |                      |                       |                         |                   | Offset Site Error: | 0 ft |
|----------------------------------------------------------------------|---------------------|---------------------|---------------------|------------------------|-------------|-----------------------|----------------|------------|----------------------|-----------------------|-------------------------|-------------------|--------------------|------|
| Survey Program:                                                      |                     | 0-MWD+IGRF          |                     |                        |             |                       | Rule Assigned: |            |                      |                       | Offset Well Error:      |                   | 0 ft               |      |
| Reference                                                            | Offset              | Semi Major Axis     |                     | Offset Wellbore Centre |             | Distance              |                |            | Warning              |                       |                         |                   |                    |      |
| Measured Depth (ft)                                                  | Vertical Depth (ft) | Measured Depth (ft) | Vertical Depth (ft) | Reference (ft)         | Offset (ft) | Highside Toolface (°) | +N/-S (ft)     | +E/-W (ft) | Between Centres (ft) | Between Ellipses (ft) | Minimum Separation (ft) | Separation Factor |                    |      |
| 9200                                                                 | 5309                | 5200                | 5066                | 106                    | 28          | -18.14                | -983           | -487       | 4048                 | 3993                  | 55.12                   | 73.452            |                    |      |
| 9300                                                                 | 5308                | 5200                | 5066                | 108                    | 28          | -18.14                | -983           | -487       | 4148                 | 4093                  | 55.16                   | 75.202            |                    |      |
| 9400                                                                 | 5307                | 5200                | 5066                | 111                    | 28          | -18.14                | -983           | -487       | 4248                 | 4193                  | 55.20                   | 76.949            |                    |      |
| 9500                                                                 | 5307                | 5200                | 5066                | 113                    | 28          | -18.14                | -983           | -487       | 4348                 | 4292                  | 55.25                   | 78.694            |                    |      |
| 9600                                                                 | 5306                | 5200                | 5066                | 115                    | 28          | -18.14                | -983           | -487       | 4447                 | 4392                  | 55.29                   | 80.436            |                    |      |
| 9700                                                                 | 5306                | 5200                | 5066                | 118                    | 28          | -18.14                | -983           | -487       | 4547                 | 4492                  | 55.34                   | 82.176            |                    |      |
| 9800                                                                 | 5305                | 5200                | 5066                | 120                    | 28          | -18.14                | -983           | -487       | 4647                 | 4592                  | 55.38                   | 83.913            |                    |      |
| 9900                                                                 | 5305                | 5200                | 5066                | 123                    | 28          | -18.14                | -983           | -487       | 4747                 | 4692                  | 55.42                   | 85.647            |                    |      |
| 10,000                                                               | 5304                | 5200                | 5066                | 125                    | 28          | -18.14                | -983           | -487       | 4847                 | 4791                  | 55.47                   | 87.379            |                    |      |
| 10,100                                                               | 5303                | 5200                | 5066                | 128                    | 28          | -18.14                | -983           | -487       | 4947                 | 4891                  | 55.51                   | 89.107            |                    |      |
| 10,200                                                               | 5303                | 5200                | 5066                | 130                    | 28          | -18.14                | -983           | -487       | 5046                 | 4991                  | 55.56                   | 90.833            |                    |      |
| 10,300                                                               | 5302                | 5200                | 5066                | 132                    | 28          | -18.14                | -983           | -487       | 5146                 | 5091                  | 55.60                   | 92.555            |                    |      |
| 10,400                                                               | 5302                | 5200                | 5066                | 135                    | 28          | -18.14                | -983           | -487       | 5246                 | 5190                  | 55.65                   | 94.275            |                    |      |
| 10,500                                                               | 5301                | 5200                | 5066                | 137                    | 28          | -18.14                | -983           | -487       | 5346                 | 5290                  | 55.69                   | 95.991            |                    |      |
| 10,600                                                               | 5301                | 5200                | 5066                | 140                    | 28          | -18.14                | -983           | -487       | 5446                 | 5390                  | 55.74                   | 97.705            |                    |      |
| 10,700                                                               | 5300                | 5200                | 5066                | 142                    | 28          | -18.14                | -983           | -487       | 5546                 | 5490                  | 55.78                   | 99.415            |                    |      |
| 10,800                                                               | 5299                | 5200                | 5066                | 145                    | 28          | -18.14                | -983           | -487       | 5646                 | 5590                  | 55.83                   | 101.121           |                    |      |
| 10,900                                                               | 5299                | 5200                | 5066                | 147                    | 28          | -18.14                | -983           | -487       | 5745                 | 5690                  | 55.88                   | 102.825           |                    |      |
| 11,000                                                               | 5298                | 5177                | 5043                | 149                    | 28          | -17.82                | -981           | -482       | 5845                 | 5789                  | 55.69                   | 104.956           |                    |      |
| 11,100                                                               | 5298                | 5176                | 5043                | 152                    | 28          | -17.82                | -980           | -482       | 5945                 | 5889                  | 55.73                   | 106.666           |                    |      |
| 11,200                                                               | 5297                | 5176                | 5042                | 154                    | 28          | -17.81                | -980           | -482       | 6045                 | 5989                  | 55.78                   | 108.373           |                    |      |
| 11,300                                                               | 5297                | 5176                | 5042                | 157                    | 28          | -17.81                | -980           | -481       | 6144                 | 6089                  | 55.82                   | 110.076           |                    |      |
| 11,400                                                               | 5296                | 5175                | 5042                | 159                    | 28          | -17.80                | -980           | -481       | 6244                 | 6188                  | 55.87                   | 111.775           |                    |      |
| 11,500                                                               | 5295                | 5175                | 5041                | 162                    | 28          | -17.80                | -980           | -481       | 6344                 | 6288                  | 55.91                   | 113.470           |                    |      |
| 11,600                                                               | 5295                | 5174                | 5041                | 164                    | 28          | -17.79                | -980           | -481       | 6444                 | 6388                  | 55.96                   | 115.162           |                    |      |
| 11,700                                                               | 5294                | 5174                | 5040                | 166                    | 28          | -17.79                | -980           | -481       | 6544                 | 6488                  | 56.00                   | 116.850           |                    |      |
| 11,800                                                               | 5294                | 5174                | 5040                | 169                    | 28          | -17.78                | -980           | -481       | 6644                 | 6588                  | 56.05                   | 118.534           |                    |      |
| 11,900                                                               | 5293                | 5173                | 5040                | 171                    | 28          | -17.78                | -980           | -481       | 6744                 | 6688                  | 56.10                   | 120.214           |                    |      |
| 11,922                                                               | 5293                | 5173                | 5040                | 172                    | 28          | -17.78                | -980           | -481       | 6766                 | 6710                  | 56.11                   | 120.592           |                    |      |



## Lonestar Consulting, LLC

## Anticollision Report



|                           |                    |                                     |                             |
|---------------------------|--------------------|-------------------------------------|-----------------------------|
| <b>Company:</b>           | DJR Operating      | <b>Local Co-ordinate Reference:</b> | Well # 540H - Slot 2        |
| <b>Project:</b>           | North Alamito Unit | <b>TVD Reference:</b>               | GL 7121' & RKB 14' @ 7135ft |
| <b>Reference Site:</b>    | M24 2307 Pad       | <b>MD Reference:</b>                | GL 7121' & RKB 14' @ 7135ft |
| <b>Site Error:</b>        | 0 ft               | <b>North Reference:</b>             | True                        |
| <b>Reference Well:</b>    | # 540H             | <b>Survey Calculation Method:</b>   | Minimum Curvature           |
| <b>Well Error:</b>        | 0 ft               | <b>Output errors are at</b>         | 2.00 sigma                  |
| <b>Reference Wellbore</b> | Original Drilling  | <b>Database:</b>                    | Grand Junction              |
| <b>Reference Design:</b>  | APD Rev 1          | <b>Offset TVD Reference:</b>        | Offset Datum                |

|                                                                             |                            |                            |                            |                       |                    |                              |                   |                   |                             |                              |                                |                          |                           |      |
|-----------------------------------------------------------------------------|----------------------------|----------------------------|----------------------------|-----------------------|--------------------|------------------------------|-------------------|-------------------|-----------------------------|------------------------------|--------------------------------|--------------------------|---------------------------|------|
| <b>Offset Design:</b> M24 2307 Pad - # 550H - Original Drilling - APD Rev 1 |                            |                            |                            |                       |                    |                              |                   |                   |                             |                              |                                |                          | <b>Offset Site Error:</b> | 0 ft |
| <b>Survey Program:</b> 0-MWD+IGRF                                           |                            |                            |                            |                       |                    |                              |                   |                   |                             |                              |                                |                          | <b>Offset Well Error:</b> | 0 ft |
| <b>Reference</b>                                                            | <b>Offset</b>              | <b>Semi Major Axis</b>     |                            | <b>Distance</b>       |                    | <b>Rule Assigned:</b>        |                   | <b>Warning</b>    |                             |                              |                                |                          |                           |      |
| <b>Measured Depth (ft)</b>                                                  | <b>Vertical Depth (ft)</b> | <b>Measured Depth (ft)</b> | <b>Vertical Depth (ft)</b> | <b>Reference (ft)</b> | <b>Offset (ft)</b> | <b>Highside Toolface (°)</b> | <b>+N/-S (ft)</b> | <b>+E/-W (ft)</b> | <b>Between Centres (ft)</b> | <b>Between Ellipses (ft)</b> | <b>Minimum Separation (ft)</b> | <b>Separation Factor</b> |                           |      |
| 0                                                                           | 0                          | 0                          | 0                          | 0                     | 0                  | -41.65                       | 30                | -27               | 40                          |                              |                                |                          |                           |      |
| 100                                                                         | 100                        | 100                        | 100                        | 0                     | 0                  | -41.65                       | 30                | -27               | 40                          | 39                           | 0.62                           | 64.784                   |                           |      |
| 200                                                                         | 200                        | 200                        | 200                        | 1                     | 1                  | -41.65                       | 30                | -27               | 40                          | 39                           | 1.33                           | 29.956                   |                           |      |
| 300                                                                         | 300                        | 300                        | 300                        | 1                     | 1                  | -41.65                       | 30                | -27               | 40                          | 38                           | 2.05                           | 19.483                   |                           |      |
| 350                                                                         | 350                        | 350                        | 350                        | 1                     | 1                  | -41.65                       | 30                | -27               | 40                          | 38                           | 2.41                           | 16.584 CC                |                           |      |
| 400                                                                         | 400                        | 400                        | 400                        | 1                     | 1                  | 116.98                       | 29                | -27               | 40                          | 37                           | 2.75                           | 14.536                   |                           |      |
| 500                                                                         | 500                        | 501                        | 501                        | 2                     | 2                  | 116.71                       | 26                | -28               | 40                          | 37                           | 3.42                           | 11.796 ES                |                           |      |
| 600                                                                         | 600                        | 601                        | 601                        | 2                     | 2                  | 116.19                       | 20                | -32               | 41                          | 37                           | 4.12                           | 9.976                    |                           |      |
| 700                                                                         | 699                        | 702                        | 701                        | 2                     | 2                  | 115.69                       | 11                | -37               | 42                          | 37                           | 4.86                           | 8.713                    |                           |      |
| 800                                                                         | 798                        | 801                        | 800                        | 3                     | 3                  | 118.27                       | 1                 | -42               | 45                          | 39                           | 5.62                           | 7.972                    |                           |      |
| 900                                                                         | 897                        | 901                        | 899                        | 3                     | 3                  | 124.02                       | -9                | -47               | 49                          | 43                           | 6.40                           | 7.696 SF                 |                           |      |
| 1000                                                                        | 994                        | 1001                       | 998                        | 4                     | 4                  | 131.48                       | -18               | -52               | 56                          | 49                           | 7.18                           | 7.854                    |                           |      |
| 1098                                                                        | 1090                       | 1098                       | 1095                       | 4                     | 4                  | 139.05                       | -28               | -57               | 67                          | 59                           | 7.93                           | 8.409                    |                           |      |
| 1100                                                                        | 1091                       | 1100                       | 1097                       | 4                     | 4                  | 139.16                       | -28               | -58               | 67                          | 59                           | 7.95                           | 8.418                    |                           |      |
| 1200                                                                        | 1188                       | 1199                       | 1195                       | 5                     | 4                  | 145.50                       | -38               | -63               | 80                          | 71                           | 8.69                           | 9.165                    |                           |      |
| 1300                                                                        | 1285                       | 1298                       | 1293                       | 5                     | 5                  | 150.06                       | -47               | -68               | 93                          | 84                           | 9.43                           | 9.871                    |                           |      |
| 1400                                                                        | 1381                       | 1396                       | 1391                       | 6                     | 5                  | 153.46                       | -57               | -73               | 107                         | 97                           | 10.17                          | 10.517                   |                           |      |
| 1500                                                                        | 1478                       | 1495                       | 1489                       | 6                     | 6                  | 156.07                       | -67               | -78               | 121                         | 110                          | 10.92                          | 11.100                   |                           |      |
| 1600                                                                        | 1574                       | 1594                       | 1588                       | 7                     | 6                  | 158.13                       | -76               | -83               | 136                         | 124                          | 11.66                          | 11.624                   |                           |      |
| 1700                                                                        | 1671                       | 1693                       | 1686                       | 8                     | 6                  | 159.79                       | -86               | -89               | 150                         | 138                          | 12.41                          | 12.094                   |                           |      |
| 1800                                                                        | 1768                       | 1792                       | 1784                       | 8                     | 7                  | 161.17                       | -96               | -94               | 165                         | 152                          | 13.16                          | 12.517                   |                           |      |
| 1900                                                                        | 1864                       | 1891                       | 1882                       | 9                     | 7                  | 162.31                       | -105              | -99               | 179                         | 165                          | 13.91                          | 12.898                   |                           |      |
| 2000                                                                        | 1961                       | 1990                       | 1981                       | 9                     | 8                  | 163.29                       | -115              | -104              | 194                         | 179                          | 14.66                          | 13.243                   |                           |      |
| 2100                                                                        | 2058                       | 2088                       | 2079                       | 10                    | 8                  | 164.12                       | -125              | -109              | 209                         | 193                          | 15.41                          | 13.557                   |                           |      |
| 2200                                                                        | 2154                       | 2187                       | 2177                       | 11                    | 8                  | 164.85                       | -134              | -115              | 224                         | 208                          | 16.16                          | 13.842                   |                           |      |
| 2300                                                                        | 2251                       | 2286                       | 2275                       | 11                    | 9                  | 165.49                       | -144              | -120              | 239                         | 222                          | 16.92                          | 14.104                   |                           |      |
| 2400                                                                        | 2347                       | 2385                       | 2374                       | 12                    | 9                  | 166.05                       | -154              | -125              | 253                         | 236                          | 17.67                          | 14.343                   |                           |      |
| 2500                                                                        | 2444                       | 2484                       | 2472                       | 12                    | 10                 | 166.55                       | -163              | -130              | 268                         | 250                          | 18.43                          | 14.563                   |                           |      |
| 2600                                                                        | 2541                       | 2583                       | 2570                       | 13                    | 10                 | 166.99                       | -173              | -135              | 283                         | 264                          | 19.19                          | 14.767                   |                           |      |
| 2700                                                                        | 2637                       | 2682                       | 2668                       | 14                    | 11                 | 167.39                       | -183              | -140              | 298                         | 278                          | 19.94                          | 14.955                   |                           |      |
| 2800                                                                        | 2734                       | 2780                       | 2767                       | 14                    | 11                 | 167.76                       | -192              | -146              | 313                         | 293                          | 20.70                          | 15.130                   |                           |      |
| 2900                                                                        | 2830                       | 2879                       | 2865                       | 15                    | 11                 | 168.09                       | -202              | -151              | 328                         | 307                          | 21.46                          | 15.293                   |                           |      |
| 3000                                                                        | 2927                       | 2978                       | 2963                       | 15                    | 12                 | 168.39                       | -212              | -156              | 343                         | 321                          | 22.22                          | 15.444                   |                           |      |
| 3100                                                                        | 3024                       | 3077                       | 3061                       | 16                    | 12                 | 168.66                       | -221              | -161              | 358                         | 335                          | 22.98                          | 15.586                   |                           |      |
| 3200                                                                        | 3120                       | 3176                       | 3160                       | 17                    | 13                 | 168.92                       | -231              | -166              | 373                         | 349                          | 23.74                          | 15.718                   |                           |      |
| 3300                                                                        | 3217                       | 3275                       | 3258                       | 17                    | 13                 | 169.15                       | -241              | -172              | 388                         | 364                          | 24.50                          | 15.843                   |                           |      |
| 3400                                                                        | 3313                       | 3374                       | 3356                       | 18                    | 13                 | 169.37                       | -250              | -177              | 403                         | 378                          | 25.26                          | 15.960                   |                           |      |
| 3500                                                                        | 3410                       | 3472                       | 3454                       | 18                    | 14                 | 169.57                       | -260              | -182              | 418                         | 392                          | 26.02                          | 16.070                   |                           |      |
| 3600                                                                        | 3507                       | 3571                       | 3553                       | 19                    | 14                 | 169.76                       | -270              | -187              | 433                         | 406                          | 26.78                          | 16.174                   |                           |      |
| 3700                                                                        | 3603                       | 3670                       | 3651                       | 20                    | 15                 | 169.93                       | -280              | -192              | 448                         | 421                          | 27.55                          | 16.272                   |                           |      |
| 3800                                                                        | 3700                       | 3769                       | 3749                       | 20                    | 15                 | 170.09                       | -289              | -198              | 463                         | 435                          | 28.31                          | 16.365                   |                           |      |
| 3900                                                                        | 3796                       | 3868                       | 3847                       | 21                    | 15                 | 170.25                       | -299              | -203              | 478                         | 449                          | 29.07                          | 16.453                   |                           |      |
| 4000                                                                        | 3893                       | 3967                       | 3946                       | 21                    | 16                 | 170.39                       | -309              | -208              | 493                         | 463                          | 29.83                          | 16.537                   |                           |      |
| 4100                                                                        | 3990                       | 4066                       | 4044                       | 22                    | 16                 | 170.53                       | -318              | -213              | 508                         | 478                          | 30.59                          | 16.616                   |                           |      |
| 4200                                                                        | 4086                       | 4164                       | 4142                       | 23                    | 17                 | 170.65                       | -328              | -218              | 523                         | 492                          | 31.36                          | 16.692                   |                           |      |
| 4300                                                                        | 4183                       | 4263                       | 4240                       | 23                    | 17                 | 170.78                       | -338              | -223              | 538                         | 506                          | 32.12                          | 16.764                   |                           |      |
| 4400                                                                        | 4279                       | 4362                       | 4339                       | 24                    | 18                 | 170.89                       | -347              | -229              | 553                         | 521                          | 32.88                          | 16.832                   |                           |      |
| 4500                                                                        | 4376                       | 4461                       | 4437                       | 25                    | 18                 | 171.00                       | -357              | -234              | 568                         | 535                          | 33.64                          | 16.898                   |                           |      |
| 4600                                                                        | 4473                       | 4560                       | 4535                       | 25                    | 18                 | 171.10                       | -367              | -239              | 584                         | 549                          | 34.41                          | 16.960                   |                           |      |
| 4700                                                                        | 4569                       | 4659                       | 4633                       | 26                    | 19                 | 171.20                       | -376              | -244              | 599                         | 563                          | 35.17                          | 17.020                   |                           |      |
| 4800                                                                        | 4666                       | 4758                       | 4732                       | 26                    | 19                 | 171.29                       | -386              | -249              | 614                         | 578                          | 35.93                          | 17.077                   |                           |      |
| 4900                                                                        | 4763                       | 4844                       | 4817                       | 27                    | 20                 | 171.33                       | -394              | -254              | 629                         | 592                          | 36.61                          | 17.183                   |                           |      |

CC - Min centre to center distance or convergent point, SF - min separation factor, ES - min ellipse separation



## Lonestar Consulting, LLC

## Anticollision Report



|                           |                    |                                     |                             |
|---------------------------|--------------------|-------------------------------------|-----------------------------|
| <b>Company:</b>           | DJR Operating      | <b>Local Co-ordinate Reference:</b> | Well # 540H - Slot 2        |
| <b>Project:</b>           | North Alamito Unit | <b>TVD Reference:</b>               | GL 7121' & RKB 14' @ 7135ft |
| <b>Reference Site:</b>    | M24 2307 Pad       | <b>MD Reference:</b>                | GL 7121' & RKB 14' @ 7135ft |
| <b>Site Error:</b>        | 0 ft               | <b>North Reference:</b>             | True                        |
| <b>Reference Well:</b>    | # 540H             | <b>Survey Calculation Method:</b>   | Minimum Curvature           |
| <b>Well Error:</b>        | 0 ft               | <b>Output errors are at</b>         | 2.00 sigma                  |
| <b>Reference Wellbore</b> | Original Drilling  | <b>Database:</b>                    | Grand Junction              |
| <b>Reference Design:</b>  | APD Rev 1          | <b>Offset TVD Reference:</b>        | Offset Datum                |

|                                                                             |                            |                            |                            |                       |                    |                              |                   |                   |                             |                              |                                |                          |                           |      |
|-----------------------------------------------------------------------------|----------------------------|----------------------------|----------------------------|-----------------------|--------------------|------------------------------|-------------------|-------------------|-----------------------------|------------------------------|--------------------------------|--------------------------|---------------------------|------|
| <b>Offset Design:</b> M24 2307 Pad - # 550H - Original Drilling - APD Rev 1 |                            |                            |                            |                       |                    |                              |                   |                   |                             |                              |                                |                          | <b>Offset Site Error:</b> | 0 ft |
| <b>Survey Program:</b> 0-MWD+IGRF                                           |                            |                            |                            |                       |                    |                              |                   |                   |                             |                              |                                |                          | <b>Offset Well Error:</b> | 0 ft |
| <b>Reference</b>                                                            | <b>Offset</b>              | <b>Semi Major Axis</b>     |                            | <b>Distance</b>       |                    | <b>Rule Assigned:</b>        |                   | <b>Warning</b>    |                             |                              |                                |                          |                           |      |
| <b>Measured Depth (ft)</b>                                                  | <b>Vertical Depth (ft)</b> | <b>Measured Depth (ft)</b> | <b>Vertical Depth (ft)</b> | <b>Reference (ft)</b> | <b>Offset (ft)</b> | <b>Highside Toolface (°)</b> | <b>+N/-S (ft)</b> | <b>+E/-W (ft)</b> | <b>Between Centres (ft)</b> | <b>Between Ellipses (ft)</b> | <b>Minimum Separation (ft)</b> | <b>Separation Factor</b> |                           |      |
| 4994                                                                        | 4854                       | 4900                       | 4873                       | 28                    | 20                 | 170.95                       | -396              | -261              | 648                         | 611                          | 37.03                          | 17.488                   |                           |      |
| 5000                                                                        | 4859                       | 4900                       | 4873                       | 28                    | 20                 | 173.02                       | -396              | -261              | 649                         | 612                          | 37.02                          | 17.530                   |                           |      |
| 5050                                                                        | 4907                       | 4936                       | 4909                       | 28                    | 20                 | -171.52                      | -395              | -268              | 662                         | 625                          | 37.30                          | 17.752                   |                           |      |
| 5100                                                                        | 4954                       | 4964                       | 4935                       | 28                    | 20                 | -160.47                      | -394              | -274              | 679                         | 642                          | 37.50                          | 18.115                   |                           |      |
| 5150                                                                        | 5000                       | 4988                       | 4959                       | 29                    | 20                 | -152.38                      | -391              | -281              | 700                         | 662                          | 37.67                          | 18.585                   |                           |      |
| 5200                                                                        | 5044                       | 5000                       | 4970                       | 29                    | 20                 | -145.44                      | -390              | -284              | 725                         | 687                          | 37.63                          | 19.253                   |                           |      |
| 5250                                                                        | 5086                       | 5028                       | 4996                       | 29                    | 20                 | -140.35                      | -386              | -293              | 752                         | 714                          | 37.91                          | 19.842                   |                           |      |
| 5300                                                                        | 5125                       | 5050                       | 5017                       | 30                    | 20                 | -135.48                      | -383              | -300              | 783                         | 745                          | 38.12                          | 20.544                   |                           |      |
| 5350                                                                        | 5162                       | 5050                       | 5017                       | 30                    | 20                 | -129.03                      | -383              | -300              | 817                         | 779                          | 37.93                          | 21.533                   |                           |      |
| 5400                                                                        | 5196                       | 5063                       | 5029                       | 31                    | 20                 | -123.37                      | -380              | -305              | 853                         | 815                          | 38.06                          | 22.411                   |                           |      |
| 5450                                                                        | 5226                       | 5069                       | 5034                       | 31                    | 20                 | -116.69                      | -379              | -307              | 891                         | 853                          | 38.08                          | 23.399                   |                           |      |
| 5500                                                                        | 5253                       | 5073                       | 5038                       | 31                    | 20                 | -109.32                      | -378              | -309              | 931                         | 893                          | 38.10                          | 24.427                   |                           |      |
| 5550                                                                        | 5276                       | 5074                       | 5039                       | 32                    | 20                 | -101.36                      | -378              | -309              | 971                         | 933                          | 38.13                          | 25.478                   |                           |      |
| 5600                                                                        | 5295                       | 5074                       | 5038                       | 32                    | 20                 | -93.06                       | -378              | -309              | 1013                        | 975                          | 38.16                          | 26.537                   |                           |      |
| 5650                                                                        | 5310                       | 5071                       | 5036                       | 33                    | 20                 | -84.81                       | -379              | -308              | 1054                        | 1016                         | 38.22                          | 27.588                   |                           |      |
| 5700                                                                        | 5320                       | 5067                       | 5032                       | 33                    | 20                 | -77.00                       | -379              | -307              | 1096                        | 1058                         | 38.30                          | 28.618                   |                           |      |
| 5750                                                                        | 5326                       | 5050                       | 5017                       | 34                    | 20                 | -69.08                       | -383              | -300              | 1137                        | 1099                         | 38.15                          | 29.805                   |                           |      |
| 5797                                                                        | 5328                       | 5050                       | 5017                       | 35                    | 20                 | -63.75                       | -383              | -300              | 1175                        | 1137                         | 38.39                          | 30.607                   |                           |      |
| 5800                                                                        | 5328                       | 5050                       | 5017                       | 35                    | 20                 | -63.75                       | -383              | -300              | 1177                        | 1139                         | 38.40                          | 30.655                   |                           |      |
| 5900                                                                        | 5327                       | 5050                       | 5017                       | 36                    | 20                 | -63.75                       | -383              | -300              | 1258                        | 1219                         | 38.92                          | 32.325                   |                           |      |
| 6000                                                                        | 5327                       | 5030                       | 4998                       | 37                    | 20                 | -62.54                       | -386              | -293              | 1341                        | 1302                         | 39.05                          | 34.345                   |                           |      |
| 6100                                                                        | 5326                       | 5019                       | 4988                       | 39                    | 20                 | -61.90                       | -388              | -290              | 1426                        | 1387                         | 39.31                          | 36.276                   |                           |      |
| 6200                                                                        | 5326                       | 5000                       | 4970                       | 40                    | 20                 | -60.75                       | -390              | -284              | 1513                        | 1473                         | 39.41                          | 38.382                   |                           |      |
| 6300                                                                        | 5325                       | 5000                       | 4970                       | 42                    | 20                 | -60.75                       | -390              | -284              | 1601                        | 1561                         | 39.78                          | 40.234                   |                           |      |
| 6400                                                                        | 5325                       | 5000                       | 4970                       | 44                    | 20                 | -60.75                       | -390              | -284              | 1690                        | 1650                         | 40.11                          | 42.126                   |                           |      |
| 6500                                                                        | 5324                       | 5000                       | 4970                       | 45                    | 20                 | -60.75                       | -390              | -284              | 1780                        | 1740                         | 40.41                          | 44.053                   |                           |      |
| 6600                                                                        | 5323                       | 4980                       | 4951                       | 47                    | 20                 | -59.56                       | -392              | -278              | 1871                        | 1831                         | 40.43                          | 46.278                   |                           |      |
| 6700                                                                        | 5323                       | 4974                       | 4945                       | 49                    | 20                 | -59.21                       | -393              | -277              | 1963                        | 1922                         | 40.61                          | 48.333                   |                           |      |
| 6800                                                                        | 5322                       | 4950                       | 4922                       | 51                    | 20                 | -57.87                       | -395              | -271              | 2056                        | 2015                         | 40.58                          | 50.660                   |                           |      |
| 6900                                                                        | 5322                       | 4950                       | 4922                       | 53                    | 20                 | -57.87                       | -395              | -271              | 2149                        | 2108                         | 40.80                          | 52.664                   |                           |      |
| 7000                                                                        | 5321                       | 4950                       | 4922                       | 55                    | 20                 | -57.87                       | -395              | -271              | 2242                        | 2201                         | 41.01                          | 54.685                   |                           |      |
| 7100                                                                        | 5321                       | 4950                       | 4922                       | 58                    | 20                 | -57.87                       | -395              | -271              | 2336                        | 2295                         | 41.19                          | 56.722                   |                           |      |
| 7200                                                                        | 5320                       | 4950                       | 4922                       | 60                    | 20                 | -57.87                       | -395              | -271              | 2431                        | 2390                         | 41.36                          | 58.772                   |                           |      |
| 7300                                                                        | 5319                       | 4950                       | 4922                       | 62                    | 20                 | -57.87                       | -395              | -271              | 2526                        | 2485                         | 41.52                          | 60.834                   |                           |      |
| 7400                                                                        | 5319                       | 4950                       | 4922                       | 64                    | 20                 | -57.87                       | -395              | -271              | 2621                        | 2580                         | 41.67                          | 62.905                   |                           |      |
| 7500                                                                        | 5318                       | 4950                       | 4922                       | 66                    | 20                 | -57.87                       | -395              | -271              | 2717                        | 2675                         | 41.81                          | 64.985                   |                           |      |
| 7600                                                                        | 5318                       | 4950                       | 4922                       | 69                    | 20                 | -57.87                       | -395              | -271              | 2813                        | 2771                         | 41.94                          | 67.072                   |                           |      |
| 7700                                                                        | 5317                       | 4950                       | 4922                       | 71                    | 20                 | -57.87                       | -395              | -271              | 2909                        | 2867                         | 42.07                          | 69.165                   |                           |      |
| 7800                                                                        | 5317                       | 4950                       | 4922                       | 73                    | 20                 | -57.87                       | -395              | -271              | 3006                        | 2964                         | 42.18                          | 71.262                   |                           |      |
| 7900                                                                        | 5316                       | 4927                       | 4900                       | 75                    | 20                 | -56.61                       | -396              | -266              | 3102                        | 3060                         | 42.11                          | 73.663                   |                           |      |
| 8000                                                                        | 5315                       | 4925                       | 4897                       | 78                    | 20                 | -56.47                       | -396              | -266              | 3199                        | 3157                         | 42.20                          | 75.801                   |                           |      |
| 8100                                                                        | 5315                       | 4922                       | 4895                       | 80                    | 20                 | -56.34                       | -396              | -265              | 3296                        | 3254                         | 42.29                          | 77.940                   |                           |      |
| 8200                                                                        | 5314                       | 4900                       | 4873                       | 82                    | 20                 | -55.14                       | -396              | -261              | 3394                        | 3351                         | 42.22                          | 80.371                   |                           |      |
| 8300                                                                        | 5314                       | 4900                       | 4873                       | 85                    | 20                 | -55.14                       | -396              | -261              | 3491                        | 3449                         | 42.32                          | 82.481                   |                           |      |
| 8400                                                                        | 5313                       | 4900                       | 4873                       | 87                    | 20                 | -55.14                       | -396              | -261              | 3588                        | 3546                         | 42.42                          | 84.591                   |                           |      |
| 8500                                                                        | 5313                       | 4900                       | 4873                       | 89                    | 20                 | -55.14                       | -396              | -261              | 3686                        | 3643                         | 42.51                          | 86.702                   |                           |      |
| 8600                                                                        | 5312                       | 4900                       | 4873                       | 92                    | 20                 | -55.14                       | -396              | -261              | 3783                        | 3741                         | 42.60                          | 88.814                   |                           |      |
| 8700                                                                        | 5311                       | 4900                       | 4873                       | 94                    | 20                 | -55.14                       | -396              | -261              | 3881                        | 3838                         | 42.69                          | 90.925                   |                           |      |
| 8800                                                                        | 5311                       | 4900                       | 4873                       | 96                    | 20                 | -55.14                       | -396              | -261              | 3979                        | 3936                         | 42.77                          | 93.036                   |                           |      |
| 8900                                                                        | 5310                       | 4900                       | 4873                       | 99                    | 20                 | -55.14                       | -396              | -261              | 4077                        | 4034                         | 42.85                          | 95.146                   |                           |      |
| 9000                                                                        | 5310                       | 4900                       | 4873                       | 101                   | 20                 | -55.14                       | -396              | -261              | 4175                        | 4132                         | 42.93                          | 97.255                   |                           |      |
| 9100                                                                        | 5309                       | 4900                       | 4873                       | 104                   | 20                 | -55.14                       | -396              | -261              | 4273                        | 4230                         | 43.01                          | 99.362                   |                           |      |

CC - Min centre to center distance or convergent point, SF - min separation factor, ES - min ellipse separation



# Lonestar Consulting, LLC

## Anticollision Report



|                           |                    |                                     |                             |
|---------------------------|--------------------|-------------------------------------|-----------------------------|
| <b>Company:</b>           | DJR Operating      | <b>Local Co-ordinate Reference:</b> | Well # 540H - Slot 2        |
| <b>Project:</b>           | North Alamito Unit | <b>TVD Reference:</b>               | GL 7121' & RKB 14' @ 7135ft |
| <b>Reference Site:</b>    | M24 2307 Pad       | <b>MD Reference:</b>                | GL 7121' & RKB 14' @ 7135ft |
| <b>Site Error:</b>        | 0 ft               | <b>North Reference:</b>             | True                        |
| <b>Reference Well:</b>    | # 540H             | <b>Survey Calculation Method:</b>   | Minimum Curvature           |
| <b>Well Error:</b>        | 0 ft               | <b>Output errors are at</b>         | 2.00 sigma                  |
| <b>Reference Wellbore</b> | Original Drilling  | <b>Database:</b>                    | Grand Junction              |
| <b>Reference Design:</b>  | APD Rev 1          | <b>Offset TVD Reference:</b>        | Offset Datum                |

|                                                                             |                            |                            |                            |                               |                    |                              |                   |                       |                             |                              |                                |                          |
|-----------------------------------------------------------------------------|----------------------------|----------------------------|----------------------------|-------------------------------|--------------------|------------------------------|-------------------|-----------------------|-----------------------------|------------------------------|--------------------------------|--------------------------|
| <b>Offset Design:</b> M24 2307 Pad - # 550H - Original Drilling - APD Rev 1 |                            |                            |                            |                               |                    |                              |                   |                       |                             |                              | <b>Offset Site Error:</b>      | 0 ft                     |
| <b>Survey Program:</b> 0-MWD+IGRF                                           |                            |                            |                            |                               |                    |                              |                   |                       |                             |                              | <b>Offset Well Error:</b>      | 0 ft                     |
| <b>Reference</b>                                                            | <b>Offset</b>              | <b>Semi Major Axis</b>     |                            | <b>Offset Wellbore Centre</b> |                    | <b>Distance</b>              |                   | <b>Rule Assigned:</b> |                             | <b>Warning</b>               |                                |                          |
| <b>Measured Depth (ft)</b>                                                  | <b>Vertical Depth (ft)</b> | <b>Measured Depth (ft)</b> | <b>Vertical Depth (ft)</b> | <b>Reference (ft)</b>         | <b>Offset (ft)</b> | <b>Highside Toolface (°)</b> | <b>+N/-S (ft)</b> | <b>+E/-W (ft)</b>     | <b>Between Centres (ft)</b> | <b>Between Ellipses (ft)</b> | <b>Minimum Separation (ft)</b> | <b>Separation Factor</b> |
| 9200                                                                        | 5309                       | 4900                       | 4873                       | 106                           | 20                 | -55.14                       | -396              | -261                  | 4372                        | 4328                         | 43.08                          | 101.467                  |
| 9300                                                                        | 5308                       | 4900                       | 4873                       | 108                           | 20                 | -55.14                       | -396              | -261                  | 4470                        | 4427                         | 43.16                          | 103.570                  |
| 9400                                                                        | 5307                       | 4900                       | 4873                       | 111                           | 20                 | -55.14                       | -396              | -261                  | 4568                        | 4525                         | 43.23                          | 105.671                  |
| 9500                                                                        | 5307                       | 4900                       | 4873                       | 113                           | 20                 | -55.14                       | -396              | -261                  | 4667                        | 4623                         | 43.30                          | 107.769                  |
| 9600                                                                        | 5306                       | 4900                       | 4873                       | 115                           | 20                 | -55.14                       | -396              | -261                  | 4765                        | 4722                         | 43.37                          | 109.864                  |
| 9700                                                                        | 5306                       | 4900                       | 4873                       | 118                           | 20                 | -55.14                       | -396              | -261                  | 4864                        | 4820                         | 43.44                          | 111.956                  |
| 9800                                                                        | 5305                       | 4900                       | 4873                       | 120                           | 20                 | -55.14                       | -396              | -261                  | 4963                        | 4919                         | 43.51                          | 114.044                  |
| 9900                                                                        | 5305                       | 4900                       | 4873                       | 123                           | 20                 | -55.14                       | -396              | -261                  | 5061                        | 5018                         | 43.58                          | 116.129                  |
| 10,000                                                                      | 5304                       | 4900                       | 4873                       | 125                           | 20                 | -55.14                       | -396              | -261                  | 5160                        | 5116                         | 43.65                          | 118.210                  |
| 10,100                                                                      | 5303                       | 4900                       | 4873                       | 128                           | 20                 | -55.14                       | -396              | -261                  | 5259                        | 5215                         | 43.72                          | 120.287                  |
| 10,200                                                                      | 5303                       | 4900                       | 4873                       | 130                           | 20                 | -55.14                       | -396              | -261                  | 5358                        | 5314                         | 43.79                          | 122.361                  |
| 10,300                                                                      | 5302                       | 4900                       | 4873                       | 132                           | 20                 | -55.14                       | -396              | -261                  | 5456                        | 5413                         | 43.85                          | 124.430                  |
| 10,400                                                                      | 5302                       | 4900                       | 4873                       | 135                           | 20                 | -55.14                       | -396              | -261                  | 5555                        | 5511                         | 43.92                          | 126.494                  |
| 10,500                                                                      | 5301                       | 4900                       | 4873                       | 137                           | 20                 | -55.14                       | -396              | -261                  | 5654                        | 5610                         | 43.98                          | 128.554                  |
| 10,600                                                                      | 5301                       | 4900                       | 4873                       | 140                           | 20                 | -55.14                       | -396              | -261                  | 5753                        | 5709                         | 44.05                          | 130.610                  |
| 10,700                                                                      | 5300                       | 4900                       | 4873                       | 142                           | 20                 | -55.14                       | -396              | -261                  | 5852                        | 5808                         | 44.12                          | 132.660                  |
| 10,800                                                                      | 5299                       | 4900                       | 4873                       | 145                           | 20                 | -55.14                       | -396              | -261                  | 5951                        | 5907                         | 44.18                          | 134.706                  |
| 10,900                                                                      | 5299                       | 4900                       | 4873                       | 147                           | 20                 | -55.14                       | -396              | -261                  | 6051                        | 6006                         | 44.25                          | 136.747                  |
| 11,000                                                                      | 5298                       | 4900                       | 4873                       | 149                           | 20                 | -55.14                       | -396              | -261                  | 6150                        | 6105                         | 44.31                          | 138.782                  |
| 11,100                                                                      | 5298                       | 4900                       | 4873                       | 152                           | 20                 | -55.14                       | -396              | -261                  | 6249                        | 6204                         | 44.38                          | 140.813                  |
| 11,200                                                                      | 5297                       | 4900                       | 4873                       | 154                           | 20                 | -55.14                       | -396              | -261                  | 6348                        | 6304                         | 44.44                          | 142.838                  |
| 11,300                                                                      | 5297                       | 4900                       | 4873                       | 157                           | 20                 | -55.14                       | -396              | -261                  | 6447                        | 6403                         | 44.51                          | 144.857                  |
| 11,400                                                                      | 5296                       | 4900                       | 4873                       | 159                           | 20                 | -55.14                       | -396              | -261                  | 6546                        | 6502                         | 44.57                          | 146.871                  |
| 11,500                                                                      | 5295                       | 4900                       | 4873                       | 162                           | 20                 | -55.14                       | -396              | -261                  | 6646                        | 6601                         | 44.64                          | 148.879                  |
| 11,600                                                                      | 5295                       | 4900                       | 4873                       | 164                           | 20                 | -55.14                       | -396              | -261                  | 6745                        | 6700                         | 44.70                          | 150.882                  |
| 11,700                                                                      | 5294                       | 4900                       | 4873                       | 166                           | 20                 | -55.14                       | -396              | -261                  | 6844                        | 6800                         | 44.77                          | 152.879                  |
| 11,800                                                                      | 5294                       | 4900                       | 4873                       | 169                           | 20                 | -55.14                       | -396              | -261                  | 6944                        | 6899                         | 44.84                          | 154.870                  |
| 11,900                                                                      | 5293                       | 4900                       | 4873                       | 171                           | 20                 | -55.14                       | -396              | -261                  | 7043                        | 6998                         | 44.90                          | 156.855                  |
| 11,922                                                                      | 5293                       | 4900                       | 4873                       | 172                           | 20                 | -55.14                       | -396              | -261                  | 7065                        | 7020                         | 44.92                          | 157.300                  |

CC - Min centre to center distance or convergent point, SF - min separation factor, ES - min ellipse separation



# Lonestar Consulting, LLC

## Anticollision Report



|                           |                    |                                     |                             |
|---------------------------|--------------------|-------------------------------------|-----------------------------|
| <b>Company:</b>           | DJR Operating      | <b>Local Co-ordinate Reference:</b> | Well # 540H - Slot 2        |
| <b>Project:</b>           | North Alamito Unit | <b>TVD Reference:</b>               | GL 7121' & RKB 14' @ 7135ft |
| <b>Reference Site:</b>    | M24 2307 Pad       | <b>MD Reference:</b>                | GL 7121' & RKB 14' @ 7135ft |
| <b>Site Error:</b>        | 0 ft               | <b>North Reference:</b>             | True                        |
| <b>Reference Well:</b>    | # 540H             | <b>Survey Calculation Method:</b>   | Minimum Curvature           |
| <b>Well Error:</b>        | 0 ft               | <b>Output errors are at</b>         | 2.00 sigma                  |
| <b>Reference Wellbore</b> | Original Drilling  | <b>Database:</b>                    | Grand Junction              |
| <b>Reference Design:</b>  | APD Rev 1          | <b>Offset TVD Reference:</b>        | Offset Datum                |

|                                                             |                            |                            |                            |                       |                    |                              |                   |                   |                             |                              |                                |                           |      |
|-------------------------------------------------------------|----------------------------|----------------------------|----------------------------|-----------------------|--------------------|------------------------------|-------------------|-------------------|-----------------------------|------------------------------|--------------------------------|---------------------------|------|
| <b>Offset Design:</b> M24 2307 Pad - Ballymaloe 2 - OH - OH |                            |                            |                            |                       |                    |                              |                   |                   |                             |                              |                                | <b>Offset Site Error:</b> | 0 ft |
| <b>Survey Program:</b> 133-INCLINOMETER                     |                            |                            |                            |                       |                    |                              |                   |                   |                             |                              |                                | <b>Offset Well Error:</b> | 0 ft |
| <b>Reference</b>                                            | <b>Offset</b>              | <b>Semi Major Axis</b>     |                            | <b>Distance</b>       |                    | <b>Rule Assigned:</b>        |                   | <b>Warning</b>    |                             |                              |                                |                           |      |
| <b>Measured Depth (ft)</b>                                  | <b>Vertical Depth (ft)</b> | <b>Measured Depth (ft)</b> | <b>Vertical Depth (ft)</b> | <b>Reference (ft)</b> | <b>Offset (ft)</b> | <b>Highside Toolface (°)</b> | <b>+N/-S (ft)</b> | <b>+E/-W (ft)</b> | <b>Between Centres (ft)</b> | <b>Between Ellipses (ft)</b> | <b>Minimum Separation (ft)</b> | <b>Separation Factor</b>  |      |
| 0                                                           | 0                          | 85                         | 85                         | 0                     | 3                  | 155.51                       | -4328             | 1972              | 4756                        |                              |                                |                           |      |
| 100                                                         | 100                        | 180                        | 180                        | 0                     | 5                  | 155.51                       | -4328             | 1972              | 4756                        | 4750                         | 5.78                           | 822.463                   |      |
| 200                                                         | 200                        | 285                        | 285                        | 1                     | 9                  | 155.51                       | -4328             | 1972              | 4756                        | 4747                         | 9.32                           | 510.219                   |      |
| 300                                                         | 300                        | 385                        | 385                        | 1                     | 12                 | 155.51                       | -4328             | 1972              | 4756                        | 4744                         | 12.72                          | 374.000                   |      |
| 350                                                         | 350                        | 435                        | 435                        | 1                     | 13                 | 155.51                       | -4328             | 1972              | 4756                        | 4742                         | 14.41                          | 329.954                   |      |
| 400                                                         | 400                        | 485                        | 485                        | 1                     | 15                 | -45.84                       | -4328             | 1972              | 4756                        | 4740                         | 16.09                          | 295.513                   |      |
| 500                                                         | 500                        | 581                        | 581                        | 2                     | 18                 | -45.90                       | -4328             | 1972              | 4753                        | 4734                         | 19.36                          | 245.560                   |      |
| 600                                                         | 600                        | 677                        | 677                        | 2                     | 21                 | -46.02                       | -4328             | 1972              | 4749                        | 4726                         | 22.63                          | 209.839                   |      |
| 700                                                         | 699                        | 784                        | 784                        | 2                     | 24                 | -46.23                       | -4328             | 1972              | 4741                        | 4715                         | 26.24                          | 180.724                   |      |
| 800                                                         | 798                        | 883                        | 883                        | 3                     | 27                 | -46.49                       | -4328             | 1972              | 4732                        | 4702                         | 29.62                          | 159.744                   |      |
| 900                                                         | 897                        | 982                        | 982                        | 3                     | 30                 | -46.81                       | -4328             | 1972              | 4720                        | 4687                         | 33.01                          | 142.984                   |      |
| 1000                                                        | 994                        | 1070                       | 1070                       | 4                     | 32                 | -47.19                       | -4328             | 1972              | 4705                        | 4669                         | 36.11                          | 130.276                   |      |
| 1098                                                        | 1090                       | 1156                       | 1156                       | 4                     | 35                 | -47.62                       | -4328             | 1972              | 4689                        | 4650                         | 39.17                          | 119.708                   |      |
| 1100                                                        | 1091                       | 1157                       | 1157                       | 4                     | 35                 | -47.63                       | -4328             | 1972              | 4688                        | 4649                         | 39.22                          | 119.549                   |      |
| 1200                                                        | 1188                       | 1273                       | 1273                       | 5                     | 39                 | -47.90                       | -4328             | 1972              | 4671                        | 4628                         | 43.19                          | 108.140                   |      |
| 1300                                                        | 1285                       | 1370                       | 1370                       | 5                     | 42                 | -48.13                       | -4328             | 1972              | 4653                        | 4607                         | 46.60                          | 99.851                    |      |
| 1400                                                        | 1381                       | 1466                       | 1466                       | 6                     | 45                 | -48.36                       | -4328             | 1972              | 4636                        | 4586                         | 50.02                          | 92.675                    |      |
| 1500                                                        | 1478                       | 1554                       | 1554                       | 6                     | 47                 | -48.58                       | -4327             | 1972              | 4617                        | 4564                         | 53.17                          | 86.837                    |      |
| 1600                                                        | 1574                       | 1636                       | 1636                       | 7                     | 50                 | -48.78                       | -4327             | 1972              | 4600                        | 4544                         | 56.18                          | 81.882                    |      |
| 1700                                                        | 1671                       | 1719                       | 1719                       | 8                     | 52                 | -48.98                       | -4328             | 1972              | 4584                        | 4524                         | 59.20                          | 77.424                    |      |
| 1800                                                        | 1768                       | 1853                       | 1853                       | 8                     | 56                 | -49.31                       | -4328             | 1972              | 4567                        | 4503                         | 63.77                          | 71.609                    |      |
| 1900                                                        | 1864                       | 1938                       | 1938                       | 9                     | 59                 | -49.53                       | -4328             | 1972              | 4549                        | 4482                         | 66.88                          | 68.012                    |      |
| 2000                                                        | 1961                       | 2046                       | 2046                       | 9                     | 62                 | -49.80                       | -4328             | 1972              | 4532                        | 4462                         | 70.67                          | 64.131                    |      |
| 2100                                                        | 2058                       | 2143                       | 2143                       | 10                    | 65                 | -50.04                       | -4328             | 1972              | 4515                        | 4441                         | 74.13                          | 60.913                    |      |
| 2200                                                        | 2154                       | 2239                       | 2239                       | 11                    | 68                 | -50.29                       | -4328             | 1972              | 4499                        | 4421                         | 77.59                          | 57.980                    |      |
| 2300                                                        | 2251                       | 2324                       | 2324                       | 11                    | 71                 | -50.52                       | -4327             | 1972              | 4480                        | 4400                         | 80.69                          | 55.530                    |      |
| 2400                                                        | 2347                       | 2404                       | 2404                       | 12                    | 73                 | -50.72                       | -4327             | 1972              | 4464                        | 4381                         | 83.65                          | 53.365                    |      |
| 2500                                                        | 2444                       | 2529                       | 2529                       | 12                    | 77                 | -51.04                       | -4328             | 1972              | 4448                        | 4360                         | 87.99                          | 50.559                    |      |
| 2600                                                        | 2541                       | 2626                       | 2626                       | 13                    | 80                 | -51.30                       | -4328             | 1972              | 4432                        | 4340                         | 91.46                          | 48.460                    |      |
| 2700                                                        | 2637                       | 2720                       | 2719                       | 14                    | 83                 | -51.55                       | -4328             | 1972              | 4415                        | 4320                         | 94.84                          | 46.551                    |      |
| 2800                                                        | 2734                       | 2805                       | 2804                       | 14                    | 85                 | -51.78                       | -4328             | 1972              | 4399                        | 4301                         | 97.97                          | 44.901                    |      |
| 2900                                                        | 2830                       | 2916                       | 2915                       | 15                    | 89                 | -52.07                       | -4328             | 1972              | 4383                        | 4281                         | 101.88                         | 43.019                    |      |
| 3000                                                        | 2927                       | 3012                       | 3012                       | 15                    | 91                 | -52.33                       | -4328             | 1972              | 4367                        | 4261                         | 105.36                         | 41.444                    |      |
| 3100                                                        | 3024                       | 3106                       | 3105                       | 16                    | 94                 | -52.59                       | -4328             | 1972              | 4350                        | 4241                         | 108.74                         | 40.003                    |      |
| 3200                                                        | 3120                       | 3192                       | 3191                       | 17                    | 97                 | -52.83                       | -4328             | 1972              | 4334                        | 4222                         | 111.91                         | 38.731                    |      |
| 3300                                                        | 3217                       | 3302                       | 3302                       | 17                    | 100                | -53.13                       | -4328             | 1972              | 4319                        | 4203                         | 115.82                         | 37.289                    |      |
| 3400                                                        | 3313                       | 3399                       | 3398                       | 18                    | 103                | -53.40                       | -4328             | 1972              | 4303                        | 4184                         | 119.31                         | 36.066                    |      |
| 3500                                                        | 3410                       | 3495                       | 3495                       | 18                    | 106                | -53.67                       | -4328             | 1972              | 4287                        | 4164                         | 122.80                         | 34.913                    |      |
| 3600                                                        | 3507                       | 3589                       | 3588                       | 19                    | 109                | -53.94                       | -4328             | 1972              | 4271                        | 4145                         | 126.19                         | 33.846                    |      |
| 3700                                                        | 3603                       | 3680                       | 3679                       | 20                    | 112                | -54.19                       | -4328             | 1972              | 4256                        | 4126                         | 129.52                         | 32.858                    |      |
| 3800                                                        | 3700                       | 3771                       | 3771                       | 20                    | 115                | -54.45                       | -4328             | 1972              | 4241                        | 4108                         | 132.86                         | 31.919                    |      |
| 3900                                                        | 3796                       | 3882                       | 3881                       | 21                    | 118                | -54.77                       | -4328             | 1972              | 4225                        | 4089                         | 136.79                         | 30.891                    |      |
| 4000                                                        | 3893                       | 3979                       | 3978                       | 21                    | 121                | -55.05                       | -4328             | 1972              | 4210                        | 4070                         | 140.29                         | 30.011                    |      |
| 4100                                                        | 3990                       | 4075                       | 4074                       | 22                    | 124                | -55.34                       | -4328             | 1972              | 4195                        | 4051                         | 143.78                         | 29.175                    |      |
| 4200                                                        | 4086                       | 4166                       | 4166                       | 23                    | 127                | -55.61                       | -4328             | 1972              | 4180                        | 4033                         | 147.13                         | 28.409                    |      |
| 4300                                                        | 4183                       | 4258                       | 4257                       | 23                    | 129                | -55.88                       | -4328             | 1972              | 4165                        | 4015                         | 150.49                         | 27.678                    |      |
| 4400                                                        | 4279                       | 4365                       | 4364                       | 24                    | 133                | -56.20                       | -4328             | 1972              | 4151                        | 3996                         | 154.32                         | 26.896                    |      |
| 4500                                                        | 4376                       | 4462                       | 4461                       | 25                    | 135                | -56.49                       | -4328             | 1972              | 4136                        | 3978                         | 157.83                         | 26.204                    |      |
| 4600                                                        | 4473                       | 4558                       | 4558                       | 25                    | 138                | -56.78                       | -4328             | 1972              | 4121                        | 3960                         | 161.35                         | 25.543                    |      |
| 4700                                                        | 4569                       | 4648                       | 4647                       | 26                    | 141                | -57.06                       | -4328             | 1972              | 4106                        | 3942                         | 164.65                         | 24.940                    |      |
| 4800                                                        | 4666                       | 4736                       | 4735                       | 26                    | 144                | -57.32                       | -4328             | 1972              | 4092                        | 3924                         | 167.92                         | 24.370                    |      |
| 4900                                                        | 4763                       | 4848                       | 4848                       | 27                    | 147                | -57.67                       | -4328             | 1972              | 4078                        | 3906                         | 171.91                         | 23.724                    |      |

CC - Min centre to center distance or convergent point, SF - min separation factor, ES - min ellipse separation



# Lonestar Consulting, LLC

## Anticollision Report



|                           |                    |                                     |                             |
|---------------------------|--------------------|-------------------------------------|-----------------------------|
| <b>Company:</b>           | DJR Operating      | <b>Local Co-ordinate Reference:</b> | Well # 540H - Slot 2        |
| <b>Project:</b>           | North Alamito Unit | <b>TVD Reference:</b>               | GL 7121' & RKB 14' @ 7135ft |
| <b>Reference Site:</b>    | M24 2307 Pad       | <b>MD Reference:</b>                | GL 7121' & RKB 14' @ 7135ft |
| <b>Site Error:</b>        | 0 ft               | <b>North Reference:</b>             | True                        |
| <b>Reference Well:</b>    | # 540H             | <b>Survey Calculation Method:</b>   | Minimum Curvature           |
| <b>Well Error:</b>        | 0 ft               | <b>Output errors are at</b>         | 2.00 sigma                  |
| <b>Reference Wellbore</b> | Original Drilling  | <b>Database:</b>                    | Grand Junction              |
| <b>Reference Design:</b>  | APD Rev 1          | <b>Offset TVD Reference:</b>        | Offset Datum                |

|                                                             |                            |                            |                            |                       |                    |                              |                   |                   |                             |                              |                                |                          |
|-------------------------------------------------------------|----------------------------|----------------------------|----------------------------|-----------------------|--------------------|------------------------------|-------------------|-------------------|-----------------------------|------------------------------|--------------------------------|--------------------------|
| <b>Offset Design:</b> M24 2307 Pad - Ballymaloe 2 - OH - OH |                            |                            |                            |                       |                    |                              |                   |                   |                             |                              | <b>Offset Site Error:</b>      | 0 ft                     |
| <b>Survey Program:</b> 133-INCLINOMETER                     |                            |                            |                            |                       |                    |                              |                   |                   |                             |                              | <b>Offset Well Error:</b>      | 0 ft                     |
| <b>Reference</b>                                            | <b>Offset</b>              | <b>Semi Major Axis</b>     |                            | <b>Distance</b>       |                    | <b>Rule Assigned:</b>        |                   | <b>Warning</b>    |                             |                              |                                |                          |
| <b>Measured Depth (ft)</b>                                  | <b>Vertical Depth (ft)</b> | <b>Measured Depth (ft)</b> | <b>Vertical Depth (ft)</b> | <b>Reference (ft)</b> | <b>Offset (ft)</b> | <b>Highside Toolface (°)</b> | <b>+N/-S (ft)</b> | <b>+E/-W (ft)</b> | <b>Between Centres (ft)</b> | <b>Between Ellipses (ft)</b> | <b>Minimum Separation (ft)</b> | <b>Separation Factor</b> |
| 4994                                                        | 4854                       | 4939                       | 4939                       | 28                    | 150                | -57.95                       | -4328             | 1972              | 4065                        | 3890                         | 175.24                         | 23.197                   |
| 5000                                                        | 4859                       | 4945                       | 4944                       | 28                    | 150                | -56.00                       | -4328             | 1972              | 4064                        | 3889                         | 175.43                         | 23.167                   |
| 5050                                                        | 4907                       | 4993                       | 4992                       | 28                    | 152                | -41.16                       | -4328             | 1972              | 4055                        | 3877                         | 177.18                         | 22.884                   |
| 5100                                                        | 4954                       | 5040                       | 5039                       | 28                    | 153                | -30.86                       | -4328             | 1972              | 4040                        | 3862                         | 178.89                         | 22.587                   |
| 5150                                                        | 5000                       | 5083                       | 5083                       | 29                    | 154                | -23.68                       | -4327             | 1972              | 4021                        | 3841                         | 180.48                         | 22.281                   |
| 5200                                                        | 5044                       | 5123                       | 5122                       | 29                    | 156                | -18.47                       | -4327             | 1972              | 3999                        | 3817                         | 181.93                         | 21.979                   |
| 5250                                                        | 5086                       | 5161                       | 5160                       | 29                    | 157                | -14.48                       | -4327             | 1972              | 3972                        | 3789                         | 183.31                         | 21.671                   |
| 5300                                                        | 5125                       | 5197                       | 5196                       | 30                    | 158                | -11.24                       | -4327             | 1972              | 3942                        | 3758                         | 184.60                         | 21.356                   |
| 5350                                                        | 5162                       | 5230                       | 5229                       | 30                    | 159                | -8.43                        | -4328             | 1972              | 3909                        | 3723                         | 185.80                         | 21.039                   |
| 5400                                                        | 5196                       | 5261                       | 5260                       | 31                    | 160                | -5.80                        | -4328             | 1972              | 3872                        | 3686                         | 186.89                         | 20.721                   |
| 5450                                                        | 5226                       | 5289                       | 5288                       | 31                    | 161                | -3.12                        | -4328             | 1972              | 3833                        | 3645                         | 187.85                         | 20.404                   |
| 5500                                                        | 5253                       | 5339                       | 5338                       | 31                    | 162                | -0.12                        | -4328             | 1972              | 3791                        | 3601                         | 189.46                         | 20.009                   |
| 5550                                                        | 5276                       | 5362                       | 5361                       | 32                    | 163                | 3.64                         | -4328             | 1972              | 3747                        | 3556                         | 190.22                         | 19.696                   |
| 5600                                                        | 5295                       | 5381                       | 5380                       | 32                    | 163                | 8.85                         | -4328             | 1972              | 3700                        | 3510                         | 190.83                         | 19.391                   |
| 5650                                                        | 5310                       | 5395                       | 5395                       | 33                    | 164                | 17.00                        | -4328             | 1972              | 3653                        | 3461                         | 191.27                         | 19.097                   |
| 5700                                                        | 5320                       | 5406                       | 5405                       | 33                    | 164                | 31.39                        | -4328             | 1972              | 3604                        | 3412                         | 191.56                         | 18.815                   |
| 5750                                                        | 5326                       | 5412                       | 5411                       | 34                    | 164                | 58.07                        | -4328             | 1972              | 3555                        | 3363                         | 191.68                         | 18.546                   |
| 5797                                                        | 5328                       | 5414                       | 5413                       | 35                    | 164                | 92.21                        | -4328             | 1972              | 3508                        | 3316                         | 191.64                         | 18.306                   |
| 5800                                                        | 5328                       | 5414                       | 5413                       | 35                    | 164                | 92.20                        | -4328             | 1972              | 3505                        | 3314                         | 191.63                         | 18.292                   |
| 5900                                                        | 5327                       | 5413                       | 5412                       | 36                    | 164                | 92.14                        | -4328             | 1972              | 3406                        | 3215                         | 191.39                         | 17.799                   |
| 6000                                                        | 5327                       | 5413                       | 5412                       | 37                    | 164                | 92.08                        | -4328             | 1972              | 3308                        | 3116                         | 191.14                         | 17.305                   |
| 6100                                                        | 5326                       | 5412                       | 5411                       | 39                    | 164                | 92.01                        | -4328             | 1972              | 3209                        | 3018                         | 190.88                         | 16.811                   |
| 6200                                                        | 5326                       | 5411                       | 5411                       | 40                    | 164                | 91.95                        | -4328             | 1972              | 3110                        | 2920                         | 190.62                         | 16.316                   |
| 6300                                                        | 5325                       | 5411                       | 5410                       | 42                    | 164                | 91.89                        | -4328             | 1972              | 3012                        | 2821                         | 190.35                         | 15.821                   |
| 6400                                                        | 5325                       | 5410                       | 5410                       | 44                    | 164                | 91.82                        | -4328             | 1972              | 2913                        | 2723                         | 190.08                         | 15.326                   |
| 6500                                                        | 5324                       | 5410                       | 5409                       | 45                    | 164                | 91.76                        | -4328             | 1972              | 2815                        | 2625                         | 189.80                         | 14.830                   |
| 6600                                                        | 5323                       | 5409                       | 5408                       | 47                    | 164                | 91.70                        | -4328             | 1972              | 2717                        | 2527                         | 189.52                         | 14.333                   |
| 6700                                                        | 5323                       | 5409                       | 5408                       | 49                    | 164                | 91.63                        | -4328             | 1972              | 2618                        | 2429                         | 189.24                         | 13.836                   |
| 6800                                                        | 5322                       | 5408                       | 5407                       | 51                    | 164                | 91.57                        | -4328             | 1972              | 2520                        | 2331                         | 188.97                         | 13.338                   |
| 6900                                                        | 5322                       | 5407                       | 5407                       | 53                    | 164                | 91.51                        | -4328             | 1972              | 2423                        | 2234                         | 188.70                         | 12.838                   |
| 7000                                                        | 5321                       | 5407                       | 5406                       | 55                    | 164                | 91.44                        | -4328             | 1972              | 2325                        | 2137                         | 188.45                         | 12.338                   |
| 7100                                                        | 5321                       | 5406                       | 5406                       | 58                    | 164                | 91.38                        | -4328             | 1972              | 2228                        | 2039                         | 188.21                         | 11.835                   |
| 7200                                                        | 5320                       | 5406                       | 5405                       | 60                    | 164                | 91.31                        | -4328             | 1972              | 2130                        | 1942                         | 188.01                         | 11.331                   |
| 7300                                                        | 5319                       | 5405                       | 5404                       | 62                    | 164                | 91.25                        | -4328             | 1972              | 2034                        | 1846                         | 187.86                         | 10.825                   |
| 7400                                                        | 5319                       | 5405                       | 5404                       | 64                    | 164                | 91.19                        | -4328             | 1972              | 1937                        | 1749                         | 187.77                         | 10.316                   |
| 7500                                                        | 5318                       | 5404                       | 5403                       | 66                    | 164                | 91.12                        | -4328             | 1972              | 1841                        | 1653                         | 187.76                         | 9.804                    |
| 7600                                                        | 5318                       | 5403                       | 5403                       | 69                    | 164                | 91.06                        | -4328             | 1972              | 1745                        | 1557                         | 187.88                         | 9.288                    |
| 7700                                                        | 5317                       | 5403                       | 5402                       | 71                    | 164                | 91.00                        | -4328             | 1972              | 1650                        | 1462                         | 188.15                         | 8.768                    |
| 7800                                                        | 5317                       | 5402                       | 5402                       | 73                    | 164                | 90.93                        | -4328             | 1972              | 1555                        | 1366                         | 188.63                         | 8.243                    |
| 7900                                                        | 5316                       | 5402                       | 5401                       | 75                    | 164                | 90.87                        | -4328             | 1972              | 1461                        | 1272                         | 189.39                         | 7.714                    |
| 8000                                                        | 5315                       | 5401                       | 5400                       | 78                    | 164                | 90.81                        | -4328             | 1972              | 1368                        | 1177                         | 190.49                         | 7.181                    |
| 8100                                                        | 5315                       | 5401                       | 5400                       | 80                    | 164                | 90.74                        | -4328             | 1972              | 1276                        | 1084                         | 192.02                         | 6.644                    |
| 8200                                                        | 5314                       | 5400                       | 5399                       | 82                    | 164                | 90.68                        | -4328             | 1972              | 1185                        | 991                          | 194.09                         | 6.105                    |
| 8300                                                        | 5314                       | 5399                       | 5399                       | 85                    | 164                | 90.62                        | -4328             | 1972              | 1096                        | 899                          | 196.82                         | 5.567                    |
| 8400                                                        | 5313                       | 5399                       | 5398                       | 87                    | 164                | 90.55                        | -4328             | 1972              | 1009                        | 808                          | 200.34                         | 5.034                    |
| 8500                                                        | 5313                       | 5398                       | 5398                       | 89                    | 164                | 90.49                        | -4328             | 1972              | 924                         | 719                          | 204.82                         | 4.511                    |
| 8600                                                        | 5312                       | 5398                       | 5397                       | 92                    | 164                | 90.42                        | -4328             | 1972              | 843                         | 632                          | 210.41                         | 4.005                    |
| 8700                                                        | 5311                       | 5397                       | 5396                       | 94                    | 164                | 90.36                        | -4328             | 1972              | 766                         | 549                          | 217.27                         | 3.526                    |
| 8800                                                        | 5311                       | 5397                       | 5396                       | 96                    | 164                | 90.30                        | -4328             | 1972              | 695                         | 470                          | 225.53                         | 3.083                    |
| 8900                                                        | 5310                       | 5396                       | 5395                       | 99                    | 164                | 90.23                        | -4328             | 1972              | 632                         | 397                          | 235.12                         | 2.689                    |
| 9000                                                        | 5310                       | 5395                       | 5395                       | 101                   | 164                | 90.17                        | -4328             | 1972              | 580                         | 334                          | 245.68                         | 2.361                    |
| 9100                                                        | 5309                       | 5395                       | 5394                       | 104                   | 164                | 90.11                        | -4328             | 1972              | 541                         | 285                          | 256.28                         | 2.112                    |

CC - Min centre to center distance or convergent point, SF - min separation factor, ES - min ellipse separation



# Lonestar Consulting, LLC

## Anticollision Report



|                           |                    |                                     |                             |
|---------------------------|--------------------|-------------------------------------|-----------------------------|
| <b>Company:</b>           | DJR Operating      | <b>Local Co-ordinate Reference:</b> | Well # 540H - Slot 2        |
| <b>Project:</b>           | North Alamito Unit | <b>TVD Reference:</b>               | GL 7121' & RKB 14' @ 7135ft |
| <b>Reference Site:</b>    | M24 2307 Pad       | <b>MD Reference:</b>                | GL 7121' & RKB 14' @ 7135ft |
| <b>Site Error:</b>        | 0 ft               | <b>North Reference:</b>             | True                        |
| <b>Reference Well:</b>    | # 540H             | <b>Survey Calculation Method:</b>   | Minimum Curvature           |
| <b>Well Error:</b>        | 0 ft               | <b>Output errors are at</b>         | 2.00 sigma                  |
| <b>Reference Wellbore</b> | Original Drilling  | <b>Database:</b>                    | Grand Junction              |
| <b>Reference Design:</b>  | APD Rev 1          | <b>Offset TVD Reference:</b>        | Offset Datum                |

|                                                             |                            |                            |                            |                       |                    |                              |                   |                   |                             |                              |                                |                          |
|-------------------------------------------------------------|----------------------------|----------------------------|----------------------------|-----------------------|--------------------|------------------------------|-------------------|-------------------|-----------------------------|------------------------------|--------------------------------|--------------------------|
| <b>Offset Design:</b> M24 2307 Pad - Ballymaloe 2 - OH - OH |                            |                            |                            |                       |                    |                              |                   |                   |                             |                              | <b>Offset Site Error:</b>      | 0 ft                     |
| <b>Survey Program:</b> 133-INCLINOMETER                     |                            |                            |                            |                       |                    |                              |                   |                   |                             |                              | <b>Offset Well Error:</b>      | 0 ft                     |
| <b>Reference</b>                                            | <b>Offset</b>              | <b>Semi Major Axis</b>     |                            | <b>Distance</b>       |                    | <b>Rule Assigned:</b>        |                   | <b>Warning</b>    |                             |                              |                                |                          |
| <b>Measured Depth (ft)</b>                                  | <b>Vertical Depth (ft)</b> | <b>Measured Depth (ft)</b> | <b>Vertical Depth (ft)</b> | <b>Reference (ft)</b> | <b>Offset (ft)</b> | <b>Highside Toolface (°)</b> | <b>+N/-S (ft)</b> | <b>+E/-W (ft)</b> | <b>Between Centres (ft)</b> | <b>Between Ellipses (ft)</b> | <b>Minimum Separation (ft)</b> | <b>Separation Factor</b> |
| 9200                                                        | 5309                       | 5394                       | 5394                       | 106                   | 164                | 90.04                        | -4328             | 1972              | 519                         | 254                          | 265.45                         | 1.956                    |
| 9267                                                        | 5308                       | 5394                       | 5393                       | 108                   | 164                | 90.00                        | -4328             | 1972              | 515                         | 245                          | 270.01                         | 1.906 CC                 |
| 9300                                                        | 5308                       | 5394                       | 5393                       | 108                   | 164                | 89.98                        | -4328             | 1972              | 516                         | 244                          | 271.62                         | 1.899 ES, SF             |
| 9400                                                        | 5307                       | 5393                       | 5392                       | 111                   | 164                | 89.92                        | -4328             | 1972              | 532                         | 258                          | 273.96                         | 1.940                    |
| 9500                                                        | 5307                       | 5393                       | 5392                       | 113                   | 164                | 89.85                        | -4328             | 1972              | 565                         | 292                          | 272.85                         | 2.070                    |
| 9600                                                        | 5306                       | 5392                       | 5391                       | 115                   | 164                | 89.79                        | -4328             | 1972              | 613                         | 343                          | 269.40                         | 2.275                    |
| 9700                                                        | 5306                       | 5391                       | 5391                       | 118                   | 164                | 89.72                        | -4328             | 1972              | 672                         | 408                          | 264.80                         | 2.539                    |
| 9800                                                        | 5305                       | 5391                       | 5390                       | 120                   | 164                | 89.66                        | -4328             | 1972              | 741                         | 481                          | 259.87                         | 2.850                    |
| 9900                                                        | 5305                       | 5390                       | 5390                       | 123                   | 164                | 89.60                        | -4328             | 1972              | 816                         | 560                          | 255.10                         | 3.197                    |
| 10,000                                                      | 5304                       | 5390                       | 5389                       | 125                   | 164                | 89.53                        | -4328             | 1972              | 895                         | 645                          | 250.71                         | 3.571                    |
| 10,100                                                      | 5303                       | 5389                       | 5388                       | 128                   | 164                | 89.47                        | -4328             | 1972              | 979                         | 732                          | 246.75                         | 3.967                    |
| 10,200                                                      | 5303                       | 5389                       | 5388                       | 130                   | 164                | 89.41                        | -4328             | 1972              | 1065                        | 822                          | 243.24                         | 4.379                    |
| 10,300                                                      | 5302                       | 5388                       | 5387                       | 132                   | 164                | 89.34                        | -4328             | 1972              | 1154                        | 914                          | 240.14                         | 4.805                    |
| 10,400                                                      | 5302                       | 5387                       | 5387                       | 135                   | 164                | 89.28                        | -4328             | 1972              | 1244                        | 1007                         | 237.40                         | 5.241                    |
| 10,500                                                      | 5301                       | 5387                       | 5386                       | 137                   | 164                | 89.22                        | -4328             | 1972              | 1336                        | 1101                         | 234.98                         | 5.685                    |
| 10,600                                                      | 5301                       | 5386                       | 5386                       | 140                   | 164                | 89.15                        | -4328             | 1972              | 1429                        | 1196                         | 232.83                         | 6.136                    |
| 10,700                                                      | 5300                       | 5386                       | 5385                       | 142                   | 164                | 89.09                        | -4328             | 1972              | 1522                        | 1291                         | 230.92                         | 6.592                    |
| 10,800                                                      | 5299                       | 5385                       | 5384                       | 145                   | 164                | 89.03                        | -4328             | 1972              | 1617                        | 1388                         | 229.21                         | 7.054                    |
| 10,900                                                      | 5299                       | 5385                       | 5384                       | 147                   | 164                | 88.96                        | -4328             | 1972              | 1712                        | 1484                         | 227.67                         | 7.519                    |
| 11,000                                                      | 5298                       | 5384                       | 5383                       | 149                   | 164                | 88.90                        | -4328             | 1972              | 1807                        | 1581                         | 226.29                         | 7.987                    |
| 11,100                                                      | 5298                       | 5383                       | 5383                       | 152                   | 163                | 88.83                        | -4328             | 1972              | 1904                        | 1678                         | 225.04                         | 8.459                    |
| 11,200                                                      | 5297                       | 5383                       | 5382                       | 154                   | 163                | 88.77                        | -4328             | 1972              | 2000                        | 1776                         | 223.91                         | 8.932                    |
| 11,300                                                      | 5297                       | 5382                       | 5382                       | 157                   | 163                | 88.71                        | -4328             | 1972              | 2097                        | 1874                         | 222.88                         | 9.408                    |
| 11,400                                                      | 5296                       | 5382                       | 5381                       | 159                   | 163                | 88.64                        | -4328             | 1972              | 2194                        | 1972                         | 221.94                         | 9.885                    |
| 11,500                                                      | 5295                       | 5381                       | 5380                       | 162                   | 163                | 88.58                        | -4328             | 1972              | 2291                        | 2070                         | 221.07                         | 10.364                   |
| 11,600                                                      | 5295                       | 5381                       | 5380                       | 164                   | 163                | 88.52                        | -4328             | 1972              | 2389                        | 2168                         | 220.28                         | 10.844                   |
| 11,700                                                      | 5294                       | 5380                       | 5379                       | 166                   | 163                | 88.45                        | -4328             | 1972              | 2486                        | 2267                         | 219.55                         | 11.325                   |
| 11,800                                                      | 5294                       | 5379                       | 5379                       | 169                   | 163                | 88.39                        | -4328             | 1972              | 2584                        | 2366                         | 218.88                         | 11.808                   |
| 11,900                                                      | 5293                       | 5379                       | 5378                       | 171                   | 163                | 88.33                        | -4328             | 1972              | 2682                        | 2464                         | 218.25                         | 12.291                   |
| 11,922                                                      | 5293                       | 5379                       | 5378                       | 172                   | 163                | 88.31                        | -4328             | 1972              | 2705                        | 2486                         | 218.12                         | 12.399                   |

CC - Min centre to center distance or convergent point, SF - min separation factor, ES - min ellipse separation



# Lonestar Consulting, LLC

## Anticollision Report




|                           |                    |                                     |                             |
|---------------------------|--------------------|-------------------------------------|-----------------------------|
| <b>Company:</b>           | DJR Operating      | <b>Local Co-ordinate Reference:</b> | Well # 540H - Slot 2        |
| <b>Project:</b>           | North Alamito Unit | <b>TVD Reference:</b>               | GL 7121' & RKB 14' @ 7135ft |
| <b>Reference Site:</b>    | M24 2307 Pad       | <b>MD Reference:</b>                | GL 7121' & RKB 14' @ 7135ft |
| <b>Site Error:</b>        | 0 ft               | <b>North Reference:</b>             | True                        |
| <b>Reference Well:</b>    | # 540H             | <b>Survey Calculation Method:</b>   | Minimum Curvature           |
| <b>Well Error:</b>        | 0 ft               | <b>Output errors are at</b>         | 2.00 sigma                  |
| <b>Reference Wellbore</b> | Original Drilling  | <b>Database:</b>                    | Grand Junction              |
| <b>Reference Design:</b>  | APD Rev 1          | <b>Offset TVD Reference:</b>        | Offset Datum                |


Reference Depths are relative to GL 7121' & RKB 14' @ 7135ft  
 Offset Depths are relative to Offset Datum  
 Central Meridian is -107.8333333

Coordinates are relative to: # 540H - Slot 2  
 Coordinate System is US State Plane 1983, New Mexico Western Zone  
 Grid Convergence at Surface is: 0.18°

### Ladder Plot



### LEGEND





# Lonestar Consulting, LLC

## Anticollision Report




|                           |                    |                                     |                             |
|---------------------------|--------------------|-------------------------------------|-----------------------------|
| <b>Company:</b>           | DJR Operating      | <b>Local Co-ordinate Reference:</b> | Well # 540H - Slot 2        |
| <b>Project:</b>           | North Alamito Unit | <b>TVD Reference:</b>               | GL 7121' & RKB 14' @ 7135ft |
| <b>Reference Site:</b>    | M24 2307 Pad       | <b>MD Reference:</b>                | GL 7121' & RKB 14' @ 7135ft |
| <b>Site Error:</b>        | 0 ft               | <b>North Reference:</b>             | True                        |
| <b>Reference Well:</b>    | # 540H             | <b>Survey Calculation Method:</b>   | Minimum Curvature           |
| <b>Well Error:</b>        | 0 ft               | <b>Output errors are at</b>         | 2.00 sigma                  |
| <b>Reference Wellbore</b> | Original Drilling  | <b>Database:</b>                    | Grand Junction              |
| <b>Reference Design:</b>  | APD Rev 1          | <b>Offset TVD Reference:</b>        | Offset Datum                |

Reference Depths are relative to GL 7121' & RKB 14' @ 7135ft  
 Offset Depths are relative to Offset Datum  
 Central Meridian is -107.8333333

Coordinates are relative to: # 540H - Slot 2  
 Coordinate System is US State Plane 1983, New Mexico Western Zone  
 Grid Convergence at Surface is: 0.18°

## Separation Factor Plot



### LEGEND

#201HOriginalDrilling.APDRev1 V0
 #205HOriginalDrilling.APDRev1 V0
 #203HOriginalDrilling.APDRev1 V0
 #550HOriginalDrilling.APDRev1 V0
 Ballymore 2.OHCHV0



# United States Department of the Interior

BUREAU OF LAND MANAGEMENT  
Farmington District Office  
6251 College Blvd, Suite A  
Farmington, New Mexico 87402



In Reply Refer To:  
3162.3-1(NMF0110)

\* DJR OPERATING LLC  
#540H NORTH ALAMITO UNIT  
Lease: NMNM 028747 Agreement: NMNM 135229A  
SH: SW $\frac{1}{4}$ SW $\frac{1}{4}$  Section 24, T. 23N., R. 7W.  
Sandoval County, New Mexico  
BH: SE $\frac{1}{4}$ SE $\frac{1}{4}$  Section 25, T. 23N., R. 7W.  
Sandoval County, New Mexico  
**\*Above Data Required on Well Sign**

## GENERAL REQUIREMENTS FOR OIL AND GAS OPERATIONS ON FEDERAL AND INDIAN LEASES

The following special requirements apply and are effective when **checked**:

- A. ☒ Note all surface/drilling conditions of approval attached.
- B. ☒ The required wait on cement (WOC) time will be a minimum of 500 psi compressive strength at 60 degrees. Blowout preventor (BOP) nipple-up operations may then be initiated
- C. ☒ Test all casing strings below the conductor casing to .22 psi/ft. of casing string length or 1500 psi, whichever is greater, but not to exceed 70% of the minimum internal yield (burst) for a minimum of 30 minutes. If pressure declines more than 10 percent in 30 minutes, corrective action shall be taken.
- D. ☐ Communitization Agreement covering the acreage dedicated to this well must be filed for approval with the Bureau of Land Management, New Mexico State Office, Reservoir Management Group, 301 Dinosaur Trail, Santa Fe, New Mexico 87508.  
The effective date of the agreement must be **prior** to any sales.
- E. ☐ The use of co-flex hose is authorized contingent upon the following:
1. From the BOP to the choke manifold: the co-flex hose must be hobbled on both ends and saddle to prevent whip.
  2. From the choke manifold to the discharge tank: the co-flex hoses must be as straight as practical, hobbled on both ends and anchored to prevent whip.
  3. The co-flex hose pressure rating must be at least commensurate with approved BOPE.

INTERIOR REGION 7 • UPPER COLORADO BASIN

COLORADO, NEW MEXICO, UTAH, WYOMING

## **I. GENERAL**

- A. Full compliance with all applicable laws and regulations, with the approved Permit to drill, and with the approved Surface Use and Operations Plan is required. Lessees and/or operators are fully accountable for the actions of their contractors and subcontractors. Failure to comply with these requirements and the filing of required reports will result in strict enforcement pursuant to 43 CFR 3163.1 or 3163.2.
- B. Each well shall have a well sign in legible condition from spud date to final abandonment. The sign should show the operator's name, lease serial number, or unit name, well number, location of the well, and whether lease is Tribal or Allotted, (See 43 CFR 3162.6(b)).
- C. A complete copy of the approved Application for Permit to Drill, along with any conditions of approval, shall be available to authorized personnel at the drill site whenever active drilling operations are under way.
- D. For Wildcat wells only, a drilling operations progress report is to be submitted, to the BLM-Field Office, weekly from the spud date until the well is completed and the Well Completion Report is filed. The report should be on 8-1/2 x 11 inch paper, and each page should identify the well by; operator's name, well number, location and lease number.
- E. As soon as practical, notice is required of all blowouts, fires and accidents involving life-threatening injuries or loss of life. (See NTL-3A).
- F. BOP equipment (except the annular preventer) shall be tested utilizing a test plug to full working pressure for 10 minutes. No bleed-off of pressure is acceptable. (See 43 CFR 3172.6(b)(9)(ii)).
- G. The operator shall have sufficient weighting materials and lost circulation materials on location in the event of a pressure kick or in the event of lost circulation. (See 43 CFR 3172.8(a)).
- H. The flare line(s) discharge shall be located not less than 100 feet from the well head, having straight lines unless turns are targeted with running tees, and shall be positioned downwind of the prevailing wind direction and shall be anchored. The flare system shall have an effective method for ignition. Where noncombustible gas is likely or expected to be vented, the system shall be provided supplemental fuel for ignition and to maintain a continuous flare. (See 43 CFR 3172.8(b)(7)).
- I. Prior approval by the BLM-Authorized Office (Drilling and Production Section) is required for variance from the approved drilling program and before commencing plugging operations, plug back work, casing repair work, corrective cementing operations, or suspending drilling operations indefinitely. Emergency approval may be obtained orally, but such approval is contingent upon filing of a Notice of Intent sundry within three business days. **Any changes to the approved plan or any questions regarding drilling operations should be directed to BLM during regular business hours at 505-564-7600. Emergency program changes after hours should be directed to Virgil Lucero at 505-793-1836.**
- J. **The Inspection and Enforcement Section (I&E), phone number (505-564-7750) is to be notified at least 24 hours in advance of BOP test, spudding, cementing, or plugging operations so that a BLM representative may witness the operations.**

- K. From the time drilling operations are initiated and until drilling operations are completed, a member of the drilling crew or the tool pusher shall maintain rig surveillance at all times, unless the well is secured with blowout preventers or cement plugs.
- L. If for any reason, drilling operations are suspended for more than 90 days, a written notice must be provided to this office outlining your plans for this well.
- M. **Commingling:** No production (oil, gas, and water) from the subject well should start until Sundry Notices (if necessary) granting variances from applicable regulations as related to commingling and off-lease measurement are approved by this office. (See 43 CFR 3173.14)

## **II. REPORTING REQUIREMENTS**

- A. For reporting purposes, all well Sundry notices, well completion and other well actions shall be referenced by the appropriate lease, communitization agreement and/or unit agreement numbers.
- B. The following reports shall be filed with the BLM-Authorized Officer online through AFMSS 2 within 30 days after the work is completed.
  - 1. Provide complete information concerning.
    - a. Setting of each string of casing. Show size and depth of hole, grade and weight of casing, depth set, depth of all cementing tools that are used, amount (in cubic feet) and types of cement used, whether cement circulated to surface and all cement tops in the casing annulus, casing test method and results, and the date work was done. Show spud date on first report submitted.
    - b. Intervals tested, perforated (include size, number and location of perforations), acidized, or fractured; and results obtained. Provide date work was done on well completion report and completion sundry notice.
    - c. Subsequent Report of Abandonment, show the way the well was plugged, including depths where casing was cut and pulled, intervals (by depths) where cement plugs were replaced, and dates of the operations.
  - 2. Well Completion Report will be submitted with 30 days after well has been completed.
    - a. Initial Bottom Hole Pressure (BHP) for the producing formations. Show the BHP on the completion report. The pressure may be: 1) measured with a bottom hole bomb, or; 2) calculated based on shut in surface pressures (minimum seven day buildup) and fluid level shot.
  - 3. Submit a cement evaluation log if cement is not circulated to surface.
- C. Production Startup Notification is required no later than the 5<sup>th</sup> business day after any well begins production on which royalty is due anywhere on a lease site or allocated to a lease site or resumes production in the case of a well which has been off production for more than 90 days. The operator shall notify the Authorized Officer by letter or Sundry Notice, Form 3160-5, or orally to be followed by a letter or Sundry Notice, of the date on which such production has begun or resumed. CFR 43 3162.4-1(c).

### **III. DRILLER'S LOG**

The following shall be entered in the daily driller's log: 1) Blowout preventer pressures tests, including test pressures and results, 2) Blowout preventer tests for proper functioning, 3) Blowout prevention drills conducted, 4) Casing run, including size, grade, weight, and depth set, 5) How pipe was cemented, including amount of cement, type, whether cement circulated to surface, location of cementing tools, etc., 6) Waiting on cement time for each casing string, 7) Casing pressure tests after cementing, including test pressure and results, and 8) Estimated amounts of oil and gas recovered and/or produced during drill stem test.

### **IV. GAS FLARING**

Gas produced from this well may not be vented or flared beyond an initial, authorized test period of \*  Days, 20 MMCF following its (completion)(recompletion), or flowback has been routed to the production separator, whichever first occurs, without the prior, written approval of the authorized officer in accordance with 43 CFR 3179.81. Should gas be vented or flared without approval beyond the test period authorized above, you may be directed to shut-in the well until the gas can be captured or approval to continue venting or flaring as uneconomic is granted. You shall be required to compensate the lessor for the portion of the gas vented or flared without approval which is determined to have been avoidably lost.

*\*30 days, unless a longer test period is specifically approved by the authorized officer. The 30-day period will commence upon the beginning of flowback following completion or recompletion.*

### **V. SAFETY**

- A. All rig heating stoves are to be of the explosion-proof type.
- B. Rig safety lines are to be installed.
- C. Hard hats and other Personal Protective Equipment (PPE) must be utilized.

### **VI. CHANGE OF PLANS OR ABANDONMENT**

- A. Any changes of plans required to mitigate unanticipated conditions encountered during drilling operations, will require approval as set forth in Section 1.I.
- B. If the well is dry, it is to be plugged in accordance with 43 CFR 3162.3-4, approval of the proposed plugging program is required as set forth in Section 1.I. The report should show the total depth reached, the reason for plugging, and the proposed intervals, by depths, where cement plugs are to be placed, type of plugging mud, etc. A Subsequent Report of Abandonment is required as set forth in Section II.B.1c.
- C. Unless a well has been properly cased and cemented, or properly plugged, the drilling rig must not be moved from the drill site without prior approval from the BLM-Authorized Officer.

Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico  
Energy, Minerals and Natural Resources  
Oil Conservation Division  
1220 S. St Francis Dr.  
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 496091

ACKNOWLEDGMENTS

|                                                                                     |                                                                       |
|-------------------------------------------------------------------------------------|-----------------------------------------------------------------------|
| Operator:<br>ENDURING RESOURCES, LLC<br>6300 S Syracuse Way<br>Centennial, CO 80111 | OGRID:<br>372286                                                      |
|                                                                                     | Action Number:<br>496091                                              |
|                                                                                     | Action Type:<br>[C-101] BLM - Federal/Indian Land Lease (Form 3160-3) |

ACKNOWLEDGMENTS

|                                     |                                                                                                                            |
|-------------------------------------|----------------------------------------------------------------------------------------------------------------------------|
| <input checked="" type="checkbox"/> | I hereby certify that no additives containing PFAS chemicals will be added to the completion or recompletion of this well. |
|-------------------------------------|----------------------------------------------------------------------------------------------------------------------------|

Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/oed/contact-us>

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

CONDITIONS

Action 496091

**CONDITIONS**

|                                                                                     |                                                                       |
|-------------------------------------------------------------------------------------|-----------------------------------------------------------------------|
| Operator:<br>ENDURING RESOURCES, LLC<br>6300 S Syracuse Way<br>Centennial, CO 80111 | OGRID:<br>372286                                                      |
|                                                                                     | Action Number:<br>496091                                              |
|                                                                                     | Action Type:<br>[C-101] BLM - Federal/Indian Land Lease (Form 3160-3) |

**CONDITIONS**

| Created By  | Condition                                                                                                                                                                                                                                                             | Condition Date |
|-------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|
| sford       | Cement is required to circulate on both surface and intermediate1 strings of casing.                                                                                                                                                                                  | 8/14/2025      |
| sford       | If cement does not circulate on any string, a Cement Bond Log (CBL) is required for that string of casing.                                                                                                                                                            | 8/14/2025      |
| ward.rikala | Notify the OCD 24 hours prior to casing & cement.                                                                                                                                                                                                                     | 9/9/2025       |
| ward.rikala | File As Drilled C-102 and a directional Survey with C-104 completion packet.                                                                                                                                                                                          | 9/9/2025       |
| ward.rikala | Once the well is spud, to prevent ground water contamination through whole or partial conduits from the surface, the operator shall drill without interruption through the fresh water zone or zones and shall immediately set in cement the water protection string. | 9/9/2025       |
| ward.rikala | Oil base muds are not to be used until fresh water zones are cased and cemented providing isolation from the oil or diesel. This includes synthetic oils. Oil based mud, drilling fluids and solids must be contained in a steel closed loop system.                  | 9/9/2025       |
| ward.rikala | This well can not be produced until the operator is in compliance with Rule 5.9.                                                                                                                                                                                      | 9/9/2025       |