



# DIGITAL ACOUSTILOG GAMMA RAY LOG

**Baker Atlas**

FILE NO: WD5162	COMPANY WELL FIELD COUNTY	TMBR/SHARP DRILLING, INC. BLUE FIN "25" #1 TOWNSEND; MISSISSIPPIAN, N. LEA STATE NEW MEXICO
API NO: 30-025-35865	Ver. 3.81 FINAL PRINTS	LOCATION: 1913' FNL & 924' FWL SEC 25 TWP T-16-S RGE R-35-E
OTHER SERVICES CN/ZDL DL./MLL		
PERMANENT DATUM LOG MEASURED FROM DRILL. MEAS. FROM	GL ELEVATION 3959 FT KB 19.25 FT ABOVE P.D. KB	ELEVATIONS: KB 3978.25 FT DI 3977.25 FT G 3959.00 FT

DATE	24-JUN-2002		
RUN	TRIP	1	1
SERVICE ORDER	373300		
DEPTH DRILLER	13100 FT		
DEPTH LOGGER	13095 FT		
BOTTOM LOGGED INTERVAL	13095 FT		
TOP LOGGED INTERVAL	4600 FT		
CASING DRILLER	9.625 IN	@ 4957 FT	③
CASING LOGGER	4953 FT		
BIT SIZE	8.75 IN		
TYPE OF FLUID IN HOLE	BRINE/FLOWZAN		
DENSITY	VISCOSITY	9.9 LB/G	40 S
PH	FLUID LOSS	10	11 C3
SOURCE OF SAMPLE	CIRCULATION TANK		
RM AT MEAS. TEMP.	0.032 OHMM	@ 101 DEGF	③
RMF AT MEAS. TEMP.	0.032 OHMM	@ 101 DEGF	③
RMC AT MEAS. TEMP.	---	@ ---	③
SOURCE OF RMF	RMC	MEASURED	
RM AT BHT	0.017 OHMM	@ 197 DEGF	③
TIME SINCE CIRCULATION	8 HOURS		
MAX. RECORDED TEMP.	197 DEGF		
EQUIP. NO.	LOCATION	HL 6576	MIDLAND TX
RECORDED BY	RANDY RHODES		
WITNESSED BY	DALE LUBINSKI		



**Baker Atlas**

# DUAL LATEROLOG MICRO LATEROLOG GAMMA RAY LOG

FILE NO: MD5162	COMPANY WELL	TMBR/SHARP DRILLING, INC. BLUE FIN "25" #1
API NO: 30-025-35865	FIELD COUNTY	TOWNSEND; MISSISSIPPIAN, N. LEA STATE NEW MEXICO

Ver. 3.81  FINAL PRINTS	LOCATION: 1913' FNL & 924' FWL  SEC 25 TWP T-16-S RGE R-35-E	OTHER SERVICES CN/ZDL DAL
-------------------------------	---	---------------------------------

PERMANENT DATUM	GL	ELEVATION	3959 FT	ELEVATIONS:
LOG MEASURED FROM	KB	19.25 FT	ABOVE P.D.	KB 3978.25 FT
DRILL. MEAS. FROM	KB			DF 3977.25 FT
				GL 3959.00 FT

DATE	24-JUN-2002		
RUN	TRIP	1	1
SERVICE ORDER	373300		
DEPTH DRILLER	13100 FT		
DEPTH LOGGER	13095 FT		
BOTTOM LOGGED INTERVAL	13095 FT		
TOP LOGGED INTERVAL	4953 FT		
CASING DRILLER	9.625 IN	@ 4957 FT	@
CASING LOGGER	4953 FT		
BIT SIZE	8.75 IN		
TYPE OF FLUID IN HOLE	BRINE/FLOWZAN		
DENSITY	VISCOSITY	9.9 LB/G	40 S
PH	FLUID LOSS	10	11 C3
SOURCE OF SAMPLE	CIRCULATION TANK		
RM AT MEAS. TEMP.	0.032 OHMM	@ 101 DEGF	@
RMF AT MEAS. TEMP.	0.032 OHMM	@ 101 DEGF	@
RMC AT MEAS. TEMP.	---	@ ---	@
SOURCE OF RMF	RMC	MEASURED	
RM AT BHT	0.017 OHMM	@ 197 DEGF	@
TIME SINCE CIRCULATION	8 HOURS		
MAX. RECORDED TEMP.	197 DEGF		
EQUIP. NO.	LOCATION	HL 6576	MIDLAND TX
RECORDED BY	RANDY RHODES		
WITNESSED BY	DALE LUBINSKI		



**Baker Atlas**

**COMPENSATED Z-DENSILOG<sup>SM</sup>**  
**COMPENSATED NEUTRON LOG**  
**GAMMA RAY LOG**

FILE NO: WD5162	COMPANY WELL	TMBR/SHARP DRILLING, INC. BLUE FIN "25" #1	
API NO: 30-025-35865	FIELD COUNTY	TOWNSEND; MISSISSIPPIAN, N. LEA STATE NEW MEXICO	
Ver. 3.81  FINAL PRINTS	LOCATION: 1913' FNL & 924' FWL  SEC 25 TWP T-16-S RGE R-35-E		OTHER SERVICES DAL DLL/MLL
PERMANENT DATUM	GL	ELEVATION	3959 FT
LOG MEASURED FROM	KB	19.25 FT	ABOVE P.D.
DRILL. MEAS. FROM	KB		
			ELEVATIONS: KB 3978.25 FT DF 3977.25 FT GL 3959.00 FT

DATE		24-JUN-2002	
RUN	TRIP	1	1
SERVICE ORDER		373300	
DEPTH DRILLER		13100 FT	
DEPTH LOGGER		13095 FT	
BOTTOM LOGGED INTERVAL		13095 FT	
TOP LOGGED INTERVAL		100 FT	
CASING DRILLER		9.625 IN	@ 4957 FT
CASING LOGGER		4953 FT	
BIT SIZE		8.75 IN	
TYPE OF FLUID IN HOLE		BRINE/FLOWZAN	
DENSITY	VISCOSITY	9.9 LB/G	40 S
PH	FLUID LOSS	10	11 C3
SOURCE OF SAMPLE		CIRCULATION TANK	
RM AT MEAS. TEMP.		0.032 OHMM	@ 101 DEGF
RMF AT MEAS. TEMP.		0.032 OHMM	@ 101 DEGF
RMC AT MEAS. TEMP.		---	@ ---
SOURCE OF RMF	RMC	MEASURED	
RM AT BHT		0.017 OHMM	@ 197 DEGF
TIME SINCE CIRCULATION		8 HOURS	
MAX. RECORDED TEMP.		197 DEGF	
EQUIP. NO.	LOCATION	HL 6576	MIDLAND TX
RECORDED BY		RANDY RHODES	