

Revised Permit Information 4/17/15:**HOBBSOCD**

Well Name: Mars 10 State Com No. 506H

APR 20 2015**Location:**

SHL: 326' FNL & 2168' FWL, Section 10, T-24-S, R-33-E, Lea Co., N.M.

BHL: 230' FNL & 2228' FWL, Section 3, T-24-S, R-33-E, Lea Co., N.M.

RECEIVED**Casing Program:**

Hole Size	Interval	Csg OD	Weight	Grade	Conn	DF _{min} Collapse	DF _{min} Burst	DF _{min} Tension
17.5"	0 - 1,310'	13.375"	54.5#	J55	STC	1.125	1.25	1.60
12.25"	0-4,000'	9.625"	40#	J55	LTC	1.125	1.25	1.60
12.25"	4,000' - 5,150'	9.625"	40#	HCK-55	LTC	1.125	1.25	1.60
8.75"	0'-16,195'	5.5"	17#	HCP-110	LTC	1.125	1.25	1.60

Cement Program:

Depth	No. Sacks	Wt. ppg	Yld Ft ³ /ft	Slurry Description
1,310'	550	13.5	1.73	Class C + 4.0% Bentonite + 0.6% CD-32 + 0.5% CaCl ₂ + 0.25 lb/sk Cello-Flake (TOC @ Surface)
	250	14.8	1.34	Class C + 0.6% FL-62 + 0.25 lb/sk Cello-Flake + 0.2% Sodium Metasilicate
5,150'	800	12.7	2.22	Class 'C' + 1.50% R-3 + 0.25 lb/sk Cello-Flake + 2.0% Sodium Metasilicate + 10% Salt + 0.005 lb/sk Static Free (TOC @ Surface)
	225	14.8	1.32	Tail: Class 'C' + 0.25 lb/sk Cello Flake + 0.005 lb/sk Static Free
16,195'	350	10.8	3.67	60:40:0 Class C + 15.0 pps BA-90 + 4% MPA-5 + 3.0% SMS + 5.0% A-10 + 1.0% BA-10A + 0.80% ASA-301 + 2.55% R-21 + 8.0 pps LCM-1 (TOC @ 4,650')
	400	11.9	2.38	50:50:10 Class H + 0.80% FL-52 + 0.30% ASA-301 + 0.40% SMS + 2.0% Salt + 0.30% R-21 + 3.0 pps LCM-1 + 0.25 pps Celloflake
	1700	14.2	1.28	50:50:2 Class H + 0.65% FL-52 + 0.45% CD-32 + 0.10% SMS + 2.0% Salt

Mud Program:

Depth	Type	Weight (ppg)	Viscosity	Water Loss
0 - 1,310'	Fresh - Gel	8.6-8.8	28-34	N/c
1,310' - 5,150'	Brine	10.0-10.2	28-34	N/c
5,150' - 10,585'	Cut Brine	8.4-9.0	28-34	N/c
10,585' - 16,195' Lateral	Cut Brine	9.0-9.5	40-42	8-10


APR 21 2015

Mars 10 State Com #506H
Lea County, New Mexico

326' FNL
2168' FWL
Section 10
T-24-S, R-33-E

Proposed Wellbore
Revised 4/17/15
API: 30-025-42482

KB: 3,623'
GL: 3,598'



Lateral: 16,195' MD, 11,170' TVD

BH Location: 230' FNL & 2228' FWL
Section 3
T-24-S, R-33-E



Lea County, NM (NAD 27 NME)

Mars 10 State Com #506H

Nomac 55

Plan #2

PROJECT DETAILS: Lea County, NM (NAD 27 NME)

Geodetic System: US State Plane 1927 (Exact solution)
Datum: NAD 1927 (NADCON CONUS)
Ellipsoid: Clarke 1855
Zone: New Mexico East 3001
System Datum: Mean Sea Level



Azimuths to Grid North
True North: -0.41°
Magnetic North: 8.83°
Magnetic Field
Strength: 48222.26nT
Dip Angle: 63.11°
Date: 10/21/2014
Model: IGRF2015

To convert a Magnetic Direction to a Grid Direction, Add 6.82°
To convert a Magnetic Direction to a True Direction, Add 7.24° East
To convert a True Direction to a Grid Direction, Subtract 0.41°

WELL DETAILS #506H






Ground Level: 2598.0
KB: 7.0 @ 35.9' depth (Nomac 55)
+N-S -E-W Northing Easting
0.0 0.0 451291.00 738732.0002° 14 18 585 N 103° 33' 40 403 W

SECTION DETAILS

Sec	MD	Inc	Azi	TVD	+N-S	+E-W	Diag	TFace	VSecl	Target	Annotation
1	0.0	0.00	0.00	0.0	0.0	0.0	0.00	0.00	0.0		
2	4500.0	0.00	0.00	4500.0	0.0	0.0	0.00	0.00	0.0		
3	4581.0	0.81	26.84	4591.0	0.6	0.3	1.00	26.84	0.6		
4	10585.5	0.81	26.84	10585.5	85.8	43.3	0.00	0.00	85.7		
5	11475.3	89.78	350.68	11150.0	696.0	44.0	10.00	-27.19	856.1		FTP(Mars 10 State #506H)
6	16195.5	88.76	358.68	11170.8	5376.0	16.0	0.00	0.00	5376.0		PBH(LMars 10 State #506H)

WELLBORE TARGET DETAILS (MAP CO-ORDINATES)

Name	TVD	+N-S	+E-W	Northing	Easting	Shape
FTP(Mars 10 State #506H)	11150.0	696.0	44.0	451847.09	738775.00	Point
PBH(LMars 10 State #506H)	11170.8	5376.0	16.0	456567.05	738748.00	Point





EOG Resources - Midland

Lea County, NM (NAD 27 NME)

Mars 10 State Com

#506H

OH

Plan: Plan #2

EOG PVA

17 April, 2015



EOG Resources, Inc.
EOG PVA

Company: EOG Resources - Midland
Project: Lea County, NM (NAD 27 NME)
Site: Mars 10 State Com
Well: #506H
Wellbore: OH
Design: Plan #2

Local Co-ordinate Reference: Well #506H
TVD Reference: KB = 21 @ 3619.0usft (Nomac 55)
MD Reference: KB = 21 @ 3619.0usft (Nomac 55)
North Reference: Grid
Survey Calculation Method: Minimum Curvature
Database: EDM 5000.1 Single User Db

Project	Lea County, NM (NAD 27 NME)		
Map System:	US State Plane 1927 (Exact solution)	System Datum:	Mean Sea Level
Geo Datum:	NAD 1927 (NADCON CONUS)		
Map Zone:	New Mexico East 3001		

Site	Mars 10 State Com		
Site Position:		Northing:	451,419.00 usft
From:	Map	Easting:	739,148.00 usft
Position Uncertainty:	0.0 usft	Slot Radius:	13-3/16 "
		Latitude:	32° 14' 19.322 N
		Longitude:	103° 33' 35.549 W
		Grid Convergence:	0.41 "

Well	#506H		
Well Position	+N/-S	0.0 usft	Northing: 451,291.00 usft
	+E/-W	0.0 usft	Easting: 738,732.00 usft
Position Uncertainty	0.0 usft	Wellhead Elevation:	0.0 usft
		Latitude:	32° 14' 18.085 N
		Longitude:	103° 33' 40.403 W
		Ground Level:	3,598.0 usft

Wellbore	OH		
Magnetics	Model Name	Sample Date	Declination (°)
	IGRF2015	10/21/2014	7.24
		Dip Angle (°)	60.11
		Field Strength (nT)	48,222

Design	Plan #2		
Audit Notes:			
Version:	Phase:	PLAN	Tie On Depth: 0.0
Vertical Section:	Depth From (TVD)	+N/-S	+E/-W
	(usft)	(usft)	(usft)
	0.0	0.0	0.0
			Direction (°)
			0.17

Survey Tool Program	Date	4/17/2015		
From	To	Survey (Wellbore)	Tool Name	Description
(usft)	(usft)			
0.0	16,195.5	Plan #2 (OH)	MWD	MWD - Standard



EOG Resources, Inc.
EOG PVA

Company: EOG Resources - Midland
Project: Lea County, NM (NAD 27 NME)
Site: Mars 10 State Corn
Well: #506H
Wellbore: OH
Design: Plan #2

Local Co-ordinate Reference: Well #506H
TVD Reference: KB = 21 @ 3619.0usft (Nomac 55)
MD Reference: KB = 21 @ 3619.0usft (Nomac 55)
North Reference: Grid
Survey Calculation Method: Minimum Curvature
Database: EDM 5000.1 Single User Db

Planned Survey

MD (usft)	Inc (°)	Azi (grid_north_azim)	TVD (usft)	N/S (usft)	E/W (usft)	DLog (°/100usft)	Build (°/100usft)	Turn (°/100usft)	High to Plan (usft)	Right to Plan (usft)
0.0	0.00	0.00	0.0	0.0	0.0	0.00	0.00	0.00		
100.0	0.00	0.00	100.0	0.0	0.0	0.00	0.00	0.00		
200.0	0.00	0.00	200.0	0.0	0.0	0.00	0.00	0.00		
300.0	0.00	0.00	300.0	0.0	0.0	0.00	0.00	0.00		
400.0	0.00	0.00	400.0	0.0	0.0	0.00	0.00	0.00		
500.0	0.00	0.00	500.0	0.0	0.0	0.00	0.00	0.00		
600.0	0.00	0.00	600.0	0.0	0.0	0.00	0.00	0.00		
700.0	0.00	0.00	700.0	0.0	0.0	0.00	0.00	0.00		
800.0	0.00	0.00	800.0	0.0	0.0	0.00	0.00	0.00		
900.0	0.00	0.00	900.0	0.0	0.0	0.00	0.00	0.00		
1,000.0	0.00	0.00	1,000.0	0.0	0.0	0.00	0.00	0.00		
1,100.0	0.00	0.00	1,100.0	0.0	0.0	0.00	0.00	0.00		
1,200.0	0.00	0.00	1,200.0	0.0	0.0	0.00	0.00	0.00		
1,300.0	0.00	0.00	1,300.0	0.0	0.0	0.00	0.00	0.00		
1,400.0	0.00	0.00	1,400.0	0.0	0.0	0.00	0.00	0.00		
1,500.0	0.00	0.00	1,500.0	0.0	0.0	0.00	0.00	0.00		
1,600.0	0.00	0.00	1,600.0	0.0	0.0	0.00	0.00	0.00		
1,700.0	0.00	0.00	1,700.0	0.0	0.0	0.00	0.00	0.00		
1,800.0	0.00	0.00	1,800.0	0.0	0.0	0.00	0.00	0.00		
1,900.0	0.00	0.00	1,900.0	0.0	0.0	0.00	0.00	0.00		
2,000.0	0.00	0.00	2,000.0	0.0	0.0	0.00	0.00	0.00		
2,100.0	0.00	0.00	2,100.0	0.0	0.0	0.00	0.00	0.00		
2,200.0	0.00	0.00	2,200.0	0.0	0.0	0.00	0.00	0.00		
2,300.0	0.00	0.00	2,300.0	0.0	0.0	0.00	0.00	0.00		
2,400.0	0.00	0.00	2,400.0	0.0	0.0	0.00	0.00	0.00		
2,500.0	0.00	0.00	2,500.0	0.0	0.0	0.00	0.00	0.00		
2,600.0	0.00	0.00	2,600.0	0.0	0.0	0.00	0.00	0.00		



EOG Resources, Inc.
EOG PVA

Company: EOG Resources - Midland
Project: Lea County, NM (NAD 27 NME)
Site: Mars 10 State Com
Well: #506H
Wellbore: OH
Design: Plan #2

Local Co-ordinate Reference: Well #506H
TVD Reference: KB = 21 @ 3619.0usft (Nomac 55)
MD Reference: KB = 21 @ 3619.0usft (Nomac 55)
North Reference: Grid
Survey Calculation Method: Minimum Curvature
Database: EDM 5000.1 Single User Db

Planned Survey

MD (usft)	Inc (°)	Azi (grid_north_azim)	TVD (usft)	N/S (usft)	E/W (usft)	DLog (°/100usft)	Build (°/100usft)	Turn (°/100usft)	High to Plan (usft)	Right to Plan (usft)
2,700.0	0.00	0.00	2,700.0	0.0	0.0	0.00	0.00	0.00		
2,800.0	0.00	0.00	2,800.0	0.0	0.0	0.00	0.00	0.00		
2,900.0	0.00	0.00	2,900.0	0.0	0.0	0.00	0.00	0.00		
3,000.0	0.00	0.00	3,000.0	0.0	0.0	0.00	0.00	0.00		
3,100.0	0.00	0.00	3,100.0	0.0	0.0	0.00	0.00	0.00		
3,200.0	0.00	0.00	3,200.0	0.0	0.0	0.00	0.00	0.00		
3,300.0	0.00	0.00	3,300.0	0.0	0.0	0.00	0.00	0.00		
3,400.0	0.00	0.00	3,400.0	0.0	0.0	0.00	0.00	0.00		
3,500.0	0.00	0.00	3,500.0	0.0	0.0	0.00	0.00	0.00		
3,600.0	0.00	0.00	3,600.0	0.0	0.0	0.00	0.00	0.00		
3,700.0	0.00	0.00	3,700.0	0.0	0.0	0.00	0.00	0.00		
3,800.0	0.00	0.00	3,800.0	0.0	0.0	0.00	0.00	0.00		
3,900.0	0.00	0.00	3,900.0	0.0	0.0	0.00	0.00	0.00		
4,000.0	0.00	0.00	4,000.0	0.0	0.0	0.00	0.00	0.00		
4,100.0	0.00	0.00	4,100.0	0.0	0.0	0.00	0.00	0.00		
4,200.0	0.00	0.00	4,200.0	0.0	0.0	0.00	0.00	0.00		
4,300.0	0.00	0.00	4,300.0	0.0	0.0	0.00	0.00	0.00		
4,400.0	0.00	0.00	4,400.0	0.0	0.0	0.00	0.00	0.00		
4,500.0	0.00	0.00	4,500.0	0.0	0.0	0.00	0.00	0.00		
4,591.0	0.91	26.84	4,591.0	0.6	0.3	1.00	1.00	0.00		
4,600.0	0.91	26.84	4,600.0	0.8	0.4	0.00	0.00	0.00		
4,700.0	0.91	26.84	4,700.0	2.2	1.1	0.00	0.00	0.00		
4,800.0	0.91	26.84	4,800.0	3.6	1.8	0.00	0.00	0.00		
4,900.0	0.91	26.84	4,900.0	5.0	2.5	0.00	0.00	0.00		
5,000.0	0.91	26.84	4,999.9	6.4	3.3	0.00	0.00	0.00		
5,100.0	0.91	26.84	5,099.9	7.9	4.0	0.00	0.00	0.00		
5,200.0	0.91	26.84	5,199.9	9.3	4.7	0.00	0.00	0.00		



EOG Resources, Inc.
EOG PVA

Company: EOG Resources - Midland
Project: Lea County, NM (NAD 27 NME)
Site: Mars 10 State Com
Well: #506H
Wellbore: OH
Design: Plan #2

Local Co-ordinate Reference: Well #506H
TVD Reference: KB = 21 @ 3619.0usft (Nomac 55)
MD Reference: KB = 21 @ 3619.0usft (Nomac 55)
North Reference: Grid
Survey Calculation Method: Minimum Curvature
Database: EDM 5000.1 Single User Db

Planned Survey

MD (usft)	Inc (°)	Azi (grid_north_azim)	TVD (usft)	N/S (usft)	E/W (usft)	DLeg (°/100usft)	Build (°/100usft)	Turn (°/100usft)	High to Plan (usft)	Right to Plan (usft)
5,300.0	0.91	26.84	5,299.9	10.7	5.4	0.00	0.00	0.00		
5,400.0	0.91	26.84	5,399.9	12.1	6.1	0.00	0.00	0.00		
5,500.0	0.91	26.84	5,499.9	13.5	6.8	0.00	0.00	0.00		
5,600.0	0.91	26.84	5,599.9	14.9	7.6	0.00	0.00	0.00		
5,700.0	0.91	26.84	5,699.9	16.4	8.3	0.00	0.00	0.00		
5,800.0	0.91	26.84	5,799.8	17.8	9.0	0.00	0.00	0.00		
5,900.0	0.91	26.84	5,899.8	19.2	9.7	0.00	0.00	0.00		
6,000.0	0.91	26.84	5,999.8	20.6	10.4	0.00	0.00	0.00		
6,100.0	0.91	26.84	6,099.8	22.0	11.1	0.00	0.00	0.00		
6,200.0	0.91	26.84	6,199.8	23.4	11.9	0.00	0.00	0.00		
6,300.0	0.91	26.84	6,299.8	24.9	12.6	0.00	0.00	0.00		
6,400.0	0.91	26.84	6,399.8	26.3	13.3	0.00	0.00	0.00		
6,500.0	0.91	26.84	6,499.8	27.7	14.0	0.00	0.00	0.00		
6,600.0	0.91	26.84	6,599.7	29.1	14.7	0.00	0.00	0.00		
6,700.0	0.91	26.84	6,699.7	30.5	15.4	0.00	0.00	0.00		
6,800.0	0.91	26.84	6,799.7	31.9	16.2	0.00	0.00	0.00		
6,900.0	0.91	26.84	6,899.7	33.4	16.9	0.00	0.00	0.00		
7,000.0	0.91	26.84	6,999.7	34.8	17.6	0.00	0.00	0.00		
7,100.0	0.91	26.84	7,099.7	36.2	18.3	0.00	0.00	0.00		
7,200.0	0.91	26.84	7,199.7	37.6	19.0	0.00	0.00	0.00		
7,300.0	0.91	26.84	7,299.7	39.0	19.7	0.00	0.00	0.00		
7,400.0	0.91	26.84	7,399.6	40.4	20.5	0.00	0.00	0.00		
7,500.0	0.91	26.84	7,499.6	41.9	21.2	0.00	0.00	0.00		
7,600.0	0.91	26.84	7,599.6	43.3	21.9	0.00	0.00	0.00		
7,700.0	0.91	26.84	7,699.6	44.7	22.6	0.00	0.00	0.00		
7,800.0	0.91	26.84	7,799.6	46.1	23.3	0.00	0.00	0.00		
7,900.0	0.91	26.84	7,899.6	47.5	24.0	0.00	0.00	0.00		



EOG Resources, Inc.
EOG PVA

Company: EOG Resources - Midland
Project: Lea County, NM (NAD 27 NME)
Site: Mars 10 State Com
Well: #506H
Wellbore: OH
Design: Plan #2

Local Co-ordinate Reference: Well #506H
TVD Reference: KB = 21 @ 3619.0usft (Nomac 55)
MD Reference: KB = 21 @ 3619.0usft (Nomac 55)
North Reference: Grid
Survey Calculation Method: Minimum Curvature
Database: EDM 5000.1 Single User Db

Planned Survey

MD (usft)	Inc (°)	Azi (grid_north_azim)	TVD (usft)	N/S (usft)	E/W (usft)	DLeg (°/100usft)	Build (°/100usft)	Turn (°/100usft)	High to Plan (usft)	Right to Plan (usft)
8,000.0	0.91	26.84	7,999.6	48.9	24.8	0.00	0.00	0.00		
8,100.0	0.91	26.84	8,099.6	50.4	25.5	0.00	0.00	0.00		
8,200.0	0.91	26.84	8,199.5	51.8	26.2	0.00	0.00	0.00		
8,300.0	0.91	26.84	8,299.5	53.2	26.9	0.00	0.00	0.00		
8,400.0	0.91	26.84	8,399.5	54.6	27.6	0.00	0.00	0.00		
8,500.0	0.91	26.84	8,499.5	56.0	28.4	0.00	0.00	0.00		
8,600.0	0.91	26.84	8,599.5	57.4	29.1	0.00	0.00	0.00		
8,700.0	0.91	26.84	8,699.5	58.9	29.8	0.00	0.00	0.00		
8,800.0	0.91	26.84	8,799.5	60.3	30.5	0.00	0.00	0.00		
8,900.0	0.91	26.84	8,899.5	61.7	31.2	0.00	0.00	0.00		
9,000.0	0.91	26.84	8,999.4	63.1	31.9	0.00	0.00	0.00		
9,100.0	0.91	26.84	9,099.4	64.5	32.7	0.00	0.00	0.00		
9,200.0	0.91	26.84	9,199.4	65.9	33.4	0.00	0.00	0.00		
9,300.0	0.91	26.84	9,299.4	67.4	34.1	0.00	0.00	0.00		
9,400.0	0.91	26.84	9,399.4	68.8	34.8	0.00	0.00	0.00		
9,500.0	0.91	26.84	9,499.4	70.2	35.5	0.00	0.00	0.00		
9,600.0	0.91	26.84	9,599.4	71.6	36.2	0.00	0.00	0.00		
9,700.0	0.91	26.84	9,699.4	73.0	37.0	0.00	0.00	0.00		
9,800.0	0.91	26.84	9,799.3	74.4	37.7	0.00	0.00	0.00		
9,900.0	0.91	26.84	9,899.3	75.9	38.4	0.00	0.00	0.00		
10,000.0	0.91	26.84	9,999.3	77.3	39.1	0.00	0.00	0.00		
10,100.0	0.91	26.84	10,099.3	78.7	39.8	0.00	0.00	0.00		
10,200.0	0.91	26.84	10,199.3	80.1	40.5	0.00	0.00	0.00		
10,300.0	0.91	26.84	10,299.3	81.5	41.3	0.00	0.00	0.00		
10,400.0	0.91	26.84	10,399.3	82.9	42.0	0.00	0.00	0.00		
10,500.0	0.91	26.84	10,499.3	84.4	42.7	0.00	0.00	0.00		
10,585.9	0.91	26.84	10,585.2	85.6	43.3	0.00	0.00	0.00		



EOG Resources, Inc.
EOG PVA

Company: EOG Resources - Midland
Project: Lea County, NM (NAD 27 NME)
Site: Mars 10 State Com
Well: #506H
Wellbore: OH
Design: Plan #2

Local Co-ordinate Reference: Well #506H
TVD Reference: KB = 21 @ 3619.0usft (Nomac 55)
MD Reference: KB = 21 @ 3619.0usft (Nomac 55)
North Reference: Grid
Survey Calculation Method: Minimum Curvature
Database: EDM 5000.1 Single User Db

Planned Survey

MD (usft)	Inc (")	Azi (grid_north_azim)	TVD (usft)	N/S (usft)	E/W (usft)	DLeg ("/100usft)	Build ("/100usft)	Turn ("/100usft)	High to Plan (usft)	Right to Plan (usft)
10,600.0	2.26	10.27	10,599.2	85.9	43.4	10.00	9.56	-117.67		
10,650.0	7.23	2.94	10,649.0	90.1	43.7	10.00	9.95	-14.66		
10,700.0	12.22	1.58	10,698.3	98.5	44.0	10.00	9.99	-2.72		
10,750.0	17.22	1.00	10,746.7	111.2	44.3	10.00	10.00	-1.16		
10,800.0	22.22	0.68	10,793.7	128.1	44.6	10.00	10.00	-0.65		
10,850.0	27.22	0.47	10,839.1	149.0	44.8	10.00	10.00	-0.42		
10,900.0	32.22	0.32	10,882.5	173.7	44.9	10.00	10.00	-0.30		
10,950.0	37.22	0.21	10,923.6	202.2	45.1	10.00	10.00	-0.22		
11,000.0	42.22	0.12	10,962.1	234.2	45.2	10.00	10.00	-0.18		
11,050.0	47.22	0.04	10,997.6	269.3	45.2	10.00	10.00	-0.15		
11,100.0	52.22	359.98	11,029.9	307.5	45.2	10.00	10.00	-0.12		
11,150.0	57.22	359.93	11,058.8	348.3	45.2	10.00	10.00	-0.11		
11,200.0	62.22	359.88	11,084.0	391.4	45.1	10.00	10.00	-0.10		
11,250.0	67.22	359.83	11,105.3	436.6	45.0	10.00	10.00	-0.09		
11,300.0	72.22	359.79	11,122.6	483.5	44.8	10.00	10.00	-0.08		
11,350.0	77.22	359.75	11,135.8	531.7	44.6	10.00	10.00	-0.08		
11,400.0	82.22	359.72	11,144.7	580.9	44.4	10.00	10.00	-0.07		
11,450.0	87.22	359.68	11,149.3	630.7	44.1	10.00	10.00	-0.07		
11,464.4	88.66	359.67	11,149.8	645.0	44.1	10.00	10.00	-0.07		
FTP(Mars 10 State #506H)test										
11,466.3	88.84	359.67	11,149.9	646.9	44.1	10.00	10.00	-0.07		
FTP(Mars 10 State #506H)test (copy)										
11,475.0	89.72	359.66	11,150.0	655.7	44.0	10.00	10.00	-0.07		
FTP(Mars 10 State #506H) (copy)										
11,475.3	89.75	359.66	11,150.0	656.0	44.0	10.00	10.00	-0.07		
FTP(Mars 10 State #506H)										
11,500.0	89.75	359.66	11,150.1	680.7	43.9	0.00	0.00	0.00		



EOG Resources, Inc.
EOG PVA

Company: EOG Resources - Midland
Project: Lea County, NM (NAD 27 NME)
Site: Mars 10 State Com
Well: #506H
Wellbore: OH
Design: Plan #2

Local Co-ordinate Reference: Well #506H
TVD Reference: KB = 21 @ 3619.0usft (Nomac 55)
MD Reference: KB = 21 @ 3619.0usft (Nomac 55)
North Reference: Grid
Survey Calculation Method: Minimum Curvature
Database: EDM 5000.1 Single User Db

Planned Survey

MD (usft)	Inc (°)	Azi (grid_north_azim)	TVD (usft)	N/S (usft)	E/W (usft)	DLeg (°/100usft)	Build (°/100usft)	Turn (°/100usft)	High to Plan (usft)	Right to Plan (usft)
11,600.0	89.75	359.66	11,150.5	780.7	43.3	0.00	0.00	0.00		
11,700.0	89.75	359.66	11,151.0	880.7	42.7	0.00	0.00	0.00		
11,800.0	89.75	359.66	11,151.4	980.7	42.1	0.00	0.00	0.00		
11,900.0	89.75	359.66	11,151.8	1,080.7	41.5	0.00	0.00	0.00		
12,000.0	89.75	359.66	11,152.3	1,180.7	40.9	0.00	0.00	0.00		
12,100.0	89.75	359.66	11,152.7	1,280.6	40.3	0.00	0.00	0.00		
12,200.0	89.75	359.66	11,153.1	1,380.6	39.7	0.00	0.00	0.00		
12,300.0	89.75	359.66	11,153.6	1,480.6	39.1	0.00	0.00	0.00		
12,400.0	89.75	359.66	11,154.0	1,580.6	38.5	0.00	0.00	0.00		
12,500.0	89.75	359.66	11,154.5	1,680.6	37.9	0.00	0.00	0.00		
12,600.0	89.75	359.66	11,154.9	1,780.6	37.3	0.00	0.00	0.00		
12,700.0	89.75	359.66	11,155.3	1,880.6	36.7	0.00	0.00	0.00		
12,800.0	89.75	359.66	11,155.8	1,980.6	36.1	0.00	0.00	0.00		
12,900.0	89.75	359.66	11,156.2	2,080.6	35.5	0.00	0.00	0.00		
13,000.0	89.75	359.66	11,156.6	2,180.6	35.0	0.00	0.00	0.00		
13,100.0	89.75	359.66	11,157.1	2,280.6	34.4	0.00	0.00	0.00		
13,200.0	89.75	359.66	11,157.5	2,380.6	33.8	0.00	0.00	0.00		
13,300.0	89.75	359.66	11,157.9	2,480.6	33.2	0.00	0.00	0.00		
13,400.0	89.75	359.66	11,158.4	2,580.6	32.6	0.00	0.00	0.00		
13,500.0	89.75	359.66	11,158.8	2,680.6	32.0	0.00	0.00	0.00		
13,600.0	89.75	359.66	11,159.2	2,780.6	31.4	0.00	0.00	0.00		
13,700.0	89.75	359.66	11,159.7	2,880.6	30.8	0.00	0.00	0.00		
13,800.0	89.75	359.66	11,160.1	2,980.6	30.2	0.00	0.00	0.00		
13,900.0	89.75	359.66	11,160.5	3,080.6	29.6	0.00	0.00	0.00		
14,000.0	89.75	359.66	11,161.0	3,180.6	29.0	0.00	0.00	0.00		
14,100.0	89.75	359.66	11,161.4	3,280.6	28.4	0.00	0.00	0.00		
14,200.0	89.75	359.66	11,161.8	3,380.6	27.8	0.00	0.00	0.00		



EOG Resources, Inc.
EOG PVA

Company: EOG Resources - Midland
Project: Lea County, NM (NAD 27 NME)
Site: Mars 10 State Com
Well: #506H
Wellbore: OH
Design: Plan #2

Local Co-ordinate Reference: Well #506H
TVD Reference: KB = 21 @ 3619.0usft (Nomac 55)
MD Reference: KB = 21 @ 3619.0usft (Nomac 55)
North Reference: Grid
Survey Calculation Method: Minimum Curvature
Database: EDM 5000.1 Single User Db

Planned Survey

MD (usft)	Inc (°)	Azi (grid_north_azim)	TVD (usft)	N/S (usft)	E/W (usft)	DLog (°/100usft)	Build (°/100usft)	Turn (°/100usft)	High to Plan (usft)	Right to Plan (usft)
14,300.0	89.75	359.66	11,162.3	3,480.6	27.2	0.00	0.00	0.00		
14,400.0	89.75	359.66	11,162.7	3,580.6	26.7	0.00	0.00	0.00		
14,500.0	89.75	359.66	11,163.1	3,680.6	26.1	0.00	0.00	0.00		
14,600.0	89.75	359.66	11,163.6	3,780.6	25.5	0.00	0.00	0.00		
14,700.0	89.75	359.66	11,164.0	3,880.6	24.9	0.00	0.00	0.00		
14,800.0	89.75	359.66	11,164.4	3,980.6	24.3	0.00	0.00	0.00		
14,900.0	89.75	359.66	11,164.9	4,080.6	23.7	0.00	0.00	0.00		
15,000.0	89.75	359.66	11,165.3	4,180.6	23.1	0.00	0.00	0.00		
15,100.0	89.75	359.66	11,165.7	4,280.6	22.5	0.00	0.00	0.00		
15,200.0	89.75	359.66	11,166.2	4,380.6	21.9	0.00	0.00	0.00		
15,300.0	89.75	359.66	11,166.6	4,480.6	21.3	0.00	0.00	0.00		
15,400.0	89.75	359.66	11,167.0	4,580.6	20.7	0.00	0.00	0.00		
15,500.0	89.75	359.66	11,167.5	4,680.6	20.1	0.00	0.00	0.00		
15,600.0	89.75	359.66	11,167.9	4,780.6	19.5	0.00	0.00	0.00		
15,700.0	89.75	359.66	11,168.3	4,880.6	18.9	0.00	0.00	0.00		
15,800.0	89.75	359.66	11,168.8	4,980.5	18.3	0.00	0.00	0.00		
15,900.0	89.75	359.66	11,169.2	5,080.5	17.8	0.00	0.00	0.00		
16,000.0	89.75	359.66	11,169.7	5,180.5	17.2	0.00	0.00	0.00		
16,100.0	89.75	359.66	11,170.1	5,280.5	16.6	0.00	0.00	0.00		
16,195.4	89.75	359.66	11,170.5	5,376.0	16.0	0.00	0.00	0.00		

PBHL(Mars 10 State #506H)test - PBHL(Mars 10 State #506H) (copy) - PBHL(Mars 10 State #506H) - PBHL(Mars 10 State #506H)test (copy)

Checked By: _____ Approved By: _____ Date: _____